

PRIAMUS

Serial Publication of the Centre for Entomological Studies Ankara

Supplement

Number 26

02 01 2012

ISSN 1015-8243

Contents: Koçak, A.Ö. & M.Kemal: Lepidoptera of Afghanistan Annotated Bibliography and Synonymical Checklist of the known species, p.1

E d i t o r i a l: The Cesa and the traps around us, an editorial comment, p. 135

Field studies planned in 2012 and current conditions in East Turkey, p. 137

Lepidoptera of Afghanistan Annotated Bibliography and Synonymical Checklist of the known species


Ahmet Ömer Koçak ¹ Muhabbet Kemal ²

Abstract: Lepidoptera of Afghanistan Annotated Bibliography and Synonymical Checklist of the known species. *Priamus* Suppl. 26: 1-134, 17 figs.

This paper deals with the bibliography and the checklist of the Lepidoptera of Afghanistan. Totally 1675 species of 51 families of the Lepidoptera are listed with the chronologically arranged synonyms, and the range of the species mentioned in codes. Some taxa are also provided with the original references and vernacular names in English and Turkish. Here 239 butterfly, and 1436 moth species are listed, represented in the Lepidoptera fauna by 14%, and 86%, respectively. Totally 835 publications are listed and evaluated according to their contents, i.e., selected 28 scientific subjects. In a special chapter, some illustrations of the classical works on South West Asia are evaluated with some remarks on the species of Afghanistan. Nomenclatural case of *Zygaena afghana* Moore, 1860 is discussed.

Key words: Lepidoptera, Afghanistan, bibliography, checklist.

Lepidoptera fauna of Afghanistan is currently represented by 1675 species in 51 families. These are as follows (in alphabetical order): *Aganaidae* (1), *Arctiidae* (27), *Argynniidae* (38)*, *Autostichidae* (2), *Batrachedridae* (1), *Bombycidae* (1), *Brachodidae* (2), *Carposinidae* (1), *Choreutidae* (5), *Coleophoridae* (78), *Cosmopterigidae* (12), *Cossidae* (38), *Ctenuchidae* (5), *Danaidae* (6)*, *Douglasiidae* (2), *Epermeniidae* (5), *Ethmiidae* (8), *Gelechiidae* (48), *Geometridae* (119), *Gracillariidae* (8), *Hesperiidae* (21)*, *Lasiocampidae* (14), *Lecithoceridae* (7), *Libytheidae* (1)*, *Limacodidae*




¹ <http://zoobank.org/?lsid=urn:lsid:zoobank.org:author:4755104C-24B4-4E00-8831-5F5E08B9E831>

² <http://zoobank.org/?lsid=urn:lsid:zoobank.org:author:671DD110-BDF1-49C8-964D-2A9251BE7824>

(3), *Lycaenidae* (71)*, *Lymantriidae* (20), *Lyonetiidae* (2), *Nepticulidae* (1), *Noctuidae* (475), *Notodontidae* (12), *Oecophoridae* (14), *Opostegidae* (1), *Papilionidae* (21)*, *Pieridae* (26)*, *Psychidae* (2), *Pterophoridae* (26), *Pyrilidae* (311), *Riodinidae* (2)*, *Saturniidae* (3), *Satyridae* (53)*, *Scythridae* (9), *Sesiidae* (4), *Sphingidae* (31), *Stathmopodidae* (2), *Thaumetopoeidae* (3), *Tineidae* (28), *Tortricidae* (68), *Yponomeutidae* (8), and *Zygaenidae* (19).

The butterflies, denoted with *, are represented by 239 species (9 families), while the moths by 1436 species (42 families).



This country has been visited by western people³ especially in the second half of the 20th century. Some of the collected materials have been preserved currently in German and Austrian natural history museums, or in private collections. Among the described taxa, there are 69 scientific names (9 of them currently invalid), dedicated to Afghanistan or its people. These names are as follows;

Cyrestis (s.str.) thyodamas **afghana** Martin, 1903 (Argynniidae)
 Melitaea (Didymaeformis) perseae dodgsoni Grose-Smith, 1887 dodgsoni Grose-Smith, 1887 (= **afghana** Heydemann, 1954) (Argynniidae)
 Lycaena (Hyrceanana) caspius **afghanus** Howarth & Povolny, 1976 (Lycaenidae)
 Polyommatus (Albulina (Plebejidea)) loewii **afghanus** Howarth & Povolny, 1976 (Lycaenidae)
 Polyommatus (s.str. (Agrodiaetus (Juldus))) **afghanicus** (Forster, 1973) (Lycaenidae)
 Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) bogra **afghanistanus** (Forster, 1972) (Lycaenidae)
 Atrophaneura (s.str. (Byasa)) latreillei **afghana** Howarth & Povolny, 1973 (Papilionidae)
 Parnassius (s.str.) honrathi **afghanistanus** Eisner, 1940 (Papilionidae)
 Colias (Eriocolias) marcopolo **afghanipolo** Schulte, 1977 (Pieridae)
 Colias (Neocolias) erate (Esper, [1805]) erate Esper, [1805] (= **afghana** O. Bang-Haas, 1927) (Pieridae)
 Paralasa **afghana** (Goltz, 1937) (Satyridae)
 Ebertarctia **afghanicola** (Ebert, 1974) (Arctiidae)
 Eudiaphora turensis (Erschoff, 1874) (= **afghanistanensis** Daniel, 1966) (Arctiidae)
 Coleophora **afghana** Toll & Amsel, 1967 (Coleophoridae)
 Cossus cossus **afghanistanus** Daniel, 1953 (Cossidae)
 Dysauxes (s.str.) kashmiriensis **afghanica** Daniel, 1965 (Ctenuchidae)
 Klimeschia **afghanica** Gaedike, 1974 (Douglassiidae)
 Epermenia (s.str.) **afghanistanella** (Gaedike, 1971) (Epermeniidae)
 Epermenia (s.str.) ochreomaculella (Millière, 1854) (= **afghanistanella** Gaedike, 1971) (Epermeniidae)
 Ethmia **afghana** Sattler, 1967 (Ethmiidae)
 Carodista **afghana** Gozmany, 1978 (Lecithoceridae)
 Micromelalopha undulata (Hampson, 1891) (= **afghanus** Ebert, 1968) (Notodontidae)
 Anchinia laureolella **afghanica** Lvovsky, 1997 (Oecophoridae)
 Depressaria **afghanella** Amsel, 1972 (Oecophoridae)
 Opostega **afghani** Davis, 1989 (Opostegidae)
 Tabulaephorus **afghanus** (Arenberger, 1981) (Pterophoridae)
 Arsisia **afghana** (Hartig, 1937) (Pyrilidae)
 Bazaria pempeliella Ragonot, 1893 (= **afghanella** Amsel, 1970) (Pyrilidae)
 Calamotropha paludella (Hübner, [1824]) (= **afghanistanica** Bleszynski, 1959) (Pyrilidae)
 Dentitegumia **afghanella** Amsel, 1970 (Pyrilidae)
 Loxostege **afghana** Koçak & Kemal, 2007 (Pyrilidae)
 Evergestis obsoletalis **afghanalis** Amsel, 1970 (Pyrilidae)
 Hellula **afghanalis** (Amsel, 1970) (Pyrilidae)
 Myelois (Gnathogutta) osseella **afghanella** Amsel, 1970 (Pyrilidae)

³ The people comprise from the scientists, amateur collectors to poachers.

Myeloisiphana **afghana** Hartig,1937 (Pyralidae)
 Panstegia aerealis **afghanalis** Amsel,1970 (Pyralidae)
 Phlyctaenomorphia **afghanalis** Amsel,1970 (Pyralidae)
 Prorophora (Epischidia) **afghanella** Roesler,1973 (Pyralidae)
 Scoparia **afghanorum** Leraut,1985 (Pyralidae)
 Talis **afghanella** Bleszynski,1965 (Pyralidae)
 Apostibes **afghana** Passerin d'Entrèves & Roggero,2003 (Scythridae)
 Bactrianoscythris **afghana** Passerin d'Entrèves & Roggero,2009 (Scythridae)
 Bembecia **afghana** Bartsch & K.Spatenka,2010 (Sesiidae)
 Rethera **afghanistana** Daniel,1958 (Sphingidae)
 Perissomastix (s.str.) **afghana** (G.Petersen,1959) (Tineidae)
 Aethes **afghana** Razowski,1983 (Tortricidae)
 Acrolepia **afghanistanella** Gaedike,1968 (Yponomeutidae)
 Digitivalva (s.str.) **afghanistanella** (Gaedike,1968) (Yponomeutidae)
 Praezygaena **afghana** (Moore,[1860]) (Zygaenidae) **an obscure case:** see page 133
 Zygaena (Agrumenia) **afghana** Moore,[1860] (Zygaenidae)
 Zygaena (Mesembrynus) **afghanica** H.Reiss,1940 (Zygaenidae)
 Gnopharmia maculifera **afghanistana** Wiltshire,1967 (Geometridae)
 Scodiomima **afghana** Wiltshire,1961 (Geometridae)
 Scopula **afghana** Ebert,1965 (Geometridae)
 Scopula **pseudoafghana** Ebert,1965 (Geometridae)
 Synopsisia phasidaria **afghana** Wiltshire,1966 (Geometridae)
 Ornativava **afghana** Sattler,1967 (Gelechiidae)
 Armada dentata (Staudinger,1884) (= **afghana** Hampson,1926) (Noctuidae)
 Autophila (Cheirophanes) **afghana** Ronkay,1986 (Noctuidae)
 Catocala (s.str.) **afghana** Swinhoe,1885 (Noctuidae)
 Dasypolia (s.str.) **afghana** Boursin,1968 (Noctuidae)
 Diarsia fletcheri Boursin,1969 (= **afghana** Boursin,1969) (Noctuidae)
 Dichagyris (s.str.) **afghana** (Boursin,1963) (Noctuidae)
 Eublema (bulla-gr.) **afghanum** (Wiltshire,1961) (Noctuidae)
 Euxoa (s.str.) hypochlora **afghanica** Boursin,1964 (Noctuidae)
 Hadenia (s.str.(Miselia)) **afghana** (Brandt,1947) (Noctuidae)
 Polymixis (Eremophya) acharis **afghana** (Boursin,1963) (Noctuidae)
 Rhyacia (s.str.) **afghanidia** (Boursin,1968) (Noctuidae)
 Xenophya junctimacula **afghanorea** Varga,1975 (Noctuidae)

Annotated Bibliography

Totally 835 items direct or indirectly related with the Lepidoptera of Afghanistan have been evaluated according to their contents. Selected 28 scientific subjects and their abbreviations used in the bibliographical database of the Cesa are given below alphabetically:

ATL – Atlas or figure(s) (330 items)
BIB- Bibliographical content (377 items)
BIO- Bionomy (134 items)
CAT- Catalog, checklist (108 items)
CLA- Classification (85 items)
CON- Conservation (no item)
DIS- Distribution (217 items)
ECO- Ecology (142 items)
EGG- egg morphology (6 items)

ETH- Ethology, behaviour (no item)
EVO- Evolution (1 item)
FAU- Fauna (558 items)
GEN- Genitalic figures (279 items)
GEO- Geography (17 items)
HAB- Habitat (10 items)
KEY – Identification keys (86 items)
LAR- Larval morphology (22 items)
MAP- Map (34 items)
MET- Methodic info. (4 items)

MOR- Morphology (651 items)
NOM – Nomenclature (80 items)
OBI- Obituary (1 item)
PER- Personal, biography (2 items)
PHY- Phylogeny (26 items)
PUP- Pupa, chrysalis (14 items)
SEM- Sem photography (no item)
TAX – Taxonomy (697 items)
TRA- Notes on travel (11 items)

List of the publications

Totally 835 items are listed below according to the author index. Contents of each publications explained by the codes in green.

1. **Ackery, P.R.**, 1973, A list of the type-specimens of *Parnassius* in the British Museum (Natural History). Bull. Br. Mus. (Nat. Hist.) Ent. 29: 1-35. **TAX NOM** [available in Cesa Library]
2. **Ackery, P.R.**, 1975, A Guide to the genera and species of Parnassiinae (Lepidoptera, Papilionidae). Bull. Br. Mus. (Nat. Hist.) Ent. 31 (4): 71-105, 32 figs., 16 pls. **TAX MOR FAU ATL GEN KEY BIO BIB DIS** [available in Cesa Library]
3. **Agassiz, J.L.R.**, 1846-1847, Nomenclator zoologicus, continens nomina systematica generum animalium tam viventium quam fossilium [Lepidoptera: fascicle 9-10 (1846), index universalis (1847)]. Soloduri, Jent and Grassman. **NOM CAT**
4. **Agenjo, R.**, 1958, Tribus y Subtribus de la Subfamilia Phycitinae Cotes, 1899 (Lepidoptera, Phycitidae). Eos 34: 205-208. **CAT** [available in Cesa Library]
5. **Ahmad, T.**, 1946, Insect Fauna of Afghanistan-IV. Lepidoptera. Ind. J. Ent. 8: 202-223. **FAU ???**
6. **Alberti, B.**, 1939, *Hesperia badachschan* nov.sp. Ent. Rdsch. 56: 107-109. **TAX FAU MOR** [available in Cesa Library]
7. **Alberti, B.**, 1954, Über die stammesgeschichtliche Gliederung der Zygaenidae, nebst Revision einiger Gruppen (Insecta, Lepidoptera). Mitt. zool. Mus. Berl. 30: 115-480, 33 figs., 63 pls. **TAX FAU DIS MOR GEN** [available in Cesa Library]
8. **Alberti, B.**, 1955, Zur Stammesgeschichte und Systematik der Zygaenini (Lepidoptera, Zygaenidae). Dt. ent. Z. (N.F.) 2: 301-321, 5 figs., 5 Pls. **TAX MOR GEN CLA PHY BIB** [available in Cesa Library]
9. **Alberti, B.**, 1955, Zur Kenntnis der Gattung *Carcharodus* Hbn., mit einer Betrachtung zum Art-, und Gattungsbegriff. Z. Lepid. 3: 105-142, figs. **TAX FAU MOR GEN DIS BIB CLA** [available in Cesa Library]
10. **Alberti, B.**, 1956, Zur Umgrenzung und Gliederung von *Zygaena* F. Ent. Z., Frankf. a. M. 66: 200-206. **TAX MOR** [available in Cesa Library]
11. **Alberti, B.**, 1968, Zur Kenntnis des Genus *Procris* F. in Afghanistan (Lepidoptera, Zygaenidae). Reichenbachia 10: 249-253, 4 figs. **TAX FAU MOR GEN** [available in Cesa Library]
12. **Alberti, B.**, 1981, Über Wesen und Aussagegrenzen der "Phylogenetischen Systematik" von Hennig, untersucht am Beispiel der Zygaenidae. Mitt. münch. ent. Ges. 71: 1-31, 7 figs. **TAX MOR** [available in Cesa Library]
13. **Alpheraky, S.N.**, 1881, Lépidoptères du district de Kouldja et des montagnes environnantes. Ière Partie. Rhopalocera. Horae Soc. ent. ross. 16: 334-435, pls. **TAX MOR FAU ATL** [available in Cesa Library]
14. **Alpheraky, S.N.**, 1882, Lépidoptères du district de Kouldja et des montagnes environnantes II. Partie. Horae Soc. ent. ross. 17: 15-103, pls. **TAX FAU ECO MOR ATL** [available in Cesa Library]
15. **Alpheraky, S.N.**, 1889, Le Pamir et sa faune lépidoptérologique. Noctuelites. [In] Romanoff, N.M., Mém. Lépid. 5: 124-191. **TAX FAU MOR** [available in Cesa Library]
16. **Amsel, H.G.**, 1953, Die Microlepidopteren der Brandt'schen Iran Ausbeute IV. Ark. Zool. 6 (16): 255-326, figs. **TAX FAU MOR** [available in Cesa Library]
17. **Amsel, H.G.**, 1957, Die Deutsche Afghanistan Expedition 1956 der Landessammlungen für Naturkunde in Karlsruhe (Reisebericht). Beitr. naturk. Forsch. SüdwDtl. 16: 5-29. **TRA**
18. **Amsel, H.G.**, 1959, Microlepidoptera aus Iran (Ergebnisse der Entomologischen Reisen Willi Richter, Stuttgart, im Iran 1954 und 1956 - Nr.25). Stuttg. Beitr. Naturk. 28: 1-47, Abb., 5 Taf. **TAX MOR FAU ATL GEN** [available in Cesa Library]
19. **Amsel, H.G.**, 1961, Die Microlepidopteren der Brandt'schen Iran Ausbeute V. Ark. Zool. 13 (17): 323-445, figs. **TAX FAU MOR GEN** [available in Cesa Library]
20. **Amsel, H.G.**, 1961, Zwei neue Evippe- Arten aus Afghanistan, Iran und Nordsyrien (Lepidoptera, Gelechiidae). Beitr. naturk. Forsch. SWDtl. 20: 99-103, figs. **TAX FAU MOR ATL GEN** [available in Cesa Library]
21. **Amsel, H.G.**, 1967, Die afghanischen Arten des *Anarsia*- Komplexes. Zugleich eine vorläufige Revision der sonstigen palaearktischen Arten (Lepidoptera, Gelechiidae). Beitr. naturk. Forsch. SWDtl. 26(3): 17-31, figs. **TAX FAU MOR GEN** [available in Cesa Library]
22. **Amsel, H.G.**, 1967, Eine neue afghanische *Stenoptilia*-Art (Lepidoptera, Pterophoridae). Beitr. naturk. Forsch. SWDtl. 26(1): 15-16, 1Abb. **TAX FAU MOR GEN** [available in Cesa Library]

23. **Amsel, H.G.**, 1967, Die zweite Deutsch Afghanistan-Expedition 1966 der Landessammlungen für Naturkunde Karlsruhe. Ein Reisebericht. Beitr. naturk. Forsch. SWDtl. 26(1): 3-14. **TRA MAP HAB ECO** [available in Cesa Library]
24. **Amsel, H.G.**, 1969, Die afghanische Ethmia-Arten (Lepidoptera, Ethmiidae). Beitr. naturk. Forsch. SWDtl. 28(2): 115-119, 2Abb. **TAX FAU DIS MOR GEN ATL** [available in Cesa Library]
25. **Amsel, H.G.**, 1970, Afghanische Pyraustinae (Lepidoptera, Pyralidae). Beitr. naturk. Forsch. SWDtl. 29: 25-66, 27 textfigs., 4 pls. **TAX FAU MOR GEN** [available in Cesa Library]
26. **Amsel, H.G.**, 1972, Depressarien aus Afghanistan, Iran, Irak und Arabien (Lepidoptera, Oecophoridae). Beitr. naturk. Forsch. SüdWdtl. 31: 133-144, 5 Taf. **TAX MOR FAU ATL GEN BIB** [available in Cesa Library]
27. **Arenberger, E.**, 1977, Die palaearktischen Agdistis- Arten (Lepidoptera, Pterophoridae). Beitr. naturk. Forsch. SWDtl. 36: 185-226, 1 Abb. 15 Taf. **TAX FAU MOR KEY GEN** [available in Cesa Library]
28. **Arenberger, E.**, 1981, Die Pterophorus- Arten West- und Zentralasiens. 2. Beitrag (Lepidoptera, Pterophoridae). Z. ArbGem. öst. Ent. 33(1/2): 17-29, figs. **TAX FAU MOR GEN DIS BIB** [available in Cesa Library]
29. **Arenberger, E.**, 1988, Taxonomische Klarstellungen bei den Pterophoridae (Lepidoptera). Staphia 16: 1-12, 18 figs. **TAX NOM MOR GEN**
30. **Arenberger, E.**, 1988, Weitere palaearktische Pterophoridae (Lepidoptera). Z. ArbGem. öst. Ent. 39 (3/4): 65-70, 8 Abb. **TAX MOR FAU GEN** [available in Cesa Library]
31. **Arenberger, E.**, 1995, Pterophoridae Teilband I, [In] Amsel, H.G., Reisser, H. & F. Gregor: Microlepidoptera Palaearctica 9: xxv + 258 pp. 153 Taf. Karlsruhe. **TAX MOR FAU ATL GEN ECO BIO BIB** [available in Cesa Library]
32. **Arenberger, E.**, 2002, Pterophoridae Teilband II, [In] Gaedike, R., Microlepidoptera Palaearctica 11: 287 pp. 96 Taf. Goecke & Evers, Keltern. **TAX MOR FAU ATL GEN ECO BIO BIB** [available in Cesa Library]
33. **Arenberger, E.**, 2005, Pterophoridae Teilband III, [In] Gaedike, R., Microlepidoptera Palaearctica 12: 191 pp. 50 Taf. Goecke & Evers, Keltern. **TAX MOR FAU ATL GEN ECO BIO BIB** [available in Cesa Library]
34. **Asselbergs, J.E.F.**, 2006, Ancylosis (Syria) limoniella (Chrétien, 1911) new to the fauna of the Canary Islands, Spain (Lepidoptera, Pyralidae). Shilap Revta. lepid. 34 (135): 253-254, figs. **FAU ATL GEN DIS** [available in Cesa Library]
35. **Aurivillius, C.**, 1894, Die palaearktischen Gattungen der Lasiocampiden, Striphropterygiden und Megalopygiden. Dt. ent. Z., Iris 7: 121-192. **TAX NOM CAT FAU MOR** [available in Cesa Library]
36. **Aussem, B.**, 1980, Eine neue Satyride der Gattung Pseudochazara de Lesse, 1951 aus Afghanistan (Satyridae). Nota lepid. 3(1/2): 5-15, figs. **TAX MOR FAU GEN ATL BIB** [available in Cesa Library]
37. **Austaut, J.L.**, 1889, Les Parnassiens de la faune Palearctique. 222pp., 32 Pls., Leipzig. **TAX MOR FAU ATL BIO ECO BIB**
38. **Avinoff, A.**, 1912, Quelques formes nouvelles du genre Parnassius Latr. Horae Soc. ent. ross. 40(5): 1-21, 2 Pls. **TAX MOR FAU** [available in Cesa Library]
39. **Back, H.E.**, 1973, Untersuchungen über die Systematik und Zoogeographie der Gattung Pleurota (Lepidoptera, Oecophoridae). 413 pp., figs. Saarbrücken. **TAX FAU BIO ECO DIS MOR GEN** [available in Cesa Library]
40. **Back, W. & U. Eitschberger**, 1976, Die Unterarten von Euchloe charltonia Donzel, 1842. Atalanta 7 (3): 142-160, pls. **TAX DIS MOR ATL GEN BIB** [available in Cesa Library]
41. **Baldizzone, G.**, 1989, Contributions a la connaissance des Coleophoridae LIV. Deux nouvelles espèces du genre Coleophora Hübner: C. aporiella sp.n. et C. longiductella sp.n. (Lepidoptera). Nota lepid. 12 (2): 103-112, 18 figs. **TAX MOR FAU GEN ATL BIB DIS** [available in Cesa Library]
42. **Baldizzone, G.**, 1989, Contributions a la connaissance des Coleophoridae LV. Deux nouvelles espèces du genre Coleophora Hübner de l'Afghanistan (Lepidoptera). Nota lepid. 12 (2): 103-112, figs. **TAX MOR FAU GEN**
43. **Baldizzone, G.**, 1994, Contribuzioni alla conoscenza dei Coleophoridae LXXV. Coleophoridae dell'Area Irano-Anatolica e regioni limitrofe (Lepidoptera). Assoc. natur. Piemont. Memorie 3: 1-423, 699 figs. **TAX MOR FAU GEN ATL BIB** [available in Cesa Library]
44. **Balint, Z.**, 1999, Annotated list of the type specimens of Polyommatus sensu Eliot of the Natural History Museum London (Lepidoptera, Lycaenidae). Neue ent. Nachr. 46: 1-89, 4 Pls. **TAX NOM ATL** [available in Cesa Library]
45. **Balint, Z., Kertész, A. & V.A. Lukhtanov**, 1992, A survey of the subgenus Plebejides Sauter, 1968 (Lepidoptera, Lycaenidae). Ent. Obozr. 71 (4): 863-886, 74 figs. **TAX FAU ECO DIS MOR GEN BIB** [available in Cesa Library]

46. **Balletto, E. & O. Kudrna**, 1989, On a small collection of butterflies from NW. Afghanistan (Province of Herat), with additions to the Afghan fauna and a checklist of the species known for this country. *Entomologist's Gaz.* 40: 245-265. **FAU TAX CAT DIS** [available in Cesa Library]
47. **Bang-Haas, O.**, 1926, Katalog der im "Seitz-Werke" nicht erhaltenen und seitdem neu beschriebenen palaearktischen Macrolepidopteren 1. Bis zum Jahre 1920. *Novit. macrolepid.* 1: xx+ 238pp. **BIB**
48. **Bang-Haas, O.**, 1927, Katalog der im "Seitz-Werke" nicht erhaltenen und seitdem neu beschriebenen palaearktischen Macrolepidopteren 2. Vom Jahre 1921 bis 1926. *Novit. macrolepid.* 2: xxii+ 301pp. **BIB**
49. **Bang-Haas, O.**, 1927, *Horae Macrolepidopterologicae regionis palaearcticae* Vol. 1. Neubeschreibungen und Berichtigungen der Palaearktischen Lepidopterenfauna. xxviii+ 128S. 11 Taf. Dresden-Blasewitz. **TAX MOR FAU ATL BIB** [available in Cesa Library]
50. **Bang-Haas, O.**, 1928, Katalog der im "Seitz-Werke" nicht erhaltenen und seitdem neu beschriebenen palaearktischen Macrolepidopteren 3. Neubeschreibungen des Jahres 1927. *Novit. macrolepid.* 3: xvi+ 104pp. **BIB**
51. **Bang-Haas, O.**, 1929, Katalog der Neubeschreibungen von palaearktischen Macrolepidopteren 4. Neubeschreibungen des Jahres 1928. *Novit. macrolepid.* 4: xvi+ 80pp. **BIB**
52. **Bang-Haas, O.**, 1930, *Novitates Macrolepidopterologicae* Band vi. Neubeschreibungen des Jahres 1929. Faunenverzeichnisse der Jahre 1758 bis 1930. Dresden-Blasewitz. **BIB** [available in Cesa Library]
53. **Bang-Haas, O.**, 1930, Katalog der Neubeschreibungen von palaearktischen Macrolepidopteren 5. Faunenverzeichnisse der Jahre 1758 bis 1930. *Novit. macrolepid.* 5: xvi+ 1-152. **BIB**
54. **Bang-Haas, O.**, 1930, Katalog der Neubeschreibungen von palaearktischen Macrolepidopteren 5. Neubeschreibungen des Jahres 1929. *Novit. macrolepid.* 5: 153-207. **BIB**
55. **Bang-Haas, O.**, 1937 Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna XXVII. *Ent. Z., Frankf. a. M.* 50: 562-564, 4 Abb. **TAX MOR FAU ATL** [available in Cesa Library]
56. **Bartel, M.**, 1899-1902, *Nachtfalter*. [In] Rühl, F., *Die Palaearktischen Gross-Schmetterlinge und ihre Naturgeschichte*. Vol.2. (Lief.17-23). 336 pp. Leipzig. **TAX MOR FAU BIO DIS KEY** [available in Cesa Library]
57. **Bartel, M.**, 1912, *Aegeriidae (Sesiidae)*. [In] Seitz, A., *Die Gross-Schmetterlinge der Erde* 2: 375-416, pls. Stuttgart. **TAX MOR FAU ATL BIO BIB** [available in Cesa Library]
58. **Bartsch, D. & K. Spatenka**, 2010, *Bembecia magnifica* und *Bembecia afghana*, zwei neue Glasflügler Arten aus Afghanistan (Lepidoptera, Sesiidae). *Ent. Z., Stuttg.* 120 (6): 243-248, 12 Abb. **TAX MOR FAU ATL**
59. **Beck, H.**, 1992, New view of higher classification of the Noctuidae (Lepidoptera). *Nota lepid.* 15(1): 3-28, 7 figs. **TAX MOR CLA PHY LAR BIB** [available in Cesa Library]
60. **Beck, H.**, 1996, Systematische Liste der Noctuidae Europas (Lepidoptera, Noctuidae). *Neue ent. Nachr.* 36: 1-122. **TAX MOR LAR CAT NOM BIB** [available in Cesa Library]
61. **Behounek, G.**, 1992, Die holarktischen Arten der Gattung *Lacanobia* Billberg, 1820 (Lepidoptera, Noctuidae, Hadeninae). *Esperiana* 3: 33-65, Abb. **TAX MOR GEN ATL DIS BIB** [available in Cesa Library]
62. **Beljaev, E. A.**, 2008, A new concept of the generic composition of the Geometrid moth tribe Ennomini (Lepidoptera, Geometridae) based on functional morphology of the male genitalia. *Ent. Obozr.* 87(1): 152-165, figs. [*Ent. Rev.* 88 (1): 50-60, figs.] **TAX MOR GEN CLA BIB** [available in Cesa Library]
63. **Bender, R. & C. M. Naumann**, 1980, Eine neue *Arctia intercalaris*- Subspezies aus dem Hindukusch (Lepidoptera, Arctiidae). *Atalanta* 11 (1): 21-28, figs. **TAX MOR FAU ATL GEN DIS BIB** [available in Cesa Library]
64. **Bengtsson, B. A.**, 1996, Scythridids found by H. Hacker in Pakistan 1988 and India 1992. *Esperiana* 4: 467-481, Abb. **TAX MOR FAU ATL GEN DIS BIB** [available in Cesa Library]
65. **Bethune-Baker, G. T.**, 1913, Notes on the specific distinction of certain species in the orbitulus and pheretiades section of the genus *Plebeius*. *Trans. ent. Soc. London* 1913: 205-212, pls. vi-viii. **TAX MOR GEN CLA** [available in Cesa Library]
66. **Bethune-Baker, G. T.**, 1918, A Revision of the genus *Tarucus*. *Trans. ent. Soc. London* (1917) 65(2/4): 269-296, pls. xiv-xx. **TAX MOR FAU GEN ATL** [available in Cesa Library]

67. **Beuret, H.**, 1955, Zizeeria karsandra Moore in Europa und die systematische Stellung der Zizeerinae (Lepidoptera, Lycaenidae). Mitt. ent. Ges. Basel 5 (9): 123-130, figs. **TAX MOR FAU KEY GEN** [available in Cesa Library]
68. **Bidzilya, O.**, 2005, A review of the genus Athrips (Lepidoptera, Gelechiidae) in the Palaearctic Region. Dt. ent. Z. 52 (1): 3-72, figs. **TAX MOR FAU KEY ATL GEN ECO BIO BIB DIS MAP CLA CAT** [available in Cesa Library]
69. **Bidzilya, O.**, 2005, A review of the genus Metanarsia Staudinger, 1871 (Gelechiidae). Nota lepid. 27 (4): 273-297, figs. **TAX MOR DIS FAU ATL GEN KEY** [available in Cesa Library]
70. **Bleszynski, S.**, 1961, Studies on the Crambinae (Lepidoptera). part xxvi. Preliminary study on the genus Euchromius Gn. Acta ent. Mus. natn. Pragae 34: 451- **TAX MOR FAU ATL GEN DIS BIB** [available in Cesa Library]
71. **Bleszynski, S.**, 1965, Crambinae, [In] Amsel, H.G., Reisser, H. & F. Gregor: Microlepidoptera Palaearctica 1: xlvii + 533pp. 133 pls., Wien **TAX MOR FAU ATL GEN BIO ECO DIS KEY LAR PUP BIB** [available in Cesa Library]
72. **Bleszynski, S.**, 1970, A revision of the world species of Chilo Zincken (Lepidoptera, Pyralidae). Bull. Br. Mus. (Nat. Hist.) Ent. 25: 101-195, 5 pls. **TAX MOR FAU ATL GEN KEY BIO ECO BIB** [available in Cesa Library]
73. **Bleszynski, S.**, 1970, A revision of the oriental species of the genus Ancyrolomia Hübner (Studies on the Crambinae, Lepidoptera, Pyralidae, part 49). Tijdschr. Ent. 113 (1): 27-43, 33 figs. **TAX MOR NOM GEN BIB GEN DIS** [available in Cesa Library]
74. **Bollow, C.**, 1929, Gattung Parnassius Latr. [In] Seitz, A., Die Gross-Schmett. Erde (suppl.) 1: 20-91, pls. Stuttgart. **TAX MOR FAU ATL DIS BIO BIB** [available in Cesa Library]
75. **Bollow, C.**, 1929-1930, Gattung Parnassius Latr. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 1: 20-83. Stuttgart. **TAX MOR FAU ATL DIS ECO BIO BIB** [available in Cesa Library]
76. **Bollow, C.**, 1930, Familie Pieridae. [In] Seitz, A., Die Gross-Schmett. Erde, Suppl. 1: 96-125. Stuttgart. **TAX MOR FAU ATL DIS ECO BIO BIB** [available in Cesa Library]
77. **Bollow, C.**, 1930, Familie Nymphalidae. Gruppe: Apaturidi. [In] Seitz, A., Die Gross-Schmett. Erde, Suppl. 1: 191-196. Stuttgart. **TAX MOR FAU ATL DIS ECO BIO BIB** [available in Cesa Library]
78. **Bollow, C.**, 1930, Subfam. Nymphalinae. [In] Seitz, A., Die Gross-Schmett. Erde (suppl.) 1: 191-198, pl. Stuttgart. **TAX MOR FAU ATL DIS BIO BIB** [available in Cesa Library]
79. **Bollow, C.**, 1930, Fam. Lycaenidae (Gattung Virachola-Taraca). [In] Seitz, A., Die Gross-Schmett. Erde (suppl.) 1: 251-306, pls. Stuttgart **TAX MOR FAU ATL DIS BIO BIB** [available in Cesa Library]
80. **Bollow, C.**, 1930, Fam. Pieridae. [In] Seitz, A., Die Gross-Schmett. Erde (suppl.) 1: 93-125, pls. Stuttgart. **TAX MOR FAU ATL DIS BIO BIB** [available in Cesa Library]
81. **Bollow, C.**, 1930-1931, Familie Lycaenidae. [In] Seitz, A., Die Gross-Schmett. Erde (Suppl.) 1: 249-296. Stuttgart. **TAX MOR FAU ATL DIS ECO BIO BIB** [available in Cesa Library]
82. **Bollow, C.**, 1931, Nachträge zur Familie Papilionidae, Pieridae, Satyridae (Lethe-Erebia). [In] Seitz, A., Die Gross-Schmett. Erde (suppl.) 1: 327-339, pl. Stuttgart. **TAX MOR FAU ATL DIS BIO BIB** [available in Cesa Library]
83. **Bollow, C.**, 1931, Nachträge zu den Lycaenidae (Gruppe der Lycaenini), Hesperidae. [In] Seitz, A., Die Gross-Schmett. Erde (suppl.) 1: 353-354. Stuttgart. **TAX MOR FAU ATL DIS BIO BIB** [available in Cesa Library]
84. **Bollow, C.**, 1931, Nachträge zur Fam. Nymphalidae (Nymphalinae). [In] Seitz, A., Die Gross-Schmett. Erde (suppl.) 1: 341-342. Stuttgart. **TAX MOR FAU ATL DIS BIO BIB** [available in Cesa Library]
85. **Bollow, C.**, 1932, Familie Saturniidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 129-135. Stuttgart. **TAX FAU ATL BIO ECO MOR**
86. **Borkhausen, M.B.**, 1788, Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung, Tome 1. 288pp. Frankfurt. **FAU TAX MOR BIB** [available in Cesa Library]
87. **Boursin, C.**, 1946, Trois nouveaux genres paléarctiques de la sous-famille des Agrotinae. Revue fr. lépid. 10: 186-192. **TAX MOR FAU** [available in Cesa Library]
88. **Boursin, C.**, 1957, Description de huit nouvelles Caradrina O. d'Afghanistan, de l'expédition Klapperich, et de deux Oedibrya Hps. (Perse et Afghanistan) (Lep., Phalaenidae) (Diagnoses préliminaires) (Contribution à l'étude des Agrotidae-Trifinae xc/90). Bull. mens. Soc. linn. Lyon 26(6): 158-163. **TAX MOR FAU** [available in Cesa Library]
89. **Boursin, C.**, 1957, Nouvelles "Trifinae" d'Afghanistan de l'expédition Klapperich (Lep., Noct.). Bull. mens. Soc. linn. Lyon 26 (9): 242-250. **TAX MOR FAU** [available in Cesa Library]
90. **Boursin, C.**, 1960, Nouvelles "Trifinae" d'Afghanistan de l'expédition Klapperich (Lep., Noct.) (2. note). Bull. mens. Soc. linn. Lyon 29: 136- **TAX MOR FAU**

91. **Boursin, C.**, 1960, Nouvelles "Trifinae" d'Afghanistan de l'expédition Klapperich (Lep., Noct.) (3. note). Bull. mens. Soc. linn. Lyon 29: 167- **TAX MOR FAU**
92. **Boursin, C.**, 1961, Ergebnisse der Deutschen Afghanistan-Expedition 1956 der Landessammlungen für Naturkunde Karlsruhe Noctuidae-Trifinae (Lep.). Beitr. naturk. Forsch. SWDtl. 19(3): 373-398, pls.5-10, 1 map. **TAX MOR FAU GEN ATL** [available in Cesa Library]
93. **Boursin, C.**, 1963, Nouvelles races de Noctuidae Palaearctiques (Lep., Noctuidae). Bull. mens Soc. linn. Lyon 32: 254-262. **TAX MOR FAU** [available in Cesa Library]
94. **Boursin, C.**, 1970, Description de 40 espèces nouvelles de Noctuidae Trifinae paléarctiques et de deux genres nouveaux des sous-familles Noctuinae et Amphipyrrinae 2e série. Contributions à l'étude des Noctuidae Trifinae, 166. Entomops 18: 45-79, figs.52-122. **TAX MOR FAU ATL GEN** [available in Cesa Library]
95. **Bradley, J.D. & M.Schaffer**, 1969, Beiträge zur Kenntnis der Fauna Afghanistans. Microlepidoptera. Cas. morav. Mus. Brne 54 (suppl.): 415-430, 3 figs. **TAX MOR GEN DIS FAU** [available in Cesa Library]
96. **Bramson, K.L.**, 1910, Analytische Uebersicht der Formen von *Melitaea didyma* O. Horae Soc. ent. ross. 39: 391-410. **MOR TAX KEY BIB** [available in Cesa Library]
97. **Bridges, C.A.**, 1988, Catalogue of the family-group genus-group and species-group names of the Hesperioidea (Lepidoptera) of the World. Urbana Illinois (Sebstverlag). **CAT BIB NOM TAX**
98. **Bridges, C.A.**, 1993, Catalogue of the family group, genus-group and species-group names of the Sphingidae of the World. C.A.Bridges, Urbana, Illinois. **CAT BIB NOM TAX**
99. **Brock, J.P.**, [1968], The systematic position of the Choreutinae (Lepidoptera, Glyphipterygidae). Entomologist's mon. Mag. 103: 245-246. **TAX CLA PHY MOR BIB**
100. **Brown, J.W.**, 2005, World Catalogue of Insects. vol. 5 Tortricidae 741 pp. Apollo Books, Kirkeby Sand, Stenstrup Denmark. **CAT BIB** [available in Cesa Library]
101. **Bryk, F. & C.Eisner**, 1935, *Parnassius actius* subspecies *sulla* (subsp.nova). Parnassiana 3: 42. **TAX MOR FAU**
102. **Bryk, F.**, 1912, Syntomidae. [in] Wagner, H., Lepidopterorum Catalogus Pars 7. 179pp. Dr.W.Junk Berlin. **NOM CAT BIB CLA** [available in Cesa Library]
103. **Bryk, F.**, 1923, Baroniidae, Teinopalpidae, Parnassiidae. [in] Strand, E. Lepidopterorum Catalogus 24 (27): 1-247. **TAX MOR FAU ATL**
104. **Bryk, F.**, 1934, Lymantriidae, [in] E.Strand, Lepidopterorum Catalogus. Pars 62: 1-441 pp. W.Junk, Berlin. **TAX CAT BIB DIS** [available in Cesa Library]
105. **Bryk, F.**, 1934, Lepidoptera Baroniidae, Teinopalpidae, Parnassiidae Pt.1 Tierreich 64: xxiii + 129 pp., 87 figs. **TAX MOR FAU ATL**
106. **Bryk, F.**, 1935, Lepidoptera Parnassiidae Pt.II (Subfam. Parnassiinae). Tierreich 65: li + 788 pp., 698 figs. **TAX MOR FAU ATL**
107. **Bryk, F.**, 1936, Zygaenidae II. [in] Bryk, F., Lepidopterorum Catalogus Pars 71. 95-332 pp. Dr.W.Junk 's-Gravenhage. **NOM CAT BIB CLA** [available in Cesa Library]
108. **Bryk, F.**, 1937, Arctiidae Subfam. Callimorphinae et Nyctemerinae. [in] Bryk, F., Lepidopterorum Catalogus Pars 82. 105 pp. Dr.W.Junk 's-Gravenhage. **NOM CAT BIB CLA** [available in Cesa Library]
109. **Bryk, F.**, 1938, Die Zeichnung der Flügelunterseite von *Kailasius autocrator* Avinoff. Parnassiana 5: 19-21, 2 figs. **MOR ATL**
110. **Butler, A.G.**, 1880, On a collection of Lepidoptera from Candahar. Proc. zool. Soc. London 1880: 403-415, pl.xxxix. **TAX MOR FAU ATL** [available in Cesa Library]
111. **Butler, A.G.**, 1881, On a collection of Lepidoptera from Western India, Beloochistan and Afghanistan. Proc. zool. Soc. London 1881: 602-624. [available in Cesa Library]
112. **Butler, A.G.**, 1882, On a small collection of Lepidoptera principally from Candahar. Ann. Mag. nat. Hist. (5) 9: 206-211. **TAX MOR FAU** [available in Cesa Library]
113. **Butler, A.G.**, 1889, Illustrations of typical specimens of Lepidoptera Heterocera in the Collection of the British Museum vol.7, 124 pp. Taylor & Francis, London. **TAX MOR FAU ATL** [available in Cesa Library]
114. **Butler, A.G.**, 1898, Revision of the Pierine butterflies of the genus *Terias* of the Old World. Ann. Mag. nat. Hist. 7 (1): 56-82. **TAX MOR FAU** [available in Cesa Library]
115. **Carbonell, F.**, 1997, *Hyponophele shirazica* n.sp. en Iran méridionale (Lepidoptera, Nymphalidae, Satyridae). Linneana Belgica 16 (3): 99-104, 9 col. figs., 1 text-figs. **TAX MOR FAU ATL GEN ECO HAB BIB** [available in Cesa Library]

116. **Carbonell,F.**, 2000, Contribution a la connaissance du genre Chazara Moore,1893 Chazara egina mortezai n.ssp. en Iran (Lepidoptera: Nymphalidae, Satyrinae). Linneana Belgica 17 (6): 247-254, figs. map. **TAX MOR FAU ATL MAP DIS CAT BIB HAB GEN** [available in Cesa Library]
117. **Chapman,T.A.**, 1910, On Zizeeria Chapman, Zizera Moore. A Group of Lycaenid Butterflies. Trans. ent. Soc. Lond. 1910 (4): 479-497, pl.51-60, 4 text figs. **TAX MOR FAU ATL GEN** [available in Cesa Library]
118. **Chapman,T.A.**, [1915], A contribution to the life history of Polyommatus eros. Trans. ent. Soc. London 1914: 469-481, pls. **ECO BIO MOR LAR ATL** [available in Cesa Library]
119. **Choi,S.-W.**, 1998, Systematics of the genus Cidaria Treitschke (Lepidoptera, Geometridae, Larentiinae). Zool. J.linn. Soc. 122: 555-580, 29 figs. **TAX MOR FAU PHY KEY GEN BIB** [available in Cesa Library]
120. **Choi,S.-W.**, 2000, A cladistic analysis of the Therini: A new synonym of the Cidariini (Lepidoptera, Geometridae, Larentiinae). Amer. Mus. Novit. 3295: 1-25, 61 figs., 3 tab. **CLA MOR ATL BIB** [available in Cesa Library]
121. **Choi,S.-W.**, 2001, Phylogeny of Eulithis Hübner and related genera (Lepidoptera, Geometridae) with an implication of wing pattern evolution. Amer. Mus. Novit. 3318: 1-37, 24 figs., 2 Tab. **TAX MOR EVO CLA PHY** [available in Cesa Library]
122. **Clench,H.K. & N.Shoumatoff**, 1956, The 3rd Danish Expedition to Central Asia. Zoological Results: 21. Lepidoptera Rhopalocera (Insecta) from Afghanistan. Vidensk Medd. Naturh. Foren. 118: 141-191, 23 figs. 1 pl. **TAX MOR FAU ATL** [available in Cesa Library]
123. **Clerck,C.**, 1759-[1764], Icones Insectorum Rarioum cum Nominibus eorum Trivialibus, Locisque e C.Linnae. Sectio Primo: 1-12 pls. (1759); Sectio Secundo: 13-55 Pls. Holmiae. **ATL** [available in Cesa Library]
124. **Corley,M.F.V.**, 2001, Pseudosophronia, a new genus of Gelechiidae (Lepidoptera). Entomologist's Gaz. 52: 213-225, figs. **TAX MOR FAU GEN** [available in Cesa Library]
125. **Cramer,P.**, [1775], Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 1: parts (1)-(7): xxx, 16 pp. 1-132, pls. 1-84, "1779". Amsterdam & Utrecht. **TAX MOR FAU ATL** [available in Cesa Library]
126. **Cramer,P.**, [1776], Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 1: part (8): pp. 133-156, pls. 85-96, Amsterdam & Utrecht. **TAX MOR FAU ATL** [available in Cesa Library]
127. **Cramer,P.**, [1777], Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 2: parts (9)-(16): pp. 1-152, pls. 97-192, Amsterdam & Utrecht. **TAX MOR FAU ATL** [available in Cesa Library]
128. **Cramer,P.**, [1779], Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 3: parts (17)-(21): pp. 1-104, pls. 193-252, Amsterdam & Utrecht. **TAX MOR FAU ATL** [available in Cesa Library]
129. **Cramer,P.**, [1780], Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 3: parts (22)-(24): pp. 105-176, pls. 253-288, Amsterdam & Utrecht. **TAX MOR FAU ATL** [available in Cesa Library]
130. **Cramer,P.**, [1780], Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 4: parts (25)-(26a): pp. 1-28, pls. 289-304, Amsterdam & Utrecht. **TAX MOR FAU ATL** [available in Cesa Library]
131. **Curtis,J.**, 1823-1840, British Entomology, being illustrations and descriptions of the genera of insects found in Great Britain and Ireland; containing coloured figures from nature of the most rare and beautiful species, and in many instances of the plants upon which they are found. 16 vols. 770 pls. London. **TAX MOR NOM ATL** [available in Cesa Library]
132. **D'Abrera,B.**, [1987], Sphingidae Mundi: Hawk Moths of the World. x+226pp., Faringdon. **TAX MOR FAU DIS ATL**
133. **Dalla Torre,K.W.v.**, 1914, Thyrididae. [in] Wagner,H., Lepidopterorum Catalogus Pars 20. 55pp. Dr. W. Junk Berlin. **CAT BIB** [available in Cesa Library]
134. **Dalla Torre,K.W.v.**, 1923, Cossidae. [in] Strand,E., Lepidopterorum Catalogus Pars 29. 63pp. Dr.W.Junk Berlin. **NOM CAT BIB CLA** [available in Cesa Library]
135. **Dalman,J.W.**, 1816, Försök till systematik Upptällning af Sveriges Fjarilar. K. svenska VetenskAkad. Handl. 37: 48-105, 199-225, 2 Taf. **TAX MOR FAU ATL** [available in Cesa Library]
136. **Daniel,F.**, 1953, Neue Heterocera-Arten und -Formen. Mitt. münch. ent. Ges. 43: 252-261, Taf.vii. **TAX MOR FAU ATL** [available in Cesa Library]
137. **Daniel,F.**, 1956, Monographie der palaearktischen Cossidae II. Die Genera Cossus Fabr. und Lamellacossus gen.n. (Lep.). Mitt. münch. ent. Ges. 46: 243-288, Taf.viii-x, 4 Abb. **TAX MOR FAU ATL** [available in Cesa Library]

138. **Daniel,F.**, 1958, Zwei neue Rethera-Arten aus Afghanistan (Lepidoptera, Sphingidae). Beitr. naturk. Forsch. SW-Deutschl. 17(1): 83-84, Taf.vi. **TAX MOR FAU ATL** [available in Cesa Library]
139. **Daniel,F.**, 1959, Monographie der palaearktischen Cossidae III. Daa Genus *Holcocerus* Stgr. Mitt. münch. ent. Ges. 49: 102-160, Taf.ii-v. **TAX MOR FAU ATL** [available in Cesa Library]
140. **Daniel,F.**, 1960, Monographie der palaearktischen Cossidae IV. Die Genera *Cossulinus* Kby., *Dypsacossus* Dan. und *Isoceras* Tti. (Lep.). Mitt. münch. ent. Ges. 50: 93-118, Taf. xiv, xv. **TAX MOR FAU ATL** [available in Cesa Library]
141. **Daniel,F.**, 1963, Ein Beitrag zur Spinner- und Schwärmerfauna des Iran und Afghanistans. Z. wien. ent. Ges. 48 (9): 145-155, 26-28.Taf. **TAX MOR FAU ATL BIB** [available in Cesa Library]
142. **Daniel,F.**, 1964, Monographie der palaearktischen Cossidae VII. Genus *Dypsessa* Hbn. Zweiter Teil. Genus *Paropta* Stgr. Mitt. münch. ent. Ges. 54: 181-236, 4 Abb., Taf. iii-vi. **TAX MOR FAU ATL** [available in Cesa Library]
143. **Daniel,F.**, 1964, Cossidae aus Afghanistan. Opusc. zool. 77: 1-8, Taf.1. **TAX MOR FAU ATL**
144. **Daniel,F.**, 1965, Monographie der palaearktischen Cossidae VIII. Nachträge und Register zur Subfamilie Cossinae. Mitt. münch. ent. Ges. 55: 77-114, Taf.II,III. **TAX MOR FAU ATL** [available in Cesa Library]
145. **Daniel,F.**, 1965, Das Genus *Harpyia* O. (=Cerura auct.) im palaearktischen Raum unter Einschluß der naheverwandten nordamerikanischen Formen Z. wien. ent. Ges. 50: 5-47, 23 figs., 6 Taf. **TAX MOR FAU ATL BIB GEN** [available in Cesa Library]
146. **Daniel,F.**, 1965, Österreichische Entomologische Iran-Afghanistan-Expeditionen. Beiträge zur Lepidopterenfauna, Teil 4. Z. wien. ent. Ges. 50(9/10): 121-145, Taf, 8 figs. **TAX FAU ATL ECO MOR GEN** [available in Cesa Library]
147. **Daniel,F.**, 1966, Zwei neue Arctiidae aus Afghanistan (Lep.). Mitt. münch. ent. Ges. 56: 161-164, Taf.iii. **TAX MOR FAU ATL GEN** [available in Cesa Library]
148. **Daniel,F.**, 1970, Rassenanalytische Untersuchungen bei *Phragmatobia fluginosa* L. und *Phragmatobia amurensis* Seitz (Lep., Arctiidae). Z. ArbGem. öst. Ent. 22: 2-17, figs. **TAX MOR FAU GEN ATL DIS BIB** [available in Cesa Library]
149. **Daniel,F.**, 1971, Österreichische Expeditionen nach Persien und Afghanistan. Beiträge zur Lepidopterenfauna, Teil 16 (3.Beitrag zur Bombyces- und Sphinges-Fauna). Annln naturh. Mus. Wien 75: 651-660, 2 Taf. **TAX MOR FAU ATL** [available in Cesa Library]
150. **Davenport,D.**, 1941, The butterflies of satyrid genus *Coenonympha*. Bull. Mus. comp. Zool. Harv. 87 (4): 214-349, 10 Tab. **TAX MOR FAU GEN ECO BIO BIB** [available in Cesa Library]
151. **Davis,D.R.**, 1989, Generic revision of the Opostegidae, with a synoptic catalog of the World's species (Lepidoptera, Nepticuloidea). Smithsonian Contr. Zool. 478: 1-97, figs. **TAX MOR FAU ATL GEN KEY MAP CAT BIB** [available in Cesa Library]
152. **Desmarest,E.**, 1857, Papillons, Nocturnes. [In] Chenu, J.C., Encyclopédie d'Histoire naturelle. iv+312pp., 40 pls. Paris. **TAX NOM BIB**
153. **Devyatkin,A.L.**, 1996, Taxonomic notes on the genus *Erynnis* Schrank,1801. Atalanta 27 (3/4): 605-614, figs., Pl. **TAX MOR FAU GEN MAP DIS BIB** [available in Cesa Library]
154. **Diakonoff,A.**, 1962, Preliminary survey of the Palaearctic species of the subgenus *Bactra* Stephens (*Bactra*, Tortricidae, Lepidoptera). Zool. Verh. 59: 1-48, 37 figs., 13 Pls. **TAX MOR FAU ATL GEN KEY DIS BIB** [available in Cesa Library]
155. **Diakonoff,A.**, 1964, Further records and descriptions of the species of *Bactra* Stephens (Tortricidae, Lepidoptera). Zool. Verh. 70: 1-81, 59 figs. **TAX MOR FAU ATL GEN KEY DIS BIB** [available in Cesa Library]
156. **Diakonoff,A.**, 1970, Notes on the Ceracini (Lepidoptera, Tortricidae). Tijdschr. Ent. 113 (3): 91-103, Pl.1. **TAX MOR FAU GEN BIB NOM** [available in Cesa Library]
157. **Diakonoff,A.**, 1986, Glyphipterigidae auctorum sensu lato, [in] Amsel,H.G. et al., Microlepidoptera Palaearctica vol. 7. Text & Taf. G.Braun Druckerei, Karlsruhe. **TAX MOR FAU ATL GEN BIB DIS ECO BIO** [available in Cesa Library]
158. **Diakonoff,A.**, 1989, Revision of the palaearctic Carposinidae with description of a new genus and new species (Lepidoptera, Pyraloidea). Zool. Verh. 251: 1-155, 50 figs. **TAX MOR FAU ATL GEN KEY DIS BIB ECO BIO** [available in Cesa Library]
159. **Dierl,W.**, 1977, Die Identität von *Papilio machaon asiaticus* Ménétériés (Lepidoptera, Papilionidae). Mitt. münch. ent. Ges. 67: 85-89. **TAX MOR FAU** [available in Cesa Library]
160. **Dietrich,K.**, 1862, Zur Systematik der Schmetterlinge. Stettin ent. Ztg. 23: 466-479. **TAX CLA MOR PHY** [available in Cesa Library]
161. **Dietze,C.**, 1910-1913, Biologie der Eupitheciiden (Tafeln & Text). 1.Teil (Abbildungen): 82 Tafeln und Erklärungen der Tafeln, 1910; 2.Teil (Text): 172 pp. Pls.83-86, 1913. Berlin. **TAX MOR FAU BIO ECO ATL CLA BIB** [available in Cesa Library]

162. **Draudt,M.**, 1931, Familie Arctiidae. In Seitz,A., Gross-Schmett. Erde, Suppl. 2: 61-94. Stuttgart. **TAX FAU ATL BIO ECO DIS MOR**
163. **Draudt,M.**, 1931, Familie Syntomidae. In Seitz,A., Gross-Schmett. Erde, Suppl. 2: 53-60. Stuttgart. **TAX FAU BIO ECO MOR**
164. **Draudt,M.**, 1933-1934, Nachträge und Berichtigungen zum Supplementband 2. Familie Syntomidae, Arctiidae. In Seitz,A., Gross-Schmett. Erde, Suppl. 2: 278-281. Stuttgart. **TAX MOR FAU**
165. **Drury,D.**, 1773-1782], Illustrations of Natural History. 3 vols. London. **TAX MOR FAU**
166. **Dubatolov,V.V. & J.D.Holloway**, 2006, A new species of the *Cretonotos transiens*-group (Lepidoptera, Arctiidae) from Sulawesi, Indonesia. Bonner zool. Beitr. 55 (2): 113-121, figs. **TAX MOR FAU ATL GEN** [available in Cesa Library]
167. **Dubatolov,V.V. & J.P.Korshunov**, 1984, New data on taxonomy of the butterflies of the USSR. Chlenistonogie i gel'minty, Sibir. Otdel. Ak. Nauk USSR, Novosibirsk: 51-57. **TAX MOR**
168. **Dubatolov,V.V.**, 1989, A revision of the genus *Axiopoena* (Lepidoptera, Arctiidae). Vestn. Zool. 1: 8-13. **TAX MOR FAU ATL GEN BIB DIS**
169. **Dubatolov,V.V.**, 1996, Three contributions to the knowledge of palaearctic Arctiinae (Lepidoptera, Arctiidae) I. A Review of the genus *Palaearctia* Ferguson (on the systematics of the genus *Micrarctia* Seitz s.l., Part 3). Neue ent. Nachr. 37: 9-37, figs. **TAX MOR FAU ATL GEN KEY BIB DIS** [available in Cesa Library]
170. **Dubatolov,V.V.**, 2008, Analysis of Insect distribution in the northern Hemisphere by the example of the subfamily Arctiinae (Lepidoptera, Arctiidae) I. Genus level. Contemporary Problems of Ecology 1 (2): 183-193, figs. **GEO MAP** [available in Cesa Library]
171. **Dumont,D.**, 2004, Révision du genre *Iolana* Bethune-Baker, 1914 (Lepidoptera, Lycaenidae). Description d'une nouvelle espèce: *kermani* n.sp. Linneana Belg. 19 (8): **TAX MOR FAU ATL GEN ECO BIO BIB MAP DIS EGG LAR PUP** [available in Cesa Library]
172. **Dyar,H.G.**, 1894, A classification of lepidopterous larvae. Ann. N.Y. Acad. Sci. 8: 194-232, 5 figs. **TAX MOR LAR CLA PHY BIB**
173. **Dyar,H.G.**, 1899, The phylogeny of the lasiocampids. Entomologist's Rec. J. Var. 11: 141-142, Pl.ii. **CLA PHY MOR TAX** [available in Cesa Library]
174. **Ebert,G.**, 1965, Afghanische Geometriden (Lep.) I. Stuttg. Beitr. Naturk. 142: 1-32, 4 Taf. **TAX FAU ECO MOR GEN BIB** [available in Cesa Library]
175. **Ebert,G.**, 1967, Bemerkungen zur Verbreitung Ökologie und Phenologie afghanischer Schmetterlinge. Beitr. naturk. Forsch. SWDtl. 26 (3): 109-135. **ECO FAU DIS** [available in Cesa Library]
176. **Ebert,G.**, 1968, Afghanische Bombyces und Sphinges 1. Lymantriidae. Ergebnisse der 2. Deutschen Afghanistan- Expedition 1966 der Landessammlungen für Naturkunde in Karlsruhe. Reichenbachia 10: 181-187, figs. **TAX MOR FAU**
177. **Ebert,G.**, 1968, Afghanische Bombyces und Sphinges 2. Notodontidae. Ergebnisse der 2. Deutschen Afghanistan- Expedition 1966 der Landessammlungen für Naturkunde in Karlsruhe. Reichenbachia 10: 199-205, figs. **TAX MOR FAU**
178. **Ebert,G.**, 1968, Revision der Gattung *Gnophosema* (Lepidoptera, Geometridae). Ark. Zool. (Ser.2) 22(6): 163-199, 20 figs. 1 Pl. **TAX BIB KEY MOR GEN DIS ECO ATL** [available in Cesa Library]
179. **Ebert,G.**, 1969, Afghanische Bombyces und Sphinges 3. Sphingidae. Ergebnisse der 2. Deutschen Afghanistan- Expedition 1966 der Landessammlungen für Naturkunde in Karlsruhe. Reichenbachia 12: 37-53, figs. **TAX MOR FAU**
180. **Ebert,G.**, 1969, Afghanische Bombyces und Sphinges 4. Ctenuchidae. Ergebnisse der 2. Deutschen Afghanistan- Expedition 1966 der Landessammlungen für Naturkunde in Karlsruhe. Reichenbachia 12: 157-165, figs. **TAX MOR FAU**
181. **Ebert,G.**, 1969, Afghanische Bombyces und Sphinges 5. Lasiocampidae. Ergebnisse der 2. Deutschen Afghanistan- Expedition 1966 der Landessammlungen für Naturkunde in Karlsruhe. Reichenbachia 12: 195-202, figs. **TAX MOR FAU**
182. **Ebert,G.**, 1973, Afghanische Bombyces und Sphinges. 7. Nolidae. Ergebnisse der 2. Deutschen Afghanistan-Expedition (1966) der Landessammlungen für Naturkunde in Karlsruhe. Reichenbachia 14(24): 197-204, 7 Abb. **TAX MOR FAU ATL GEN** [available in Cesa Library]
183. **Ebert,G.**, 1973, Afghanische Bombyces und Sphinges. 6. Arctiidae. Reichenbachia 14: 47-74, figs. **TAX MOR FAU GEN ATL BIB DIS** [available in Cesa Library]
184. **Ebert,G.**, 1973, Afghanische Bombyces und Sphinges 8. Thaumetopoeidae. Ergebnisse der 2. Deutschen Afghanistan- Expedition 1966 der Landessammlungen für Naturkunde in Karlsruhe. Reichenbachia 14: 205-214, figs. **TAX MOR FAU**

185. **Ebert,G.**, 1973, Afghanische Bombyces und Sphinges 9. Bombycidae. Ergebnisse der 2. Deutschen Afghanistan- Expedition 1966 der Landessammlungen für Naturkunde in Karlsruhe. Reichenbachia 14: 215. **FAU**
186. **Ebert,G.**, 1973, Afghanische Bombyces und Sphinges 10. Drepanidae. Ergebnisse der 2. Deutschen Afghanistan- Expedition 1966 der Landessammlungen für Naturkunde in Karlsruhe. Reichenbachia 14: 215-216. **FAU**
187. **Ebert,G.**, 1973, Afghanische Bombyces und Sphinges 11. Limacodidae. Ergebnisse der 2. Deutschen Afghanistan- Expedition 1966 der Landessammlungen für Naturkunde in Karlsruhe. Reichenbachia 14: 216-217. **FAU**
188. **Ebert,G.**, 1974, Afghanische Bombyces und Sphinges 12. Nachträge und Zusammenfassung. Ergebnisse der 2. Deutschen Afghanistan- Expedition 1966 der Landessammlungen für Naturkunde in Karlsruhe. Reichenbachia 15: 1-15. **FAU**
189. **Ebert,G.**, 1978, Neue Taxa paläarktischer Noctuidae aus dem wissenschaftlichen Nachlaß von Charles Boursin (Lep. Noct. Trifin.).1. Die Arten der Gattung *Oncocnemis* Lederer,1853. Beitr. naturk. Forsch. SüdwDtl. 37: 193-207, figs. **TAX MOR FAU ATL GEN** [available in Cesa Library]
190. **Ebert,G.**, 1996, *Hyles robertsi elisabethae* nom. nov. pro *Celerio robertsi orientalis* Ebert,1969 (Lepidoptera, Sphingidae). Atalanta 27 (1/2): 334. **TAX NOM** [available in Cesa Library]
191. **Ebert,G.**, 2010, Auf Expedition in Afghanistan. Ein Insektenforscher erzählt von seinen Reisen (1957-1971). **TRA BIO**
192. **Eckweiler,W. & C.L.Häuser**, 1997, An illustrated checklist of *Agrodiaetus* Hübner,1822, a subgenus of *Polyommatus* Latreille,1804 (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.), Suppl. 16: 113-168, figs. **TAX MOR CAT ATL BIB** [available in Cesa Library]
193. **Eckweiler,W.**, 1997, Neue Taxa von *Polyommatus* (*Agrodiaetus*) (Lepidoptera, Lycaenidae) [in] Eckweiler & Häuser, Contributions to the systematics and biology of the *Polyommatus* (*Agrodiaetus*) species-group (Lep., Lycaenidae). Nachr. Ent. Ver. Apollo, Suppl. 16: 7-22, figs. **TAX MOR FAU BIB DIS ATL** [available in Cesa Library]
194. **Eckweiler,W.**, 2000, Eine neue *Colias*-Art aus dem östlichen Iran (Lepidoptera, Pieridae). Nachr. ent. Ver. Apollo (N.F.) 21 (1): 45-48, figs. **TAX MOR FAU ATL MAP DIS** [available in Cesa Library]
195. **Efetov,K.A. & G.M.Tarmann**, 1995, An annotated check-list of the Palaearctic Procrinae (Lepidoptera, Zygaenidae), with description of new taxa. Entomologist's Gaz. 46: 63-103, 23 figs. **TAX MOR FAU ATL GEN CAT DIS BIB**
196. **Efetov,K.A. & G.M.Tarmann**, 1999, Forester Moths. 192 pp., Apollo Books. [see review: Koçak,A.Ö., 2000, Cent. ent. Stud., Misc. Pap. 64: 7-8]. **TAX MOR FAU ATL GEN KEY DIS BIB** [available in Cesa Library]
197. **Efetov,K.A.**, 1994, *Adscita* (*Zygaenoprocris*) *naumanni* sp.n. from Afghanistan (Lepidoptera, Zygaenidae, Procrinae). Entomologist's Gaz. 45: 53-56, 7 figs. **TAX MOR FAU GEN BIB** [available in Cesa Library]
198. **Efetov,K.A.**, 2001, An annotated check-list of Forester moths (Lepidoptera, Zygaenidae, Procrinae). Entomologist's Gaz. 52: 153-162, figs. **TAX CAT BIB** [available in Cesa Library]
199. **Ehrlich,P.R.**, 1958, The comparative morphology, philogeny and higher classification of the butterflies (Lepidoptera, Papilionoidea). Univ. Kans. Sci. Bull. 39(8): 305-370. **TAX MOR CLA PHY BIB**
200. **Eisner,C. & C.M.Naumann**, 1980, *Parnassiana* nova, LVII. Beitrag zur Ökologie und Taxonomie der afghanischen Parnassiidae (Lepidoptera). Zool. Verh. 178: 1-35, figs. **ECO FAU ATL HAB** [available in Cesa Library]
201. **Eisner,C. & C.M.Naumann**, 1980, Beitrag zur Ökologie und Taxonomie der Afghanischen Parnassiidae (Lepidoptera). Zool. Verh., Leiden 178: 3-35, 9 Taf. **FAU ECO MOR ATL BIB** [available in Cesa Library]
202. **Eisner,C. & S.Sakai**, 1975, *Parnassiana* nova L. Eine neue Unterart on *Parnassius jacquemonti* Boisduval. Zool. Meded. 40: 83-84, pl.1. **TAX MOR FAU ATL** [available in Cesa Library]
203. **Eisner,C.**, 1938, Randbemerkungen zu *P. actius* subsp. *sulla* (n.). *Parnassiana* 5: 30. **TAX**
204. **Eisner,C.**, 1940, *Parnassius honrathi* afghanistanus nov. subspec. *Temminckia* 5: 264-265. **AF HK**
205. **Eisner,C.**, 1959, *Parnassiana* nova xxiv. Kritische Revision der Gattung *Tadumia*. Zool. Meded. 36: 165-192. **TAX MOR FAU** [available in Cesa Library]
206. **Eisner,C.**, 1959, *Parnassiana* nova xxv. Kritische Revision der Gattung *Tadumia*. Zool. Meded. 36: 233-247. **TAX MOR FAU** [available in Cesa Library]

207. **Eisner,C.**, 1959, Parnassiana nova xxvi. Kritische Revision der Gattung Kailasius. Zool. Meded. 36: 249-266, pls.9-10. **TAX MOR FAU** [available in Cesa Library]
208. **Eisner,C.**, 1966, Parnassiidae-Typen in der Sammlung J.C.Eisner. Zool. Verh., Leiden 81: 1-190, 84 Pls. **TAX ATL CAT BIB** [available in Cesa Library]
209. **Eisner,C.**, 1974, Parnassiana nova xlix. Die Arten und Unterarten der Baroniidae, Teinopalpidae und Parnassiidae (Erster Teil) (Lepidoptera). Zool. Verh., Leiden 135: 3-96. **CAT BIB FAU** [available in Cesa Library]
210. **Eisner,C.**, 1975, Parnassiana nova L. Neue Unterarten der Parnassiidae. Zool. Meded. 49 (8): 81-83, Taf. **TAX MOR FAU ATL** [available in Cesa Library]
211. **Eisner,C.**, 1976, Parnassiana nova xlix. Die Arten und Unterarten der Parnassiidae (Lepidoptera) (Zweiter Teil). Zool. Verh., Leiden 146: 99-266, 2 Taf. **CAT BIB FAU ATL** [available in Cesa Library]
212. **Eitschberger,U. & V.A.Lukhtanov**, 1996, Neue Unterarten und Namen bei westpalaearktischen Sphingiden (Lepidoptera, Sphingidae). Atalanta 27(3/4): 615-621. **TAX MOR FAU NOM** [available in Cesa Library]
213. **Eitschberger,U. & V.Zolotuhin**, 1997, Die Gattung Dolbina Staudinger,1877 mit der Beschreibung eines neuen Subgenus Elegodolba subgen.nov. (Lepidoptera, Sphingidae). Atalanta 28(1/2): 135-144, 5 Abb. **TAX MOR DIS GEN BIB** [available in Cesa Library]
214. **Eitschberger,U.**, 2002, Revidierte Checkliste der Gattungen Amorpha Hübner,[1819], Laothoe Fabricius,1807, Pachysphinx Rothschild & Jordan,1903 und Phyllosphingia Swinhoe,1897, mit den Abbildungen der Genitalstrukturen einiger Arten (Sphingidae). Neue ent Nachr. 23: 151-195, figs. **TAX CAT BIB GEN** [available in Cesa Library]
215. **Eitschberger,U.**, 2002, Revidierte Checkliste der Gattungen Paonias Hübner,[1819], sowie Smerinthus Latreille,[1802], mit der Beschreibung neuer Paonias-Arten (Lepidoptera, Sphingidae). Neue ent Nachr. 23: 85-149, figs. **TAX CAT BIB GEN** [available in Cesa Library]
216. **Eitschberger,U.**, [1984], Systematische Untersuchungen am Pieris napi-bryoniae-Komplex (s.l.) (Lepidoptera, Pieridae). Herbiopoliana 1 (1): xxii+504pp., 1(2): 601pp. Marktleuthen. **TAX MOR FAU ATL DIS MAP BIB** [available in Cesa Library]
217. **Elekçioglu,N.Z. & N.Uygun**, 2006, The Parasitoid complex of the Citrus Leafminer, Phyllocnistis citrella Stainton (Lepidoptera, Gracillariidae) in the East Mediterranean region of Turkey and their role in biological control. Turk. J. Zool. 30: 155-160. **ECO BIO** [available in Cesa Library]
218. **Eliot,J.N. & A.Kawazoe**, 1984, Blue butterflies of the Lycaenopsis group. 306 pp., 6 Pls., figs. British Museum (Natural History), London. **TAX MOR FAU ATL GEN KEY DIS BIB** [available in Cesa Library]
219. **Eliot,J.N.**, 1973, The higher classification of the Lycaenidae (Lepidopera): A tentative arrangement. Bull. Br. Mus. (Nat. Hist.) Ent. 28 (6): 373-505, figs., 6 Pls. **TAX MOR FAU GEN DIS PHY KEY BIB GEO** [available in Cesa Library]
220. **Eller,K.**, 1936, Die Rassen von Papilio machaon L. Abh. bayer. Acad. Wiss.(N.F.) 36: xiv+96 pp. **TAX MOR FAU** [available in Cesa Library]
221. **Eller,K.**, 1938, Zur Rassen- und Artfrage, untersucht an dem Formenkreis von Papilio machaon L. (Lep., Rhopalocera). Z. angew. Ent. 24: 145-149, 2 Abb. **TAX MOR DIS**
222. **Elwes,H.J. & J.Edwards**, 1897, A Revision of the oriental Hesperidae. Trans. zool. Soc. Lond. 14 (4 101-324, pls.18-27. **TAX MOR FAU ATL BIB DIS**
223. **Elwes,H.J.**, 1889, A revision of the genus Argynnis. Trans. Ent. soc. London 1889 (4): 535-575, [3 figs]. **CAT FAU MOR TAX BIB DIS** [available in Cesa Library]
224. **Englert,W.D.**, 1974, Revision der Gattung Metzneria Zeller (Lepid., Gelechiidae) mit Beiträgen zur Biologie der Arten. Z. angew. Ent. 75 (4): 381-421, 27 Abb. **TAX MOR FAU BIO ECO GEN DIS BIB KEY** [available in Cesa Library]
225. **Evans,W.H.**, 1912, A list of Indian Butterflies. J. Bombay nat. Hist. Soc. 21 (2): 553-584; (3): 969-1008. **TAX MOR FAU** [available in Cesa Library]
226. **Evans,W.H.**, 1922, The identification of Indian Butterflies (Introduction). J. Bombay nat. Hist. Soc. 28: 740-747, 2 text-figs. **TAX MOR** [available in Cesa Library]
227. **Evans,W.H.**, 1923, The identification of Indian Butterflies, Pt. I. Papilionidae, Pieridae. J. Bombay nat. Hist. Soc. 29: 230-260, pl. i-ix. **TAX MOR FAU KEY ATL** [available in Cesa Library]
228. **Evans,W.H.**, 1923, The identification of Indian Butterflies, Pt. II. Danaidae, Satyridae. J. Bombay nat. Hist. Soc. 29: 519-537, pls. **TAX MOR FAU KEY ATL** [available in Cesa Library]
229. **Evans,W.H.**, 1923, The identification of Indian Butterflies, Pt. III. Satyridae (cont.). J. Bombay nat. Hist. Soc. 29: 780-797, 4 pls. **TAX MOR FAU KEY ATL** [available in Cesa Library]

230. **Evans, W.H.**, 1924, Notes on Indian butterflies. J. Bombay nat. Hist. Soc. 29: 971-973. **TAX MOR FAU** [available in Cesa Library]
231. **Evans, W.H.**, 1932, The Identification of Indian Butterflies (2nd edn.). x + 454pp., Madras. **TAX MOR FAU ATL KEY BIB BIO ECO** [available in Cesa Library]
232. **Evans, W.H.**, 1932, The butterflies of Baluchistan. J. Bombay nat. Hist. Soc. 36: 196-209. **FAU DIS** [available in Cesa Library]
233. **Evans, W.H.**, 1949, A Catalogue of the Hesperidae from Europe, Asia and Australia in the British Museum (Natural History). London. **TAX MOR FAU ATL GEN BIB KEY** [available in Cesa Library]
234. **Evans, W.H.**, 1955, A revision of the genus *Tarucus* (Lep., Lycaenidae) of Europe, North Africa and Asia. Entomologist 88: 179-187. **TAX MOR FAU BIB** [available in Cesa Library]
235. **Eversmann, E.**, 1843, Quaedam Lepidopterorum species novae, in montibus Uralensibus et Altaicis habitantes. Bull. Soc. imp. nat. Moscou 16: 535-555, 3 Taf. **TAX MOR FAU ATL**
236. **Fabricius, J.C.**, 1775, Systema Entomologiae sistens Insectorum classes, ordines, genera, species, adjectis synonymis, locis, descriptionibus, observationibus. 832 pp. Flensburgi et Lipsiae. **TAX MOR CLA** [available in Cesa Library]
237. **Fabricius, J.C.**, 1777, Genera Insectorum. Chilonii. **TAX MOR** [available in Cesa Library]
238. **Farren, W.**, 1893, On the variation of *Papilio machaon*. Entomologist's Rec. J. Var. 4: 100-108. **TAX MOR FAU** [available in Cesa Library]
239. **Fernald, C.H.**, 1908, The genera of the Tortricidae and their types. 6pp. Amerst, Mass. **NOM TAX**
240. **Fibiger, M. & J.D.Lafontaine**, 2005, A review of higher classification of the Noctuoidea (Lepidoptera) with special reference to the Holarctic fauna. Esperiana 11: 7-92. **CLA CAT TAX NOM BIB** [available in Cesa Library]
241. **Fletcher, D.S. & I.W.B.Nye**, 1982, Bombycoidea, Castnioidea, Cossioidea, Mimallonoidea, Sesiioidea, Sphingoidea, Zygaenoidea. [In] Nye, I.W.B., The Generic Names of Moths of the World vol.4. xiv+192 pp., 1 frontispiece, London. **TAX NOM BIB CAT** [available in Cesa Library]
242. **Fletcher, D.S. & I.W.B.Nye**, 1984, Pyraloidea. [In] Nye, I.W.B., The Generic Names of Moths of the World. vol.5. xv+185pp., London. **TAX NOM BIB CAT** [available in Cesa Library]
243. **Fletcher, D.S.**, 1974, A Revision of the Old World Genus *Zamarada* (Lepidoptera, Geometridae). Bull. Br. Mus. (Nat. Hist.) Ent. Suppl. 22: 1-498, 452 figs., 123 Pls., 5 Maps. **TAX MOR GEN DIS FAU ATL BIB KEY CLA** [available in Cesa Library]
244. **Fletcher, D.S.**, 1979, Geometridae. [In] Nye, I.W.B. The Generic Names of Moths of the World. vol. 3, xx+243 pp. 2 frontispieces, London. **TAX NOM BIB CAT** [available in Cesa Library]
245. **Fletcher, T.B.**, 1929, A list of the generic names used for Microlepidoptera. Mem. Dep. Agric. India ent. Ser. 11: ix + 244pp. Calcutta. **NOM TAX** [available in Cesa Library]
246. **Ford, E.B.**, 1944, Studies on the chemistry of pigments in the Lepidoptera with reference to their bearing on systematics 3. The red pigments of Papilionidae. Proc. R. ent. Soc. Lond. (A) 19: 92-106. **TAX MOR CHE BIB** [available in Cesa Library]
247. **Forster, W.**, 1936, Beitrag zur Systematik des Tribus Lycaenini unter besonderer Berücksichtigung der argyrognomon- und der argus-Gruppe. Mitt. münch. ent. Ges. 26(2): 41-140. **TAX MOR FAU DIS CLA PHY** [available in Cesa Library]
248. **Forster, W.**, 1937, Liste der von H. und E.Kotzsch im Hindukusch erbeuteten Lycaeniden. Mitt. münch. ent. Ges. 27: 57-64. **TAX MOR FAU** [available in Cesa Library]
249. **Forster, W.**, 1938, Das System der palaearktischen Polyommataini (Lep., Lycaen.). Mitt. münch. ent. Ges. 28: 97-118, 395. **TAX MOR CLA** [available in Cesa Library]
250. **Forster, W.**, 1956, Bausteine zur Kenntnis der Gattung *Agrodiaetus* Scudd. (Lep., Lycaen.) I. Z. wien. ent. Ges. 41: 42-61, 70-89, 118-127, Taf. 8-13. **TAX MOR FAU ATL BIB** [available in Cesa Library]
251. **Forster, W.**, 1960-1961, Bausteine zur Kenntnis der Gattung *Agrodiaetus* Scudd. (Lep., Lycaen.) II. Z. wien. ent. Ges. 45: 105-142; 46: 8-13, 38-47, 74-79, 88-94, 110-116, Taf. 10-15. **TAX MOR FAU ATL BIB** [available in Cesa Library]
252. **Forster, W.**, 1972, Neubeschreibung einiger Lycaeniden (Lep.) aus Afghanistan. Ent. Z., Frankf. a. M. 82 (20): 225-235, 14 Abb. **TAX MOR FAU ATL GEN** [available in Cesa Library]
253. **Forster, W.**, 1973, *Agrodiaetus afghanica* n.sp., eine bisher unbekannte Lycaeniden-Art aus Afghanistan (Lep.). Ent. Z., Frankf. a. M. 83 (18): 209-211, 2 Abb. **TAX MOR FAU ATL GEN** [available in Cesa Library]
254. **Fracker, S.B.**, 1915, The Classification of lepidopterous larvae. Illinois biol. Monogr. 2: 1-169, 112 figs. **TAX MOR LAR CLA PHY BIB**

255. **Freina, J.J.de & B.Aussem**, 1987, *Chazara bischoffi* (Herrich-Schäffer, 1846) und ihre nächstverwandten Arten (Lepidoptera, Satyridae). *NachrBl. bayer. Ent.* 36 (1): 1-10, figs. **TAX MOR FAU GEN DIS BIB** [available in Cesa Library]
256. **Freina, J.J.de & M.Geck**, 2003, Studien zur Ökologie, Biologie, Verbreitung und geographischen Variabilität von *Akbesia davidi* (Oberthür, 1884) (Lepidoptera, Sphingidae). *Nachr. ent. Ver. Apollo (N.F.)* 23 (4): 167-180, figs. **TAX MOR FAU GEN ATL LAR PUP MAP DIS ECO BIO** [available in Cesa Library]
257. **Freina, J.J.de**, 1974, Eine neue Unterart von *Aporia crataegi* aus Afghanistan (Lep., Pieridae). *Ent. Z., Frankf. a. M.* 84 (24): 266-268, Abb. **TAX MOR FAU ATL** [available in Cesa Library]
258. **Freina, J.J.de**, 1980, *Melitaea tangigharuensis* n.sp., eine neue Nymphalidenart für Afghanistan nebst vergleichender Betrachtung zur *M.sarvistana* Wiltshire, 1941 (Lepidoptera, Nymphalidae). *Atalanta* 11 (1): 11-18, 9 Abb. **TAX MOR FAU ATL GEN MAP** [available in Cesa Library]
259. **Freina, J.J.de**, 1982, *Carcinopyga lichenigera nuytenae* ssp.n. (Lepidoptera, Arctiidae). *Entomofauna* 3 (1): 1-20, figs. **TAX MOR FAU ATL GEN** [available in Cesa Library]
260. **Freina, J.J.de**, 1987, Eine neue entdeckte Lymantriiden-Art aus Kashmir, *Arctornis kohistana* sp.n. (Lepidoptera, Lymantriidae). *Nota lepid.* 10(2): 119-126, 16 Abb. **TAX FAU MOR** [available in Cesa Library]
261. **Freina, J.J.de**, 1992, Beitrag zur Kenntnis der Gattung *Neoris* Moore, 1862 mit Beschreibung ihrer kleinasiatischen Vertreter (Lepidoptera, Saturniidae). *Ent. Z., Frankf. a. M.* 102 (13): 233-252, 14 Abb. **TAX MOR FAU ATL BIO BIB ECO EGG LAR PUP DIS** [available in Cesa Library]
262. **Freyer, C.F.**, 1828-1830, Beiträge zur Geschichte europäischer Schmetterlinge mit Abbildungen nach der Natur. 3 vols. 1 (1828): 164pp., 48 Tab.; 2 (1829): 166pp., 48 Tab.; 3 (1830): 168pp., 48 Tab. Nürnberg. **TAX MOR FAU ATL** [available in Cesa Library]
263. **Freyer, C.F.**, 1831-1858, Neuere Beiträge zur Schmetterlingskunde mit Abbildungen nach der Natur. 7 vols. 700 pls. Augsburg. **TAX MOR FAU ATL BIO ECO LAR PUP** [available in Cesa Library]
264. **Fruhstorfer, H.**, 1910, Familia Pieridae [in] Seitz, A., Die Gross-Schmett. Erde 9: 119-190, pls. **TAX MOR FAU ATL**
265. **Fruhstorfer, H.**, 1915-1924, Familia Lycaenidae [i] Seitz, A., Die Gross-Schmett. Erde 9: 803-901, pls. **TAX MOR FAU ATL**
266. **Fruhstorfer, H.**, 1918, Revision der Lycaenidengruppe *Heliophorus* auf Grund der Morphologie der Klammerorgane. *Tijdschr. Ent.* 61: 45-53, Taf.6. **TAX MOR FAU GEN** [available in Cesa Library]
267. **Fuessly, J.C.**, 1781-1786, Archiv der Insektengeschichte. Heft 1-8, 50 Tafeln. Zürich u. Winterthur. **TAX MOR FAU ATL** [available in Cesa Library]
268. **Gaede, M.**, 1930, Familie Satyridae. Gattungen: *Melanargia* Meigen- *Triphysa* Z. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 1: 153-179. Stuttgart. **TAX MOR FAU ATL DIS ECO BIO BIB** [available in Cesa Library]
269. **Gaede, M.**, 1930, Familie Nymphalidae. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 1: 196-227. Stuttgart. **TAX MOR FAU ATL DIS ECO BIO BIB** [available in Cesa Library]
270. **Gaede, M.**, 1930, Familie Lycaenidae. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 1: 239-249. Stuttgart. **TAX MOR FAU ATL DIS ECO BIO BIB** [available in Cesa Library]
271. **Gaede, M.**, 1931, Drepanidae. [in] Strand, E., *Lepidopterorum Catalogus Pars* 49. 60pp. Dr.W.Junk Berlin. **NOM CAT BIB CLA** [available in Cesa Library]
272. **Gaede, M.**, 1932, Familie Lymantriidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 95-106. Stuttgart. **TAX FAU ATL BIO ECO MOR**
273. **Gaede, M.**, 1932, Familie Lasiocampidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 109-125. Stuttgart. **TAX FAU ATL BIO ECO MOR**
274. **Gaede, M.**, 1933, Familie Aegeriidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 229-240. Stuttgart. **TAX FAU ATL BIO ECO DIS MOR**
275. **Gaede, M.**, 1933, Familie Notodontidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 173-186. Stuttgart. **TAX FAU ATL BIO ECO DIS MOR**
276. **Gaede, M.**, 1933, Familie Cossidae. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 241-245. Stuttgart. **TAX FAU ATL BIO ECO DIS MOR**
277. **Gaede, M.**, 1937, Gelechiidae [in] Bryk, F., *Lepidopterorum Catalogus. Pars* 79, 630pp. **CAT BIB DIS** [available in Cesa Library]
278. **Gaede, M.**, 1938-1939, Oecophoridae [in] Bryk, F., *Lepidopterorum Catalogus. Pars* 92, 209-476pp. **CAT BIB DIS** [available in Cesa Library]

279. **Gaedike, R.**, 1966, Eine neue Art der Gattung *Epermenia* Hb. aus dem Orient (Lepidoptera, Epermeniidae). *Reichenbachia* 6(20): 151-154, 5 figs. **TAX FAU MOR GEN** [available in Cesa Library]
280. **Gaedike, R.**, 1966, Österreichische entomologische Iran-Afghanistan-Expeditionen. Beiträge zur Lepidopterenfauna, Teil 8. Epermeniidae. *Z. wien. ent. Ges.* 51: 108-109. **FAU ECO DIS MOR** [available in Cesa Library]
281. **Gaedike, R.**, 1967, Ergebnisse einer österreichischen lepidopterologischen Sammelreise nach Syrien und dem Libanon Teil V. Epermeniidae. *Z. wien. ent. Ges.* 52: 85-87. **TAX MOR FAU** [available in Cesa Library]
282. **Gaedike, R.**, 1968, Österreichische entomologische Expeditionen nach Persien und Afghanistan. Beiträge zur Lepidopterenfauna, Teil 11, Acrolepiidae. *Annln naturh. Mus. Wien* 72: 529-533, 9 figs. **FAU TAX MOR GEN BIO** [available in Cesa Library]
283. **Gaedike, R.**, 1970, Revision der paläarktischen Acrolepiidae (Lepidoptera). *Ent. Abh.* 38: 1-54, 101 figs. **TAX MOR FAU ATL GEN KEY DIS BIB BIO** [available in Cesa Library]
284. **Gaedike, R.**, 1971, Die Epermeniidae und Acrolepiidae des Vorderen und Mittleren Orients. *Beitr. Ent. Berlin* 21 (1/2): 43-54, 13 figs. **TAX MOR FAU GEN** [available in Cesa Library]
285. **Gaedike, R.**, 1972, Errata- Nomenklatorische Bemerkungen zu paläarktischen Epermeniidae und Acrolepiidae (Lepidoptera). *Dt. ent. Z. (N.F.)* 19 (4/5): 301-302. **TAX** [available in Cesa Library]
286. **Gaedike, R.**, 1974, Revision der paläarktischen Douglesiidae (Lepidoptera). *Acta faun. ent. Mus. Nat. Pragae* 15 (176): 79-102, 69 figs. **TAX MOR FAU BIB GEN DIS** [available in Cesa Library]
287. **Gaedike, R.**, 1975, Zur Kenntnis der Mikrolepidopterenfauna der Vorderen und Mittleren Orient (Epermeniidae, Acrolepiidae, Douglesiidae). *Beitr. Ent. Berlin* 25 (2): 213 - 219, 5 figs. **FAU BIB BIO ECO DIS MOR GEN TAX** [available in Cesa Library]
288. **Gaedike, R.**, 1997, 3. Nachtrag zur Revision der Gattung *Infurcitinea* Spuler, 1910 (Lepidoptera, Tineidae). *Beitr. Ent.* 47 (1): 35-53, 13 figs. **TAX MOR FAU CAT GEN BIB** [available in Cesa Library]
289. **Gaedike, R.**, 2007, New and poorly known Lepidoptera from the West Palaearctic (Tineidae, Acrolepiidae, Douglesiidae, Epermeniidae). *Nota lepid.* 29 (3/4): 159-176, figs. **TAX MOR FAU GEN ATL** [available in Cesa Library]
290. **Ganev, J.**, 1984, Die von Josef de Freina gesammelten Mikrolepidoptera aus der Türkei, Afghanistan und Pakistan. Eine faunistische und taxonomische Studie (Lepidoptera, Ethmiidae und Crambidae). *Articulata* 2 (4): 80-84. **TAX MOR FAU**
291. **Gehlen, B.**, 1932, Familie Sphingidae. In Seitz, A., Gross-Schmett. *Erde, Suppl.* 2: 137-166. Stuttgart. **TAX FAU ATL BIO ECO MOR**
292. **Geiger, H.-J. & A. Scholl**, 1982, *Pontia daplidice* (Lepidoptera, Pieridae) in Südeuropa - eine Gruppe von zwei Arten. *Mitt. schweiz. ent. Ges.* 55: 107-114. **TAX KAR BIB**
293. **Gerasimov, A. M.**, 1931, Zur Lepidopterenfauna von Mittelasien III. Neue Lithocolletis. *Ent. Z., Frankf. a. M.* 45: 125-132, 5 figs. **TAX MOR FAU GEN**
294. **Gershenson, Z. S. & S. A. Ulenberg**, 1998, The Yponomeutinae (Lepidoptera) of the World exclusive of the Americas. *Kon. Ned. Akad. Wet. Verh. Afd. Naturk.* 1998: 1-202. **TAX MOR FAU**
295. **Geyer, C. [in] Hübner, J.**, [1819]-[1832], Sammlung exotischer Schmetterlinge 2: [5] pp., [225] Pls. Augsburg. **TAX MOR FAU ATL**
296. **Gielis, C.**, 1993, Generic revision of the superfamily Pterophoroidea (Lepidoptera). *Zool. Verh.* 290: 1-139, 239 figs. **TAX CAT ATL BIO ECO DIS MOR GEN KEY BIB** [available in Cesa Library]
297. **Gielis, C.**, 2003, Pterophoroidea and Alucitoidea (Lepidoptera). *World Catalogue of Insects* 4, 198pp. Apollo Books, Stenstrup. **CAT DIS BIB**
298. **Godart, J. B.**, 1819-[1824], Papillons [in] *Encyclopédie méthodique*. vol. 9. pp. 1-318 (1819), pp. 329-828 [1824]. Paris. **TAX MOR FAU**
299. **Goeze, J. A. E.**, 1781, Entomologische Beytraege zu des Ritter Linné zwölften Ausgabe des *Natursystems* 3: 1-439. **TAX MOR FAU BIB** [available in Cesa Library]
300. **Goltz, H. F. v. d.**, 1930, Familie Satyridae. Gattung: *Erebia* Dalm. [In] Seitz, A., Gross-Schmett. *Erde, Suppl.* 1: 132-152. Stuttgart. **TAX MOR FAU ATL DIS ECO BIO BIB** [available in Cesa Library]
301. **Goltz, H. F. v. d.**, 1937, *Erebia* aus dem Hindukusch. *Ent. Rdsch.* 54: 357-364. **TAX MOR FAU** [available in Cesa Library]
302. **Gozmany, L. A.**, 1959, Tineid moths from Afghanistan (Lep., Tineidae). *Acta zool. Acad. Sci. Hung.* 5: 341-352. **TAX MOR FAU**

303. **Gozmany,L.A.**, 1968, Some Tineid Moths of the Ethiopian Region in the collections of the British Museum (Nat. Hist) II. Acta zool. Acad. Sci. Hung. 14: 301-334, figs. **TAX MOR GEN** [available in Cesa Library]
304. **Gozmany,L.A.**, 1987, A new species of Ceuthomadarus Mann,1864 from Afghanistan (Lepidoptera, Lecithoceridae). Mus. eg. Sci. nat. Boll. (Turin) 5(2): 613-615, figs. **TAX FAU MOR GEN**
305. **Grose-Smith,H.**, 1887, Descriptions of two new species of butterflies from south Afghanistan. Ann. Mag. nat. Hist. (5) 20: 129-130. **TAX MOR FAU** [available in Cesa Library]
306. **Gross,F.J.**, 1978, Beitrag zur Systematik von Pseudochazara-Arten (Lep., Satyridae). Atalanta 9(1): 41-103, figs. **TAX MOR ATL GEN DIS ECO** [available in Cesa Library]
307. **Groum-Grshimailo,G.**, 1888, Novae species et varietates Rhopalocerorum e Pamir. Horae Soc. ent. ross. 22: 303-307. **TAX MOR FAU** [available in Cesa Library]
308. **Groum-Grshimailo,G.**, 1890, Le Pamir et sa faune lépidopterologique. [in] Romanoff, Mém. lépid. 4: 1-577, Pls. **TAX MOR FAU ATL BIB DIS ECO** [available in Cesa Library]
309. **Guenée,A.**, 1852, Noctuélites II. [In] Boisduval,J.A. & A.Guenée, Histoire naturelle des Insectes. Species général des Lépidopteres 6. xcvi + 407 pp. Paris. **TAX MOR FAU** [available in Cesa Library]
310. **Guenée,A.**, 1852, Noctuélites III. [In] Boisduval, J.A. & A.Guenée, Histoire naturelle des Insectes. Species général des Lépidopteres 7. 442 pp. Paris. **TAX MOR FAU** [available in Cesa Library]
311. **Guenée,A.**, 1852, Noctuélites I. [In] Boisduval, J.A. & A.Guenée, Histoire naturelle des Insectes. Species général des Lépidopteres 5. xcvi + 407 pp. Paris. **TAX MOR FAU** [available in Cesa Library]
312. **Guenée,A.**, 1854, Deltoïdes et Pyralites. [In] Boisduval,J.A. & A.Guenée, Histoire naturelle des Insectes. Species général des Lépidopteres 8. 448 + 6 pp., 10 Pls. Paris. **TAX MOR FAU** [available in Cesa Library]
313. **Gyulai,P., Hreblay,M. & L.Ronkay**, 1992, New taxa and synonyms in the Oncocnemis exacta Christoph,1887 Group (Lepidoptera, Noctuidae). Acta zool. Hung. 38: 33-46, figs. **TAX MOR FAU GEN**
314. **Hacker,H. & L.Ronkay**, 1990, Liste der Cucullia Schrank,1802, Agrochola Hübner,[1821] und Autophila Hübner,[1823]- Arten mit Beschreibung neuer Taxa. Esperiana 1: 377-392, figs.71-78, pl. **TAX FAU MOR GEN** [available in Cesa Library]
315. **Hacker,H. & L.Ronkay**, 1990, Liste der Cucullia Schrank,1802, Agrochola Hübner,[1821] und Autophila Hübner,[1823] - Arten mit Beschreibung neuer Taxa. Esperiana 1: 377-392, Abb. **TAX MOR FAU GEN** [available in Cesa Library]
316. **Hacker,H. & L.Ronkay**, 1992, Taxonomic news in the genus Euchalcia Hübner,1821 (Lepidoptera, Noctuidae, Plusiinae) Part 1. Esperiana 3: 457-471, figs. **TAX MOR GEN BIB** [available in Cesa Library]
317. **Hacker,H.**, 1989, Die Noctuidae Griechenlands, mit einer Übersicht über die Fauna des Balkanraumes. Herbipoliana 2: 1-590, Taf. **TAX FAU ATL BIO ECO DIS MOR GEN BIB**
318. **Hacker,H.**, 1990, Systematik und Faunistik der Noctuidae (Lepidoptera) des himalayanischen Raumes. Beitrag 1. Esperiana 1: 219-236. **BIB** [available in Cesa Library]
319. **Hacker,H.**, 1990, Die Genera Cryphia Hübner,1818 und Mniotype Franclemont,1941 im himalayanischen Raum. Esperiana 1: 359-375, figs.61-70. **TAX FAU MOR GEN** [available in Cesa Library]
320. **Hacker,H.**, 1990, Die Noctuidae Vorderasiens (Lepidoptera). Neue ent. Nachr. 27: 1-707, 16 Taf. **TAX MOR FAU ATL ECO HAB DIS CAT BIB** [available in Cesa Library]
321. **Hacker,H.**, 1990, Das Noctuidae - Typenmaterial der Sammlung Peks (Lepidoptera). Esperiana 1: 421-426. **TAX NOM BIB** [available in Cesa Library]
322. **Hacker,H.**, 1992, Übersicht über die Genera Platyperigea Smith,1894, Eremodrina Boursin,1937 und Paradrina Boursin,1937 im himalayanischen Raum. Esperiana 3: 223-230, 6 Abb. **TAX MOR GEN BIB** [available in Cesa Library]
323. **Hacker,H.**, 1992, Revision der Gattung Hadenia Schrank,1802 (Lepidoptera) Teil 1. Esperiana 3: 243-361, 65 Abb. **TAX MOR GEN KEY DIS GEO MAP ATL** [available in Cesa Library]
324. **Hacker,H.**, 1996, Nachträge und Ergänzungen zu den ersten beiden Beiträgen. Esperiana 4: 435-439, Abb. **TAX MOR FAU ATL GEN BIB** [available in Cesa Library]
325. **Hacker,H.**, 1998, Revision der Gattungen Hadula Stgr.,1889 (=Discestra Hmps.,1905;Aglossastra Hmps.,1905;Cardiastrea Brsn.,1963), Anartomorpha Alph.,1892, Trichanarta Hmps.,1895, Anarta Ochs.,1816 und Cardepiia Hmps.,1905 mit Beschreibung einer neuen Gattung Hadumomorpha g.n. Esperiana 6: 577-843, Taf., figs. **TAX MOR FAU ATL GEN BIB DIS** [available in Cesa Library]

326. **Hacker,H.**, 2004, Revision of the genus *Caradrina* Ochsenheimer,1816, with notes on other genera of the tribe Caradrini (Lepidoptera, Noctuidae). *Esperiana* 10: 7-690, 27 Pls. **TAX MOR FAU ATL GEN DIS MAP BIB** [available in Cesa Library]
327. **Hacker,H., Legrain,A. & M.Fibiger**, 2008, Revision of the genus *Acontia* Ochsenheimer,1816 and the tribus Acontiini Guenée,1841 (Old World) (Lepidoptera, Noctuidae, Acontiinae). *Esperiana* 14: 7-533, figs. **TAX MOR FAU ATL GEN MAP DIS** [available in Cesa Library]
328. **Hampson,G.F.**, 1894, Moths. [in] *Blanford,W.T., The Fauna of British India, including Ceylon and Burma. Vol. 2: xxii+ 609pp., 287 figs.* Taylor & Francis, London. **TAX MOR FAU BIO KEY BIB** [available in Cesa Library]
329. **Hampson,G.F.**, 1895, Moths. [in] *Blanford,W.T., The Fauna of British India, including Ceylon and Burma. Vol. 3.* Taylor & Francis, London. **TAX MOR FAU BIO KEY BIB** [available in Cesa Library]
330. **Hampson,G.F.**, 1896, Moths. [in] *Blanford,W.T., The Fauna of British India, including Ceylon and Burma. Vol. 4: xxviii+ 449pp., 239 figs.* Taylor & Francis, London. **TAX MOR FAU BIO KEY BIB** [available in Cesa Library]
331. **Hampson,G.F.**, 1896, On the classification of three subfamilies of moths of the family Pyralidae: the Epipaschiinae, Endotrichinae, and Pyralinae. *Trans. ent. Soc. London* 1896 (4): 451-550, figs. **TAX MOR FAU ATL KEY CLA BIB DIS** [available in Cesa Library]
332. **Hampson,G.F.**, 1897, On the classification of the Thyrididae- a family of the Lepidoptera Phalaenae. *Proc. zool. Soc. Lond.* 1897: 603-633, figs. **TAX MOR FAU ATL KEY DIS CLA BIB** [available in Cesa Library]
333. **Hampson,G.F.**, 1897, On the classification of two subfamilies of moths of the family Pyralidae: the Hydrocampinae and Scopariinae. *Trans. ent. Soc. London* 1897 (2): 127-240, figs. **TAX MOR FAU ATL KEY CLA DIS BIB** [available in Cesa Library]
334. **Hampson,G.F.**, 1898, A revision of the moths of the subfamily Pyraustinae and family Pyralidae, Part 1. *Proc. zool. Soc. London* 1898: 590-761, Pls. 49,50. **TAX MOR CLA FAU BIB ATL** [available in Cesa Library]
335. **Hampson,G.F.**, 1899, A revision of the moths of the subfamily Pyraustinae and family Pyralidae, Part 2. *Proc. zool. Soc. London* 1899: 172-291, pls. 16-19. **TAX MOR CLA FAU BIB ATL** [available in Cesa Library]
336. **Hampson,G.F.**, 1916, Descriptions of New Pyralidae of the Subfamilies Epipaschiinae, Chrysauginae, Endotrichinae, and Pyralinae. *Ann. Mag. nat. Hist.* (8) 18: 126-160, 349-373. **TAX MOR FAU** [available in Cesa Library]
337. **Hampson,G.F.**, 1919, A classification of the Aegeriidae of the Oriental and Ethiopian Regions. *Novit. zool.* 26: 46-119. **TAX MOR FAU CLA DIS KEY** [available in Cesa Library]
338. **Handlirsch,A.**, 1924, Ordnung Lepidoptera (Schmetterlinge), [in] *Schröder, Handb. Ent.* 3: 852-941, figs.747-840. **TAX MOR GEN BIB KEY LAR PUP** [available in Cesa Library]
339. **Hartig,F.G.**, 1937, Eine Mikrolepidopteren- Ausbeute aus dem Hindukusch Gebiet. *Z. öst. EntVer.* 22: 68-79, 3 Abb. **TAX FAU MOR ATL** [available in Cesa Library]
340. **Hausmann,A. & S.Dötterl**, 2004, Nectar plants and larval plants of the genus *Glossotrophia* (Geometridae, Sterrhinae) studies on pollen grains attached to museum specimens. *Nota lepid.* 26 (3/4): 127-136. **ECO BIO** [available in Cesa Library]
341. **Hausmann,A.**, 1992, *Idaea fittkaui* sp.n. aus Afghanistan mit weiteren Bemerkungen zur Systematik der 13. Gruppe der Gattung *Idaea* (Lepidoptera, Geometridae). *NachrBl. bayer. Ent.* 41 (2): 46-55, figs. **TAX MOR FAU GEN** [available in Cesa Library]
342. **Hausmann,A.**, 1993, Zweiter Beitrag zur Taxonomie und Systematik der Gattung *Glossotrophia* Prout,1913 (Lepidoptera, Geometridae, Sterrhinae). *Mitt. münch. ent. Ges.* 83: 77-107, 68 Abb. **TAX FAU ATL BIO ECO DIS MOR GEN BIB** [available in Cesa Library]
343. **Hausmann,A.**, 1994, Dritter Beitrag zur Revision der Gattung *Glossotrophia* Prout,1913 nebst Beschreibung zweier neuer Gattungen (Lepidoptera, Geometridae, Sterrhinae). *Nota lepid.* 16(3/4): 195-211, 25 Abb., 1 Tab. **TAX FAU DIS MOR GEN BIB** [available in Cesa Library]
344. **Haworth,A.H.**, 1803-1828, *Lepidoptera Britannica, sistens digestimen novam lepidopterorum quae in Magna Britannica reperiunter...Pt.1 (1803): 1-136; Pt.2 ([1809]): 137-376; Pt.3 ([1811]): 377-512; Pt.4 (1828): 513-609.* London. **TAX MOR FAU** [available in Cesa Library]
345. **Heinkele,P.**, 2000, Beitrag zur Revision des *Parnassius- delphius- staudingeri*- Komplexes mit Beschreibung einer neuen Subspezies von *Parnassius staudingeri* Bang-Haas,1882 aus Afghanistan (Lepidoptera, Papilionidae). *Galathea* 16 (2): 59-70, 8 Abb. **TAX MOR FAU GEN BIB DIS** [available in Cesa Library]

346. **Hemming,A.F.**, 1929, Notes on the generic names of the Holarctic Lycaenidae (Lep., Rhop.). Ann. Mag. nat. Hist. (10) 3: 217-245. **TAX NOM BIB** [available in Cesa Library]
347. **Hemming,A.F.**, 1934, The generic names of the Holarctic butterflies. vol.1: 1758-1863. 184pp. **TAX BIB NOM CAT** [available in Cesa Library]
348. **Hemming,A.F.**, 1967, The Generic names of the butterflies and their type-species (Lepidoptera, Rhopalocera). Bull. Br. Mus. (Nat. Hist.) Ent., Suppl. 9: 1-509. **TAX NOM BIB CAT** [available in Cesa Library]
349. **Heppner,J.B. & W.D.Duckworth**, 1981, Classification of the superfamily Sesiioidea (Lepidoptera, Ditrysia). Smiths. Contr. Zool. 314: 1-144. **TAX MOR CAT BIB DIS** [available in Cesa Library]
350. **Heppner,J.B.**, 1977, The status of the Glyphipterigidae and a reassessment of relationships in Yponomeutoid families and Ditrisian superfamilies. J. Lepid. Soc. 31(2): 124-134. **TAX MOR CLA PHY BIB LAR PUP** [available in Cesa Library]
351. **Heppner,J.B.**, 1979, Brachodidae, a new family name for Atychidae (Lep., Sesiioidea). Ent. Ber., Amst. 39 (8): 127-128. **TAX MOR** [available in Cesa Library]
352. **Heppner,J.B.**, 1982, A world catalog of genera associated with the Glyphipterigidae auctorum (Lepidoptera). N.Y. ent. Soc. 89(4): 220-294. **TAX MOR CAT NOM BIB** [available in Cesa Library]
353. **Hering,E.**, 1889, Mémoires sur les Lépidoptères rédigés par N.M.Romanoff. Tome III. St. Petersbourg 1887. Stettin ent. Ztg. 50: 257-278. **BIB** [available in Cesa Library]
354. **Hering,E.**, 1891, Nachwort. Stettin ent. Ztg. 52(4/6): 116-128. **TAX BIB** [available in Cesa Library]
355. **Hering,M.**, 1937, Die Genital-Morphologie von Parnassius autocrator Av. Parnassiana 4: 38-42, 2 figs. **MOR GEN TAX**
356. **Herrich-Schäffer,G.A.W.**, 1843-[1856], Systematische Bearbeitung der Schmetterlinge von Europa, zugleich als Text, Revision und Supplement zu Jacob Hübner's Sammlung europäischer Schmetterlinge. 6 vols. Regensburg. **TAX MOR FAU ECO BIO BIB ATL** [available in Cesa Library]
357. **Hesselbarth,G.**, 1983, Beitrag zur Biologie von Ypthima asterope Klug (Lepidoptera, Satyridae). Nachr. ent. Ver. Apollo (N.F.) 4 (1): 7-14, 5 figs. **MOR BIO LAR PUP BIB ATL** [available in Cesa Library]
358. **Heydemann,F.**, 1954, Beitrag zur Lepidopteren-Fauna Afghanistans. Z. wien. ent. Ges. 39: 385-396, 412-428, Taf. **TAX MOR FAU ATL GEN BIB** [available in Cesa Library]
359. **Heyne,A.**, 1893]-1895, [in] Rühl,F., Die palaearktischen Grossschmetterlinge und ihre Naturgeschichte. Erster Band: Tagfalter. 385-857S. Leipzig. **TAX MOR FAU** [available in Cesa Library]
360. **Higgins,L.G. & E.P.Wiltshire**, 1956, Bemerkungen zu Melitaea- und Pararge-Formen aus dem Mittleren Osten, veranlasst durch F.Heydemanns kürzlich erschienene Artikel über Rhopaloceren aus Afghanistan. Z. wien. ent. Ges. 41: 10-15. **TAX** [available in Cesa Library]
361. **Higgins,L.G.**, 1941, An illustrated catalogue of the Palaearctic Melitaea (Lep., Rhopalocera). Trans. R. ent. Soc. Lond. 91 (7): 175-354, 16 Pls, 214 figs., 7 maps. **TAX MOR FAU ATL GEN DIS ECO BIO CLA** [available in Cesa Library]
362. **Higgins,L.G.**, 1965, Boisduval, Europaeorum Lepidopterorum index methodicus. Entomologist 98: 241-242. **BIB**
363. **Higgins,L.G.**, 1969, A New Genus of European Butterflies (Lycaenidae). Entomologist 102: 67. **TAX MOR CLA** [available in Cesa Library]
364. **Hofmann,A. & W.G.Tremewan**, 1996, A systematic catalogue of the Zygaeninae (Lepidoptera, Zygaenidae). 251pp. Colchester. **CAT BIB**
365. **Hofmann,A. & W.G.Tremewan**, 2010, A revised check-list of the genus Zygaena Fabricius,1775 (Lepidoptera, Zygaenidae, Zygaeninae), based upon the biospecies concept. Entomologist's Gaz. 61: 119-131. **CAT** [available in Cesa Library]
366. **Hofmann,A.**, 1983, Beitrag zur Zygaenenfauna Südost-Anatoliens: Zygaena (Mesembrynus) manlia pjotri n.subsp.- ein Erstnachweis für die Türkei (Lepidoptera, Zygaenidae). Ent. Z., Frankf. a. M. 93 (9): 113-119, 10 Abb. **TAX FAU ECO DIS MOR BIB** [available in Cesa Library]
367. **Holik,O. & L. Sheljuzhko**, 1955, Über die Zygaenen-Fauna Osteuropas, Kleinasien, Irans, Zentralasien und Sibiriens. Mitt. münch. ent. Ges. 44/45: 26-158. **TAX MOR FAU** [available in Cesa Library]
368. **Holik,O. & L. Sheljuzhko**, 1956, Über die Zygaenen-Fauna Osteuropas, Kleinasien, Irans, Zentralasien und Sibiriens. Mitt. münch. ent. Ges. 46: 93-239. **TAX MOR FAU** [available in Cesa Library]

369. **Holik,O. & L. Sheljuzhko**, 1957, Über die Zygaenen-Fauna Osteuropas, Kleinasien, Irans, Zentralasiens und Sibiriens. Mitt. münch. ent. Ges. 47: 143-185. **TAX MOR FAU** [available in Cesa Library]
370. **Holik,O.**, 1938, "Lavanduloide" Zygaenen. Ent. Rdsch. 55: 320-323, 331-333. **ECO BIO CLAS** [available in Cesa Library]
371. **Howarth,T.G. & D.Povolny**, 1973, Beiträge zur Kenntnis der Fauna Afghanistans. Lepidoptera Rhopalocera. Cas. morav. Mus. Brno 58: 131-158, figs. **TAX MOR FAU ATL BIB DIS BIO ECO** [available in Cesa Library]
372. **Howarth,T.G. & D.Povolny**, 1976, Beiträge zur Kenntnis der Fauna Afghanistans. Lepidoptera Rhopalocera. Cas. morav. Mus. Brno 61: 139-170. **TAX MOR FAU ATL BIB DIS BIO ECO** [available in Cesa Library]
373. **Hreblay,M. & J.Plante**, 1994, New taxa of the genus *Orthosia* Ochsenheimer, 1816 (s.l.) III (Lepidoptera, Noctuidae). Acta zool. hung. 40 (1): 21-27, 20 figs. **TAX MOR FAU ATL GEN** [available in Cesa Library]
374. **Hreblay,M.**, 1992, Paläarktische Taxa der *Mythimna* (*Aletia*) *pallens* L.- *impura* Hb.- Artengruppe (Lepidoptera, Noctuidae). Esperiana 3: 513-529, Taf., figs. **TAX MOR GEN DIS BIB** [available in Cesa Library]
375. **Hreblay,M.**, 1996, Neue paläarktische Taxa aus der Gattung *Perigrapha* Lederer, 1857 (Lepidoptera, Noctuidae). Esperiana 4: 65-94, 90 Abb., Taf. **TAX MOR FAU ATL BIB CAT GEN** [available in Cesa Library]
376. **Huemer,P.**, 1989, Neue und wenig bekannte Arten der Gattung *Caryocolum* Gregor & Povolny, 1954 aus Südwestasien (Lepidoptera, Gelechiidae). Mitt. münch. ent. Ges. 79: 127-142, 46 Abb. **TAX FAU ATL BIO ECO DIS MOR GEN BIB** [available in Cesa Library]
377. **Hufnagel**, 1766, Tabelle von den Tagvögeln der Gegend um Berlin. Berl. Mag. 2: 54-90. **TAX MOR FAU** [available in Cesa Library]
378. **Hufnagel**, 1766, Dritte Tabelle von den Nachtvögeln (*Bombyx*) der Gegend um Berlin. Berl. Mag. 2: 391-437. **TAX MOR FAU** [available in Cesa Library]
379. **Hufnagel**, 1767, Vierte Tabelle von den Nachtvögeln (*Noctua*) der Gegend um Berlin. Berl. Mag. 3: 202-215, 279-309, 393-426. **TAX MOR FAU** [available in Cesa Library]
380. **Hufnagel**, 1768, Fortsetzung der Tabelle von den Nachtvögeln (*Geometra*). Berl. Mag. 4: 504-527, 599-626. **TAX MOR FAU** [available in Cesa Library]
381. **Hundsdoerfer, A.K., Kitching,I. & M.Wink**, 2005, A molecular phylogeny of the Hawkmoth genus *Hyles* (Lepidoptera, Sphingidae, Macroglossinae). Mol. Phylog. Evol. 35: 442-458, figs. **MOR MOL PHY**
382. **Hübner,J.**, 1790, Beiträge zur Geschichte der Schmetterlinge [134 pp.], 16 pls. Augsburg. **TAX MOR FAU ATL** [available in Cesa Library]
383. **Hübner,J.**, 1796-[1833], Sammlung europäischer Schmetterlinge. vol. 7, Tortrices: 53 Pls., Augsburg. **TAX MOR FAU ATL** [available in Cesa Library]
384. **Hübner,J.**, 1796-[1833], Sammlung europäischer Schmetterlinge. vol. 6, Pyralides: 32 Pls., Augsburg. **TAX MOR FAU ATL** [available in Cesa Library]
385. **Hübner,J.**, 1796-[1836], Sammlung europäischer Schmetterlinge. vol. 8, Tineae: 71 Pls., Augsburg. **TAX MOR FAU ATL** [available in Cesa Library]
386. **Hübner,J.**, 1796-[1838], Sammlung europäischer Schmetterlinge. vol. 2, Sphinges: 38 Pls., Augsburg. **TAX MOR FAU ATL** [available in Cesa Library]
387. **Hübner,J.**, 1796-[1838], Sammlung europäischer Schmetterlinge. vol. 5, Geometrae: 113 Pls., Augsburg. **TAX MOR FAU ATL** [available in Cesa Library]
388. **Hübner,J.**, 1799-[1838], Sammlung europäischer Schmetterlinge. vol. 1, Papilios: 207 Pls., Augsburg. **TAX MOR FAU ATL** [available in Cesa Library]
389. **Hübner,J.**, 1800-[1836], Sammlung europäischer Schmetterlinge. vol. 4, Noctuae: 181 Pls., Augsburg. **TAX MOR FAU ATL** [available in Cesa Library]
390. **Hübner,J.**, 1800-[1836], Sammlung europäischer Schmetterlinge. vol. 9, Alucitae: 7 Pls., Augsburg. **TAX MOR FAU ATL** [available in Cesa Library]
391. **Hübner,J.**, 1800-[1838], Sammlung europäischer Schmetterlinge. vol. 3, Bombyces: 83 Pls., Augsburg. **TAX MOR FAU ATL** [available in Cesa Library]
392. **Hübner,J.**, 1816-[1826], Verzeichnis bekannter Schmetterlinge. 431 pp., Augsburg. **TAX MOR CLA CAT BIB** [available in Cesa Library]
393. **Hübner,J.**, 1822, Systematisch -alphabetisches Verzeichniss aller bisher bei den Fürbildungen zur Sammlung europäischer Schmetterlinge ausgegebenen Benennungen mit Vormerkung auch Augsburger Gattungen. 81 pp. Augsburg. **TAX MOR CLA** [available in Cesa Library]

394. Häuser, C., 1993, An Annotated checklist of the species of the Parnassiinae (Lepidoptera, Papilionidae). Tijdschr. Ent. 136: 137-146. **TAX MOR CLA CAT PHY BIB** [available in Cesa Library]
395. Häuser, C., 2004, Clas Michael Naumann zu Königsbrück 26.06.1939 - 15.02.2004. Nota lepid. 27 (1): 3-10. **OBI PER** [available in Cesa Library]
396. Häuser, C.L. & W.Eckweiler, 1997, A catalogue of the species-group taxa in Agrodiaetus Hübner, 1822, a subgenus of Polyommatus Latreille, 1804 (Lep., Lycaenidae), [in] Eckweiler & Häuser, Contributions to the systematics and biology of the Polyommatus (Agrodiaetus) species-group (Lep.). Nachr. Ent. Ver. Apollo, Suppl. 16: 53-112. **TAX CAT BIB** [available in Cesa Library]
397. Häuser, C.L., 1993, Critical comments on the phylogenetic relationships within the family Papilionidae (Lepidoptera). Nota lepid. 16 (1): 34-43. **PHY CLA TAX MOR BIB** [available in Cesa Library]
398. Igarashi, S., 1984, The classification of the Papilionidae mainly based on the morphology of their immature stages. Tyo to Ga 34 (29): 41-96. **LAR MOR CLA**
399. Ignatyev, N.N. & V.V.Zolotuhin, 2005, A review of syntomids (Lepidoptera, Syntomidae) of Russia and adjacent territories. Part 1. Genus Syntomis Ochsenheimer, 1808. Eversmannia 2005 (3/4): 28-54, figs. **TAX MOR FAU ATL GEN KEY MAP DIS** [available in Cesa Library]
400. Jakes, O., 1967, Beiträge zur Kenntnis der Fauna Afghanistans (Sammelergebnisse von O.Jakes 1963-64, D.Povolny 1965, D.Povolny & Fr.Tenora 1966, J.Simek 1965-66) Reisebericht und Charakteristik des Sammelgebietes. Cas. morav. Mus. Brne 52 (suppl.): 9-11, figs. **HAB ECO TRAV** [available in Cesa Library]
401. Jong, R.de, 1975, Notes on the genus Pyrgus (Lepidoptera, Hesperidae). Zool. Meded. 49(1): 1-11, 1 Pl. 5 figs. **TAX MOR GEN DIS BIB** [available in Cesa Library]
402. Jong, R.de, 1980, Distribution and variation of Pyrgus badachschanus Alberti (Lepidoptera, Hesperidae). Ent. Ber., Amst. 40(8): 119-121. **DIS FAU MOR**
403. Jong, R.de, 1984, Notes on the genus Thymelicus Hübner (Lepidoptera, Hesperidae). Nota lepid. 7 (2): 148-163, 31 figs. **TAX MOR FAU GEN BIB** [available in Cesa Library]
404. Jordan, K., 1907, Familie: Zygaenidae, Widderchen. [in] Seitz, A., Die Gross-Schmett. Erde 2: 3-17, pls. 1-3. **TAX MOR FAU ATL BIB**
405. Jordan, K., 1907, Familie: Papilionidae, Segelfalter. [in] Seitz, A., Die Gross-Schmett. Erde 5: 11-45, pls. 1-17. **TAX MOR FAU ATL BIB**
406. Jordan, K., 1908-1909, Familie: Papilionidae, Segelfalter. [in] Seitz, A., Die Gross-Schmett. Erde 9: 11-109, 112-118, pls. 1-49. **TAX MOR FAU ATL BIB**
407. Jordan, K., 1909, Familie: Zygaenidae, Widderchen. [in] Seitz, A., Die Gross-Schmett. Erde 2: 3-34, pls., Stuttgart. **TAX MOR FAU ATL BIB DIS** [available in Cesa Library]
408. Jordan, K., 1939, On the constancy and variability of the differences between the Old World species of Utetheisa (Lepid., Arctiidae). Novit. zool. 41: 251-291, 30 figs. **TAX MOR FAU GEN BIB**
409. Kasy, F., 1969, Vorläufige Revision der Gattung Ascalenia Wocke (Lepidoptera, Walshiidae). Annln naturh. Mus. Wien 73: 339-375, figs. **TAX MOR FAU GEN** [available in Cesa Library]
410. Kasy, F., 1970, Beitrag zur Kenntnis der Gattung Bifascia Amsel, Bifascioides Kasy, und Gisilia Kasy (Lepidoptera, Walshiidae). Annln naturh. Mus. Wien 74: 187-194, 6 Abb. **TAX MOR FAU GEN DIS BIB BIO ECO** [available in Cesa Library]
411. Kautt, P. & A.Saidaitis, 1997, Beschreibung einer neuen Art der Gattung Carcinopyga Felder, 1874 (Lepidoptera, Arctiidae) und Anmerkungen zur Verbreitung und Bionomie der drei Arten der Gruppe. Nachr. ent. Ver. Apollo (N.F.) 18 (2/3): 129-140, figs. **TAX MOR FAU ATL GEN DIS MAP** [available in Cesa Library]
412. Kemal, M. & A.Ö.Koçak, 2005, Nomenclatural notes on various taxa of the moths (Lepidoptera). Cent. ent. Stud., Misc. Pap. 91/92: 11-14. **TAX NOM** [available in Cesa Library]
413. Kemal, M., 2000, Orta Asya kelekleri üzerine bazı nomenklatur notları-I. Chazara heydenreichi (Lederer) (Lepidoptera, Satyridae). Centr. ent. Stud., Misc. Pap. 61: 1-2. **TAX NOM BIB** [available in Cesa Library]
414. Kennel, J., 1900, Neue Palaearktische Tortriciden, nebst Bemerkungen über einige bereits beschriebene Arten. Dt. ent. Z., Iris 13: 124-159, Taf. **TAX MOR FAU ATL** [available in Cesa Library]
415. Kennel, J., 1901, Neue Wickler des palaearktischen Gebietes. Dt. ent. Z., Iris 13: 205-305. **TAX MOR FAU** [available in Cesa Library]
416. Kennel, J., 1908-1921, Die Palaearktische Tortriciden. Zoologica 21 (54) (1908): 1-100; Taf. 1-6; (1910): 101-232, Taf. 7-12; (1913): 233-397, Taf. 13-16; (1916): 398-546, Taf. 17-20; (1921): 545-742, Taf. 21-24. **TAX MOR FAU KEY BIB ATL DIS ECO BIO** [available in Cesa Library]

417. **Kennel,J.**, 1919, Mittelasatische und andere neue Tortriciden. Mitt. münch. ent. Ges. 8: 50-95. **TAX MOR FAU**
418. **Kirby,W.F.**, 1871, A synonymic catalogue of the diurnal Lepidoptera. viii+690pp. John van Voorst, London. **TAX NOM CAT DIS BIB** [available in Cesa Library]
419. **Kirby,W.F.**, 1877, A synonymic catalogue of the diurnal Lepidoptera. Supplement March 1871-June 1877. vii+691-883pp. John van Voorst, London. **TAX NOM CAT DIS BIB** [available in Cesa Library]
420. **Kirby,W.F.**, 1892, A Synonymic Catalogue of Lepidoptera Heterocera (Moths) I. Sphinges and Bombyces. xii + 951 pp., London. **CAT BIB TAX** [available in Cesa Library]
421. **Kirby,W.F.G.**, 1903, The butterflies and moths of Europe. 432 pp., 55 col. pls.; Cassell & Co., London. **TAX MOR FAU ATL BIB ECO BIO**
422. **Kiriakoff,S.G.**, 1948, A classification of the Lepidoptera and related groups with some remarks on taxonomy. Biol. Jb. 15: [118]-143. **TAX MOR GEN PHY CLA BIB**
423. **Kitching,I.J. & R.Zahiri**, 2007, Taxonomic notes and new records of the genus *Sphingonaepiopsis* Wallengren,1858 (Lepidoptera, Sphingidae) in Iran. Zootaxa 1610: 41-52, 10 pls. **TAX MOR FAU ATL MAP ECO BIO BIB GEN** [available in Cesa Library]
424. **Klapperich,J.**, 1954, Auf Forschungsreisen in Afghanistan. Ent. Blatt. 50: 107-118. **FAU TRA**
425. **Klemstein,J.**, 1966, Gefriertrocknung - eine neue Methode zur Praeparation der Raupen. Ent. Z., Frankf. a.M. 76: 17-21. **LAR MET COL**
426. **Klima,A.**, 1937, Pyralidae: Subfam. Scopariinae et Nymphulinae. [in] Bryk,F. (ed.), Lepidopterorum Catalogus Pars.84. 226pp. W.Junk, Berlin & The Hague **CAT DIS FAU BIB** [available in Cesa Library]
427. **Klima,A.**, 1939, Pyralidae: Subfam. Pyraustinae I. [in] Bryk,F. (ed.), Lepidopterorum Catalogus Pars.89. 1-224pp. W.Junk, Berlin & The Hague **CAT FAU BIB** [available in Cesa Library]
428. **Klima,A.**, 1939, Pyralidae: Subfam. Pyraustinae II. [in] Bryk,F. (ed.), Lepidopterorum Catalogus Pars.94. 225-384pp. W.Junk, Berlin & The Hague **CAT FAU BIB** [available in Cesa Library]
429. **Klots,A.B.**, 1930, A generic revision of the Euchloini. Bull. Brooklyn ent. Soc. 25: 80-95, 1 pl. **TAX MOR FAU**
430. **Klots,A.B.**, 1933, A generic revision of the Pieridae. Entomologica am. (N.S.) 12: 139-242. **TAX MOR FAU**
431. **Klots,A.B.**, 1970, Lepidoptera. [In] Tuxen,S.L. (Ed.), Taxonomist's glossary of genitalia in Insects. 115-130 pp., Munksgaard, Copenhagen (Edn. 2). **GEN MET** [available in Cesa Library]
432. **Koch,M.**, 1937, Zygaena Fabr. I. Ent. Z., Frankf. a. M. 51: 19-20, 36-39, 46, 61-63, 71-72, 47 figs. **TAX MOR FAU ATL** [available in Cesa Library]
433. **Koch,M.**, 1937, Zygaena Fabr. III. Ent. Z., Frankf. a. M. 51: 398-401. **TAX MOR FAU** [available in Cesa Library]
434. **Koda,N.**, 1987, A generic classification of the subfamily Arctiinae of the palaearctic and orientalic regions based on the male and female genitalia (Lepidoptera, Arctiidae) Part 1. Tyo to Ga 38 (3): 153-237, figs. **TAX MOR CLA GEN**
435. **Koda,N.**, 1988, A generic classification of the subfamily Arctiinae of the palaearctic and orientalic regions based on the male and female genitalia (Lepidoptera, Arctiidae) Part 2. Tyo to Ga 39 (1): 1-79, figs. **TAX MOR CLA GEN**
436. **Kodandaramaiah,U. & N.Wahlberg**, 2009, Phylogeny and biogeography of Coenonympha butterflies (Nymphalidae, Satyrinae)- patterns of colonization in the Holarctic. Syst. Ent. 34: 315-323. **CAT PHY TAX** [available in Cesa Library]
437. **Kollar,V. & L.Redtenbacher**, [1849], Über den Charakter der Insecten-Fauna von Süd-Persien. Denkschr. Akad. Wiss. Wien 1 (1): 42-53. **TAX MOR FAU** [available in Cesa Library]
438. **Kollar,V.**, [1844], Lepidoptera. [in] Kollar,V. & L.Redtenbacher, Aufzählung und Beschreibung der von Freiherrn Carl v.Hügel auf seiner Reise durch Kaschmir und das Himalayagebirge gesammelten Insecten. 403-496pp., 22pls., [In] Hügel,C. Freiherrn von 1842-1848, Kaschmir und das Reich der Siek 4: 871 pp., Pls. 1 map, Stuttgart. **TAX MOR FAU ATL**
439. **Koster,J.C.**, 2008, Notes on the Cosmopterigidae (Lepidoptera) of Afghanistan and Jammu & Kashmir, India with descriptions of two new species. Zool. Meded. 82 (1): 91-102, figs. **TAX MOR FAU ATL GEN** [available in Cesa Library]
440. **Kostrowicki,A.S.**, 1961, Studies on the Palaearctic species of the subfamily Plusiinae (Lepidoptera). Acta zool. cracov. 6: 367-472, pls. **TAX MOR FAU ATL GEN** [available in Cesa Library]

441. **Kostrowicki, A.S.**, 1969, Geography of the Palaearctic Papilionoidea (Lepidoptera). 380 pp., 125 figs. Panstowe Wyd. Nauk., Warschau. **GEO ECO DIS MAP BIB** [available in Cesa Library]
442. **Kotzsch, H.**, 1936, Die Parnassier meiner Hindukush-Expedition 1936. Parnassiana 4: 4-9, figs.1-8. **TAX MOR FAU ATL**
443. **Kotzsch, H.**, 1936, Parnassius autocrator eine eigene Art. Ent. Rdsch. 54: 50-52, Pl.1 **TAX MOR FAU ATL** [available in Cesa Library]
444. **Kotzsch, H.**, 1937, Weitere Falterneuheiten aus meiner Hindukush-Expedition 1936. Ent. Rdsch. 55: 9-10. **TAX MOR FAU** [available in Cesa Library]
445. **Kotzsch, H.**, 1938, Argynnis argyrospilata sp.n. Ent. Rdsch. 55: 360, Abb. **TAX MOR FAU ATL** [available in Cesa Library]
446. **Kotzsch, H.**, 1940, Parnassius inopinatus, ein überraschende neue Art. Ent. Tidskr. 54: 17-21, 2 figs. **TAX MOR FAU ATL**
447. **Koçak, A.Ö. & M.Kemal**, 2001, Checklist of the butterflies of Afghanistan. <http://www.members.tripod.com/entlep/Af.htm> [access March 2006]. **CAT** [available in Cesa Library]
448. **Koçak, A.Ö. & M.Kemal**, 2002, Bazı taksonomik ve zoocoğrafik notlarla birlikte Hyponephele Muschamp cinsinin kataloğu (Lepidoptera, Satyridae). Cent. ent. Stud., Misc. Pap. 80/81: 1-15, 1 Tab. **TAX MOR FAU CAT BIB GEO DIS** [available in Cesa Library]
449. **Koçak, A.Ö. & M.Kemal**, 2007, Preliminary checklist of Loxostege Hbn., with some taxonomical and geographical notes (Lepidoptera, Pyralidae). Cent. ent. Stud., Misc. Pap. 136: 2-8. **TAX MOR FAU CAT** [available in Cesa Library]
450. **Koçak, A.Ö. & M.Kemal**, 2007, Chapter 13: List of the Lepidoptera in Afghanistan, [in] Koçak, A.Ö. & M.Kemal, Results of the International Project of the CESA on the Lepidoptera of the World-I. Cent. ent. Stud., Memoirs 3-4: 1766-1789. **FAU CAT** [available in Cesa Library]
451. **Koçak, A.Ö. & M.Kemal**, 2007, Chapter 4: Bibliography of the Lepidoptera (BL), [in] Koçak, A.Ö. & M.Kemal, Results of the International Project of the CESA on the Lepidoptera of the World-I. Cent. ent. Stud., Memoirs 3-4: 1117-1267. **BIB** [available in Cesa Library]
452. **Koçak, A.Ö. & M.Kemal**, 2010, Pterygot insects of Afghanistan. A tentative synonymic list of the species known in Afghanistan (Results of the Entomofauna of the World, based upon infosystem of the Cesa) [Lepidoptera is represented here as 1649 species]. Cent. ent. Stud., Priamus (suppl.) 19: 1-98. **CAT TAX** [available in Cesa Library]
453. **Koçak, A.Ö. & M.Kemal**, 2010, Evaluation of the lepidopterological bibliography based upon the info-system of the Cesa. Cent. ent. Stud., Priamus (Suppl.) 21: 1-1185, 39 figs. 3 graphs. **BIB** [available in Cesa Library]
454. **Koçak, A.Ö. & S.Seven**, 1997, Palaearktik Noctuid'lerin taksonomisi ve nomenklatürü üzerine notlar VI. Avrupa Noctuid'lerinin familya grubu taksonlarının nomenklatürü hakkında. Cent. ent. Stud., Misc. Pap. 37: 3-8. **TAX NOM CAT** [available in Cesa Library]
455. **Koçak, A.Ö. & S.Seven**, 1998, Eski Dünya Polyommata altribusuna ait taksonların nomenklatürü ve sınıflandırması hakkında (Lepidoptera, Lycaenidae). Cent. ent. Stud., Misc. Pap. 49: 1-5, 1 grafik. **TAX MOR CLA BIB NOM** [available in Cesa Library]
456. **Koçak, A.Ö.**, 1981, On the nomenclature of some genera of the family Psychidae (Lepidoptera). Cent. ent. Stud., Priamus 1 (1): 7-10; 1(3): 122-123. **TAX NOM** [available in Cesa Library]
457. **Koçak, A.Ö.**, 1981, On the status of the family names Nymphalidae and Heliconiidae described by Swainson. Cent. ent. Stud., Priamus 1 (2): 93-96. **NOM** [available in Cesa Library]
458. **Koçak, A.Ö.**, 1981-1984, Critical Check-list of European Papilionoidea (Lepidoptera). Cent. ent. Stud., Priamus 1 (2): 46-90; 1 (4): 155-167; 2 (2): 69-92; 3 (1): 11-37. **CAT TAX NOM MOR BIB** [available in Cesa Library]
459. **Koçak, A.Ö.**, 1982, On the date of publication of "Nachtrag" of Heydenreich's Lepidopterorum Europaeorum Catalogus Methodicus (3.ed.), 130pp. 1851. Cent. ent. Stud., Priamus 2 (2): 92-95. [available in Cesa Library]
460. **Koçak, A.Ö.**, 1982-1987, On the validity of the species group names proposed by Denis & Schiffermüller, 1775 in "Ankündigung (sic!) eines systematischen Werkes von den Schmetterlingen der Wiener Gegend". Cent. ent. Stud., Priamus 2 (1): 4-42; 3 (3): 98-130; 3 (4): 133-154; 4 (1/2): 22-36; 4 (3): 81-86. **TAX NOM** [available in Cesa Library]
461. **Koçak, A.Ö.**, 1983, On the nomenclature of the genus Hipparchia Fabricius, 1807 (Lepidoptera, Satyridae). Cent. ent. Stud., Priamus 2 (4): 166-169. **NOM** [available in Cesa Library]
462. **Koçak, A.Ö.**, 1986, On the paper "Lepidoptera names of Denis & Schiffermüller - A case for stability" by K.Sattler & W.G. Tremewan in 1984. Cent. ent. Stud., Priamus 4 (1): 3-12. **NOM REV** [available in Cesa Library]

463. **Koçak,A.Ö.**, 1989, Provision of a valid name for the type-species of the genus *Sideridis* Hübner, 1821 (Noctuidae, Lepidoptera). Cent. ent. Stud., Priamus 5 (1/2): 1-2. [\[available in Cesa Library\]](#)
464. **Koçak,A.Ö.**, 1989, On the authorship of the family name *Lemoniidae* with some nomenclatural notes on other related groups (Lepidoptera). Cent. ent. Stud., Priamus 4 (4): 147-149. [\[available in Cesa Library\]](#)
465. **Koçak,A.Ö.**, 1989, Description of the genus *Adoritis* (gen.n.) with notes on other closely related groups in *Parnassiinae* (Papilionidae, Lepidoptera). Cent. ent. Stud., Priamus 4 (4): 163-170, figs. [\[available in Cesa Library\]](#)
466. **Koçak,A.Ö.**, 1990, Notes on the taxonomy and nomenclature of the Palearctic Noctuidae (Lepidoptera) -II. Cent. ent. Stud., Misc. Pap. 5: 4. **TAX NOM** [\[available in Cesa Library\]](#)
467. **Koçak,A.Ö.**, 1990, Notes on the taxonomy and nomenclature of the Palearctic Noctuidae (Lepidoptera) -III. Cent. ent. Stud., Misc. Pap. 7: 7. [\[available in Cesa Library\]](#)
468. **Koçak,A.Ö.**, 1991, Introductions and Remarks, [in] Seven,S. & S.Bulguer, A Bibliographical list of the homonymous generic names in Zoology based on S.A. Neave's Nomenclator Zoologicus (Vols. I-VII). Cent. ent. Stud., Memoirs 1: v-x, 82-83. Ankara. [\[available in Cesa Library\]](#)
469. **Koçak,A.Ö.**, 1995, Lepidoptera palaeo-tropica araştırma programı hakkında (LPT). Cent. ent. Stud., Misc. Pap. 22: 1-5. **MET PRO TAX MOR FAU DIS ECO** [\[available in Cesa Library\]](#)
470. **Koçak,A.Ö.**, 1996, Güney Batı Asya Polyommatae taksonlarının listesi ve bazı nomenklatur notları (Lepidoptera, Lycaenidae). Cent. ent. Stud., Misc. Pap. 30/33: 1-32. **TAX NOM CAT MOR** [\[available in Cesa Library\]](#)
471. **Koçak,A.Ö.**, 1996, Belucistan'ın (Pakistan) Papilionoidea ve Hesperioidea faunası üzerine araştırmalar (Lepidoptera). Cent. ent. Stud., Priamus 7 (4): 121-156. **TAX MOR FAU BIB NOM** [\[available in Cesa Library\]](#)
472. **Kudrna,O.**, 1974, *Artogeia Verity*, 1947, gen.rev. for *Papilio napi* Linnaeus (Lepidoptera, Pieridae). Entomologist's Gaz. 25: 9-12, 7 figs. **TAX MOR** [\[available in Cesa Library\]](#)
473. **Kudrna,O.**, 1975, A revision of the genus *Gonepteryx* Leach (Lep., Pieridae). Entomologist's Gaz. 26: 3-37, 50 figs. **TAX MOR FAU ATL GEN BIB KEY DIS ECO** [\[available in Cesa Library\]](#)
474. **Kudrna,O.**, 1977, On the nomenclature of some taxa of the genus *Artogeia Verity* (Lep., Pieridae). Z. ArbGem. Öst. Ent. 29(1/2): 63-64. [\[available in Cesa Library\]](#)
475. **Kudrna,O.**, 1981, An annotated list of the butterflies named bu Colin W.Wyatt (Lepidoptera, Papilionoidea, Hesperioidea). Bonn. zool. Beitr. 32 (1/2): 221-236. **BIB CAT** [\[available in Cesa Library\]](#)
476. **Kudrna,O.**, 1982, On the nomenclature of *Colias alfacariensis* Berger, 1948 (Lepidoptera, Pieridae). J. Res. Lepid. 20: 103-110. **TAX NOM** [\[available in Cesa Library\]](#)
477. **Kudrna,O.**, 1983, An Annotated Catalogue of the Butterflies (Lepidoptera, Papilionoidea) named by Roger Verity. J. Res. Lepid. 21: 1-106. **NOM CAT BIB TAX** [\[available in Cesa Library\]](#)
478. **Kudrna,O.**, 1985, Concise bibliography of European butterflies. [in] Kudrna,O., Butterflies of Europe 1: 1-448. **BIB** [\[available in Cesa Library\]](#)
479. **Kuznetsov,V.I. & S.V.Baryshnikova**, 2001, Review of the Palearctic genera of the family Gracillariidae (Lepidoptera) with description of a new subfamily *Ornixolinae* Kuznetsov & Baryshnikova, subfam.n. Ent. Obozr. 80 (1): 96-120, figs. **TAX MOR GEN CLA KEY BIB** [\[available in Cesa Library\]](#)
480. **Kyrki,J.**, 1990, Tentative reclassification of holarctic *Yponomeutoidea* (Lepidoptera). Nota lepid. 13(1): 28-42. **TAX MOR CLA PHY NOM BIB CAT** [\[available in Cesa Library\]](#)
481. **Kühne,L. & W.Speidel**, 2004, The system of the Catocaline - a historical survey (Lepidoptera, Noctuidae). Beitr. Ent. 54 (1): 147-184. **TAX MOR CLA NOM BIB** [\[available in Cesa Library\]](#)
482. **Laicharting,J.N.v.**, 1782, *Papilio celtis*, der Zürgel-Falter [in] Fuessly, Arch. Insectengesch. 1782 (2): 1-3. **TAX MOR FAU**
483. **Lajonquiére,Y.de**, 1968, Un nouveau *Gastropacha* Paléarctique (Lep. Lasiocampidae). Entomops 11: 73-76, 4 figs. **TAX MOR FAU ATL GEN** [\[available in Cesa Library\]](#)
484. **Lajonquiére,Y.de**, 1976, Le genre *Gastropacha* Ochsenheimer en Asie et le genre *Paradoxopla* nov. gen. 16.Contribution a l'etude des Lasiocampides (Lepidoptera). Annls Soc. ent. Fr. (N.S.) 12(1): 151-177, 25 figs., 1 Pl. **TAX MOR FAU ATL GEN BIB** [\[available in Cesa Library\]](#)
485. **Lajonquiére,Y.de**, 1977, Essai sur les genres *Beralade* Walker, *Sena* Walker, *Chilena* Walker, *Ergolea* Dumont. 20.Contribution a l'etude des Lasiocampidae (Lepidoptera). Annls Soc. ent. Fr. (N.S.) 13(2): 243-295, 60 figs., 5 Pls. **TAX MOR FAU ATL GEN BIB CAT DIST** [\[available in Cesa Library\]](#)

486. **Lamas,G.**, 2005, A bibliography of the zoological publications of Hans Fruhstorfer (1866-1922). Entomofauna 26 (6): 57-100. **BIB** [available in Cesa Library]
487. **Larsen,T.B. & A.R.Pittaway**, 1982, Notes on the ecology, biology and taxonomy of *Apharitis acamas* (Klug) (Lepidoptera, Lycaenidae). Entomologist's Gaz. 33: 163-168, 2 figs. **FAU ECO BIO DIST EGG LAR PUP BIB** [available in Cesa Library]
488. **Larsen,T.B.**, 1978, Butterfly Collecting in Afghanistan. Entomologist's Rec. J. Var. 90:191-199, 3figs. **FAU ECO DIST MOR GEN BIB TRAV** [available in Cesa Library]
489. **Larsen,T.B.**, 1982, *Gegenes pumilio* Hoffmannsegg,1804; a review with cytological evidence that two species are involved (Hesperiidae). Nota lepid. 5 (2/3): 103-110, 1 fig. **TAX KAR MAP DIS NOM GEO BIB** [available in Cesa Library]
490. **Lattin,G.de**, 1967, Grundriss der Zoogeographie. [In] Borriß,H. & Gersch,M., Hochschullehrbücher für Biologie, Band 12. 602 S. 170 Abb. 25 Tab. VEB Gustav Fischer Verlag, Jena. **GEO MAP ECO MIG DIS BIB BIO** [available in Cesa Library]
491. **Lattin,G.de, Becker,M. & R.-U.Roesler**, 1974, Zwei neue Subspecies aus dem *Cerura vinula*-Kreis (Lepidoptera, Notodontidae). Ent. Z., Frankf. a. M. 84(9): 85-93, 12 Abb. **TAX MOR FAU ATL GEN BIB** [available in Cesa Library]
492. **Leach,W.E.**, 1817, The zoological Miscellany. 3.vol. 151 pp., 5 Pls. London. **TAX MOR**
493. **Leach,W.E.**, [1815], Entomology [In] Brewster,D., Edinburgh Encyclopaedia 9.vol., pt.1. 57-172 pp., Edinburgh. **TAX MOR**
494. **Lederer,J.**, 1853, Die Spanner. Versuch die europäischen Lepidopteren in möglichst natürliche Reihenfolge zu stellen. Verh. zool.- bot. Ver. Wien 3: 165-269, pls. **TAX MOR CLA** [available in Cesa Library]
495. **Lederer,J.**, 1857, Die Noctuiden Europas, mit Zuziehung einiger bisher meist dazu gezählten Arten des asiatischen Russlands, Kleinasien, Syriens und Labradors. 16+252pp., 4 Pls. Wien. **TAX MOR CLA** [available in Cesa Library]
496. **Lederer,J.**, 1857, Die körperlichen Auszeichnungen der europäischen Hesperiden. Wien. ent. Monatschr. 1: 75-80. **TAX MOR CLA** [available in Cesa Library]
497. **Lederer,J.**, 1857, Über die Lycaeniden-Gattungen der europäischen Fauna. Wien. ent. Monatschr. 1: 25-32. **TAX MOR KEY CLA** [available in Cesa Library]
498. **Lederer,J.**, 1859, Classification der europäischen Tortriciden. Wien. ent. Monatschr. 3: 118-126, 141-155, 241-255, 273-288, 328-346, 366-389, 2 Pls. **TAX MOR CLA** [available in Cesa Library]
499. **Lederer,J.**, 1863, Beitrag zur Kenntnis der Pyraliden. Wien. ent. Monatschr. 7(8): 243-280, 7(10): 331-378, 7(11): 380-426, 7(12): 427-502, Taf. 2-18. **TAX MOR KEY CLA ATL** [available in Cesa Library]
500. **Lee,S. & R.L.Brown**, 2008, Revision of Holarctic Teleiodini (Lepidoptera, Gelechiidae). Zootaxa 1818: 1-55, figs. **TAX MOR GEN CLA CAT BIB ECO BIO KEY** [available in Cesa Library]
501. **Lefèbvre,M.A.**, 1927, Description de divers insectes inédits recueillis en Sicile. Mém. Soc. linn. Paris 6: 94-108, pl.5. **TAX MOR FAU ATL** [available in Cesa Library]
502. **Leraut,P.**, 1985, Contribution a l'étude des Scopariinae 5. Quatre nouveaux taxa d'Afghanistan (Lepidoptera, Crambidae). Nouv. Rev. Ent. (N.S.) 2(3): 325-329, figs. **TAX MOR FAU GEN**
503. **Leslie,G.A. & W.H.Evans**, 1903, The butterflies of Chitral. J. Bombay nat. Hist. Soc. 14: 666-678. **TAX MOR FAU ECO** [available in Cesa Library]
504. **Lesse,H.de**, 1951, Divisions génériques et subgénériques des anciens genres *Satyrus* et *Eumenis* (sensu lato). Revue fr. lépid. 13 (3/4): 39-43. **TAX MOR CLAS** [available in Cesa Library]
505. **Lesse,H.de**, 1952, Note sur le genre *Kanetisa* (Satyridae) Revue fr. Lépidopt. 13 (15/17): 257-259, Taf.13. **TAX MOR GEN**
506. **Lesse,H.de**, 1960, Spéciation et variation chromosomique chez le Lépidoptères Rhopalocères. Annls. Sci. nat. (2.ser) Zool. 2: 1-223, 222 figs. **TAX KAR DIS BIB** [available in Cesa Library]
507. **Lewvanich,A.**, 1981, A revision of the Old World species of Scirpophaga (Lepidoptera, Pyralidae). Bull. Br. Mus. (Nat. Hist.) Ent. 42: 185-298, 188 figs. **TAX MOR FAU ATL GEN KEY BIO ECO BIB** [available in Cesa Library]
508. **Linnaeus,C.**, 1758, Systema Naturae per regna tria naturae secundum classes, ordines, genera, species cum characteribus, differentiis, synonymis, locis. ed. decima reformata. Tom.1, 823 pp. Holmiae. **TAX MOR FAU** [available in Cesa Library]
509. **Linnaeus,C.**, 1761, Fauna Suecica sistens animalia Sueciae regni: quadrupedia, aves, amphibia, pisces, insecta, vermes, distributa per classes, et ordines, genera et species, cum

- differentiis specierum, synonymis autorum, nominibus incolarum, ... 578pp. Stockholmiae.
TAX MOR FAU [available in Cesa Library]
510. **Linnaeus,C.**, 1764, Museum S.R.M. Ludovicae Ulrica Reginae etc. in quo animalia rariora, exotica, inprimis insecta et conchilia describuntur et determinantur, prodromi instar editum. 720pp., Holmiae. **TAX MOR FAU**
511. **Linnaeus,C.**, 1767, Systema Naturae per regna tria naturae secundum classes, ordinus, genera, species, cum characteribus, differentiis, synonymis, locis. editio duodecima reformata. Tom. 1, P.2: 553-1327 pp. Holmiae. **TAX MOR FAU**
512. **Lovtrup,S.**, 1975, On the Phylogenetic Classification. Acta zool. cracov. 20 (14): 499-524, 2 text-figs. **PHY CLA** [available in Cesa Library]
513. **Lukhtanov,V.A.**, 1991, Karyotype evolution and systematics of higher taxa of Pieridae (Lepidoptera) of the World. Ent. Obozr. 70(3): 619-636, 3 figs. **TAX CAT KAR BIB** [available in Cesa Library]
514. **Lukhtanov,V.A.**, 1996, Neue Taxa der Gattung Hyponephele Muschamp,1915 aus Mittelasien (Lepidoptera, Satyridae). Atalanta 27 (3/4): 581-590, figs., Pl.ix. **TAX MOR FAU ATL BIB** [available in Cesa Library]
515. **Lvovsky,A.L.**, 1997, Two new subspecies of Anchinia laureolella Herrich-Schäffer,1854 from South-Western Asia (Lepidoptera, Amphisbatidae). Atalanta 28(1/2): 173-176, 4 figs. **TAX MOR FAU GEN** [available in Cesa Library]
516. **Lvovsky,A.L.**, 2001, A review of Flat Moths of the genus Depressaria Haworth,1811 (Lepidoptera, Depressariidae) of the fauna of Russia and neighboring countries I. Ent. Obozr. 80 (3): 680-705, figs. **TAX MOR FAU GEN ECO BIO KEY DIS** [available in Cesa Library]
517. **Lének,O.**, 1966, Österreichische Entomologische Iran-Afghanistan-Expedition Beiträge zur Lepidopterenfauna, Teil 7. Phragmatobia fuliginosa ssp.nova paghmani. Z. wien. ent. Ges. 51: 105-106. **TAX MOR FAU** [available in Cesa Library]
518. **Lödl,M. & B.Mayerl**, 1998, Revision der Gattung Zekelita Walker,1863 (=Rhynchodontodes Warren,1913) (Lepidoptera, Noctuidae, Hypeninae). Quadrifina 1: 115-230, figs. **TAX MOR FAU ATL GEN** [available in Cesa Library]
519. **Lödl,M.**, 1996, A note on the Vartian collection at the Museum of Natural History in Vienna - a milestone on Lepidoptera of the Near and Middle East (Insecta). J. Nat. Hist. 30 (9): 1421-1422. **COL** [available in Cesa Library]
520. **Lödl,M., Kerbaci,R. & S.Gaal**, 1996, Die Sammlung Vartian am Naturhistorischen Museum Wien - ein Meilenstein in der Erforschung der Grossschmetterlingsfauna des Mittleren Ostens (Insecta: Lepidoptera). Ent. Nachrbl. 3 (2-3)(N.F.): 1-5. **COL PER**
521. **Lödl,M., Kerbaci,R. & S.Gaal**, 1996, Die Sammlung Vartian am Naturhistorischen Museum Wien - ein Meilenstein in der Erforschung der Grossschmetterlingsfauna des Mittleren Ostens (Insecta, Lepidoptera). Ent. NachrBl. 3 (2/3) (N.F.): 1-5, 3 Abb. **COL** [available in Cesa Library]
522. **Mabille,M.P.**, 1909, Hesperiidae, [in] Seitz,A., Die Gross-Schmetterlinge der Erde, vol. 1: 330-354S., Taf. 84-89. Alfred Kerner Verlag. Stuttgart. **TAX MOR FAU ATL ECO BIO BIB DIS** [available in Cesa Library]
523. **Mabille,P.**, 1904, Lepidoptera. [in] Wytzman,P., Genera Insectorum Fasc. 17. Hesperiidae. Bruxelles. **TAX MOR FAU BIB KEY**
524. **Maes,K.**, 1984, Some remarks on the genus Euproctis Hübner,[1819] 1816 (Lepidoptera, Lymantriidae). Nota lepid. 7: 55-58, figs. **TAX MOR** [available in Cesa Library]
525. **Maes,K.V.N.**, 2002, On the systematic position of some Palaearctic Pyraustinae (Pyraloidea, Crambidae). Nota lepid. 24 (4) (2001): 51-58. **TAX MOR**
526. **Marion,H.**, 1957, Complément à la classification et nomenclature des Pyraustidae d'Europe. Entomologiste 13: 129-130. **TAX NOM MOR** [available in Cesa Library]
527. **Marion,H.**, 1957, Classification et nomenclature des Pyraustidae d'Europe. Entomologiste 13: 75-87. **TAX NOM MOR** [available in Cesa Library]
528. **Marion,H.**, 1977, Staudingeria morbosella Stgr.,1879 (=Euzophera lafauryella Rag.,1880) Synonyme nouvelle (Phycitidae). Alexanor 10 (2): 65-68, 5 figs. **TAX MOR FAU** [available in Cesa Library]
529. **Martin,L.**, 1903, Das Genus Cyrestis. Dt. ent. Z., Iris 16: 71-169. **TAX MOR FAU** [available in Cesa Library]
530. **Mattoni,R.H.T.**, 1981, The Scolitantidini II. The World's smallest butterfly? Notes on Turanana, and a new genus and species from Afghanistan (Lycaenidae). J. Res. Lepid. 18 (4): 256-264, figs. **TAX MOR FAU ATL GEN BIB** [available in Cesa Library]

531. **Mayerl, B. & M. Lödl**, 1999, Revision der Gattung *Rhynchina* Guenée, 1854 (Lepidoptera, Noctuidae, Hypeninae). *Quadrifina* 2: 1-124, figs. **TAX MOR FAU ATL GEN** [available in Cesa Library]
532. **Mey, W. & W. Speidel**, 2008, Global diversity of butterflies (Lepidoptera) in freshwater. *Hydrobiologia* 595: 521-528, figs. **ECO BIO ATL** [available in Cesa Library]
533. **Mey, W.**, 2006, Revision of the genus *Phyllobrostis* Staudinger, 1859 (Lepidoptera, Lyonetiidae). *Dt. ent. Z.* 53 (1): 114-147, figs. **TAX MOR FAU ATL GEN ECO BIO BIB** [available in Cesa Library]
534. **Meyrick, E.**, 1892, Classification by structure of imago. *Entomologist's Rec. J. Var.* 3: 104-106. **CLA TAX MOR** [available in Cesa Library]
535. **Meyrick, E.**, 1912, Adelidae, Micropterygidae, Gracilariidae. [in] Wagner, H., *Lepidopterorum Catalogus Pars 6*. 68pp. Dr. W. Junk Berlin. **NOM CAT BIB CLA** [available in Cesa Library]
536. **Meyrick, E.**, 1913, Carposinidae, Heliodinidae, Glyphipterygidae. [in] Wagner, H., *Lepidopterorum Catalogus Pars 13*. 53pp. Dr. W. Junk Berlin. **NOM CAT BIB CLA** [available in Cesa Library]
537. **Mikkola, K.**, 1981, Notes on some Geometrid and Noctuid species described by J. F. Fabricius (Lepidoptera). *Ent. scand.* 12: 433-436. **TAX NOM**
538. **Mikkola, K.**, 1985, The Geometroidea and Noctuoidea described by Carl Clerck (Lepidoptera). *Ent. scand.* 16: 121-129. **TAX NOM**
539. **Miller, J. S.**, 1987, Phylogenetic studies in the Papilioninae (Lepidoptera). *Bull. Am. Mus. Nat. Hist.* 186 (4): 365-512. **TAX MOR CLA PHY BIB**
540. **Mironov, V. G., Glasworthy, A. C. & U. Ratzel**, 2008, A survey of the Eupithecia fauna (Lepidoptera, Geometridae) of the Western Himalayas, Part III. *Trans. lepid. Soc. Japan* 59 (3): 201-224, figs. **TAX MOR FAU ATL GEN** [available in Cesa Library]
541. **Mironov, V. G., Glasworthy, A. C. & U. Ratzel**, 2008, A survey of the Eupithecia fauna (Lepidoptera, Geometridae) of the Western Himalayas, Part II. *Trans. lepid. Soc. Japan* 59 (2): 117-143, figs. **TAX MOR FAU ATL GEN** [available in Cesa Library]
542. **Mironov, V. G., Glasworthy, A. C. & U. Ratzel**, 2008, A survey of the Eupithecia fauna (Lepidoptera, Geometridae) of the Western Himalayas, Part I. *Trans. lepid. Soc. Japan* 59 (1): 55-77, figs. **TAX MOR FAU ATL GEN** [available in Cesa Library]
543. **Mitter, C. & E. Silverfine**, 1987, On the systematic position of *Catocala* Schrank (Noctuidae). *Syst. Ent.* 13: 67-84, figs. **TAX MOR**
544. **Moore, F.**, 1865, Descriptions of new species of Bombyces from North Eastern India. *Trans. ent. Soc. London* (3): 2: 423-425, Pl. xxii. **TAX MOR FAU ATL** [available in Cesa Library]
545. **Moore, F.**, 1883, A monograph of *Limnaina* and *Euploeina*, two groups of diurnal Lepidoptera belonging to the subfamily Euploeinae, with descriptions of new genera and species. Pt. I. *Limnaina*. *Proc. zool. Soc. Lond.* 53: 201-252, Pls. 29-32. **TAX MOR FAU ATL BIB DIS ECO BIO** [available in Cesa Library]
546. **Moore, F.**, 1883, A monograph of *Limnaina* and *Euploeina*, two groups of diurnal Lepidoptera belonging to the subfamily Euploeinae, with descriptions of new genera and species. Pt. II. *Euploeina*. *Proc. zool. Soc. Lond.* 53: 253-324. **TAX MOR FAU ATL BIB DIS ECO BIO** [available in Cesa Library]
547. **Moore, F.**, 1890-1892, *Lepidoptera Indica* 1. *Rhopalocera Nymphalidae Euploeinae and Satyrinae*. xii+ 317 pp. Plates 1-94. London. **TAX MOR FAU ATL DIS BIB** [available in Cesa Library]
548. **Moore, F.**, 1893-1896, *Lepidoptera Indica* 2. *Rhopalocera Nymphalidae Satyrinae* (continued) *Elymninae Amathusiinae Nymphalinae* (Group *Charaxina*). vii+248 pp. Plates 95-190. London. **TAX MOR FAU ATL DIS BIB** [available in Cesa Library]
549. **Moore, F.**, 1896-1899, *Lepidoptera Indica* 3. *Rhopalocera Nymphalidae Nymphalinae* (continued), *Potanina*, *Euthaliina*, *Limenitina*. viii+ 254 pp. Plates 191-286. London. **TAX MOR FAU ATL DIS BIB** [available in Cesa Library]
550. **Moore, F.**, 1899-1900, *Lepidoptera Indica* 4. *Rhopalocera Nymphalidae Nymphalinae* (continued), *Limenitina*, *Nymphalina*, and *Argynnina*. viii+ 260 pp. Plates 287-378. London. **TAX MOR FAU ATL DIS BIB** [available in Cesa Library]
551. **Moore, F.**, 1901-1903, *Lepidoptera Indica* 5. *Rhopalocera; Nymphalidae, Riodinidae, Papilionidae*. vii + 248 pp., Plates 379-466. London. **TAX MOR FAU ATL DIS BIB** [available in Cesa Library]
552. **Moore, F.**, 1903-1905, *Lepidoptera Indica* 6. *Rhopalocera Papilionidae Papilioninae* (continued), *Pieridae Pierinae*. viii + 240 pp., Plates 467-550. London. **TAX MOR FAU ATL DIS BIB** [available in Cesa Library]

553. **Mosher,E.**, 1916, A Classification of the Lepidoptera based on characters of the pupa. Bull. Ill. St. Lab. nat. Hist. 12: 1-158, figs. **TAX MOR PUP BIB PHY CLA** [available in Cesa Library]
554. **Munroe,E.**, 1961, The classification of the Papilionidae (Lepidoptera). Can. Ent. Suppl. 17: 1-51. **TAX MOR CLA KEY BIB**
555. **Müller,G.C., Kravchenko,V.D., Witt,T.J., Junnila,A., Mooser,J., Saldaitis,A., Reshöft,K., Ivinskis,P., Zahiri,R. & W.Speidel**, 2008, New underwing taxa of the section of *Catocala lesbia* Christoph,1887 (Lepidoptera, Noctuidae). Acta zool. Lituanica 18 (1): 30-49, figs. **TAX MOR FAU ATL LAR GEN MAP DIS BIB HAB ECO BIO** [available in Cesa Library]
556. **Müting,D.**, 1970, Hindukusch-Expedition zum autocrator. 300km zu Fuss und Pferd durch das Hochgebirge Afghanistans auf der Suche nach einem seltenen Schmetterling. Deutsche Aerzteblatt- Aerztliche Mitteilungen 67 (20): 1548-1555, 8 Abb. **FAU ECO TRAV** [available in Cesa Library]
557. **Müting,D.**, 1971, *Colias*-Fang in Iran und Afghanistan (Lep., Pieridae). Ent. Z., Frankf. a. M. 81 (19): 209-216, 3 Abb. **FAU ECO TRAV** [available in Cesa Library]
558. **Naumann,C.**, 1969, Zur Kenntnis der Mesembrynus-Arten Afghanistans (Lep., Zygaenidae). Bonn. zool. Beitr. 20 (1/3): 266-278, Abb. **TAX MOR FAU ATL GEN MAP** [available in Cesa Library]
559. **Naumann,C.**, 1974, Neue Zygaena- Unterarten aus Afghanistan. Ent. Z., Frankf. a.M. 84: 29-36. **TAX MOR FAU**
560. **Naumann,C.M. & W.G.Tremewan**, 1984, Das Biospecies-Konzept in seiner Anwendung auf die Gattung *Zygaena* Fabricius,1775 (Insecta, Lepidoptera, Zygaenidae). Spixiana 7 (2): 161-193, 24 figs. **TAX MOR FAU ATL GEN CAT BIB DIS** [available in Cesa Library]
561. **Naumann,C.M.**, 1974, Beobachtungen über den Verlauf einer Lepidopteren- Immigration in Afghanistan 1972. Atalanta 5 (2/3): 82-88, 1 map. **ECO MIG** [available in Cesa Library]
562. **Naumann,C.M.**, 1977, Biologie, Verbreitung und Morphologie von *Praezygaena* (*Epizygaenella*) *cashmirensis* (Kollar,1848) (Lepidoptera, Zygaenidae). Spixiana 1: 45-84, figs. **TAX MOR FAU ECO BIO ATL DIS MAP** [available in Cesa Library]
563. **Naumann,C.M.**, 1978, Zur Systematik, Verbreitung und Biologie von *Zygaena pamira* Sheljuzhko,1919 (Lepidoptera, Zygaenidae). Atalanta 9 (4a): 355-372, 29 Abb. **TAX MOR FAU ATL ECO BIO MAP** [available in Cesa Library]
564. **Naumann,C.M., Tarmann,G.M. & W.G.Tremewan**, 1999, The western Palaearctic Zygaenidae. 304pp., 12 pls. Apollo Books. [see review: Koçak,A.Ö., 2000, Cent. ent. Stud., Misc. Pap. 64: 7]. **FAU ATL ECO BIO DIS MAP LAR** [available in Cesa Library]
565. **Nekrutenko,Y.P.**, 2000, A catalogue of the type specimens of Palaearctic Riodinidae and Lycaenidae (Lepidoptera) deposited in the collection of the Museum für Naturkunde der Humboldt Universitaet zu Berlin. Nota lepid. 23 (3/4): 192-352. **TAX NOM**
566. **Nieukerken,E.J.v. & R.Johansson**, 2003, The *Quercus* feeding *Stigmella* species of West Palaearctic: New species, key and distribution (Lepidoptera, Nepticulidae). Tijdschr. Ent. 146: 307-370, 3 Tab., 179 figs. **TAX MOR FAU ATL ECO BIO BIB DIS MAP** [available in Cesa Library]
567. **Noreyka,R.V.**, 1991, Review of the fauna of Leafblotch Miners (Lepidoptera, Gracillariidae) of Turkmenia. Ent. Obozr. 1991 (2): 429-443, 10 figs. [transl. Ent. Rev. 1993: 17-34, 10 figs.] **TAX MOR FAU GEN BIO ECO BIB** [available in Cesa Library]
568. **Nye,I.W.B.**, 1975, The Generic Names of the World vol.1 Noctuoidea (part): Noctuidae, Agaristidae, and Nolidae. 568pp. British Museum (Natural History) London. **TAX MOR CAT NOM BIB** [available in Cesa Library]
569. **Obratzsov,N.S.**, 1966, Die palaearktischen *Amata*-Arten (Lepidoptera, Ctenuchidae). Veröff. zool. Stsamml. München 10: 1-383, Taf. **TAX MOR FAU ATL GEN BIB DIS** [available in Cesa Library]
570. **Ounap,E., Viidalepp,J. & U.Saarma**, 2008, Systematic position of *Lythriini* revised: transferred from *Larentiinae* to *Sterrhinae* (Lepidoptera, Geometridae). Zool. Scripta 37 (4): 405-413, 1 fig. 4 Table. **TAX CLA** [available in Cesa Library]
571. **Pagenstecher,A.**, 1911, *Libytheidae*. [in] Aurivillius,C. & H.Wagner, *Lepidopterorum Catalogus Pars 3*. 12pp. Dr.W.Junk Berlin. **NOM CAT BIB CLA** [available in Cesa Library]
572. **Passerin d'Entrèves,P. & A.Roggero**, 2004, Four new species, a new synonymy and some new records of *Scythris* Hübner,[1825] (Gelechioidea, Scythrididae). Nota lepid. 26 (3/4): 153-164, figs. **TAX MOR FAU GEN MAP BIB** [available in Cesa Library]
573. **Passerin d'Entrèves,P. & A.Roggero**, 2009, Eastern Palaearctic Scythrididae (Lepidoptera, Gelechioidea): description of a new genus and some new species. Zootaxa 2263: 1-20, figs. **TAX MOR FAU ATL GEN**

574. **Passerin d'Entrèves, P. & A. Roggero**, 2011, Four new species of Scythrididae (Lepidoptera, Gelechioidea) from Irano-Turanian area, with notes on taxonomy and distribution. Ent. Sci. 14 (2): 203-209, figs. **TAX MOR FAU GEN ATL** [available in Cesa Library]
575. **Peile, H.D.**, 1937, A Guide to the collecting Butterflies of India. 283 pp. Staples Press Ltd. London. **VER TAX MOR FAU KEY ECO BIO DIS BIB** [available in Cesa Library]
576. **Peks, H.**, 1990, Das Noctuidae-Typenmaterial der Sammlung Peks (Lepidoptera). Esperiana 1: 421-426. **TAX BIB** [available in Cesa Library]
577. **Petersen, G.**, 1959, Tineiden aus Afghanistan, mit einer Revision der paläarktischen Scardiinen (Lepidoptera, Tineidae). Beitr. Ent. 9: 558-579, figs. **TAX MOR FAU GEN**
578. **Petersen, G.**, 1963, Revision der paläarktischen Arten der Gattung Catabola Durr. (Lepidoptera, Tineidae). Beitr. Ent. 13(1/2): 168-173, 2 Taf. **TAX MOR FAU GEN KEY BIB DIS** [available in Cesa Library]
579. **Petersen, G.**, 1963, 2. Beitrag zur Kenntnis der Tineiden von Afghanistan (Lepidoptera, Tineidae). Beitr. Ent. 13(1/2): 176-188, 7 figs. **TAX MOR FAU BIB CAT GEN DIST ATL MAP** [available in Cesa Library]
580. **Petersen, G.**, 1964, Tineiden von Karatschi (Pakistan), Fars (SW-Iran) und den Bahrein-Inseln (Lepidoptera, Tineidae). Beitr. naturk. Forsch. SWDtl. 23(2): 111-122, 11 Abb. **TAX FAU ECO DIST MOR GEN** [available in Cesa Library]
581. **Petersen, G.**, 1965, Revision der Gattungen Rhodobates Ragonot und Pachyarthra Amsel (Lepidoptera, Tineidae). Beitr. Ent. 15(1/2): 87-100, 23 figs. **TAX FAU ECO DIST MOR GEN KEY BIB** [available in Cesa Library]
582. **Petersen, G.**, 1991, Zur Taxonomie und Verbreitung der Hapsiferinae (Lepidoptera, Tineidae). Dt. ent. Z. (n.f.) 38 (1/3): 27-33, figs. **TAX MOR FAU DIS**
583. **Pittaway, A.R.**, 1983, An Annotated Checklist of the Western Palaearctic Sphingidae (Lepidoptera). Entomologist's Gaz. 34: 67-85, 39 maps, figs. **CAT FAU BIO ECO DIS BIB** [available in Cesa Library]
584. **Pittaway, A.R.**, 1993, The Hawkmoths of the Western Palaearctic. 240 pp. 20 pls. 60 figs., 58 maps. Harley Books, London. **TAX CAT FAU ATL BIO ECO DIS MOR EGG LAR PUP GEN BIB**
585. **Pittaway, A.R.**, 1995, Sphingidae of the western Palaearctic; their ecology and biogeography. London, UK; PhD Thesis, Imperial College of Science, Technology & Medicine. **GEO BIB ECO DIS MOR**
586. **Plante, J.**, 1983, Deux nouvelles Bryopolia Brsn. d'Afghanistan (Lepidoptera, Noctuidae, Cuclinae). Lambillionea 82: 86-89. **TAX MOR FAU**
587. **Ponomarenko, M.G.**, 1997, Catalogue of the subfamily Dichomeridinae (Lepidoptera, Gelechiidae) of the Asia. Far Eastern Ent. 50: 1-67. **CAT DIS BIB** [available in Cesa Library]
588. **Poole, R.W.**, 1989, Noctuidae (Parts 1-3) [in] Heppner, J.B., Lepidopterorum Catalogus (New Series). Fascicle 118. xii + 1314 pp. E.J.Brill / Flora & Fauna Publications, Leiden. New York. Kobenhavn. Köln. **TAX NOM CAT BIB** [available in Cesa Library]
589. **Popescu-Gorj, A. & A. Constantinescu**, 1977, Revision of the Genus Euclasta Lederer (Lepidoptera, Pyraustinae) A Taxonomic and Zoogeographic Study. Trav. Mus. Hist. nat. "Gr. Antipa" 18: 157-245, 97 figs. **TAX MOR GEN FAU DIS BIB BIO KEY GEO** [available in Cesa Library]
590. **Povolny, D. & Z. Sustek**, 1988, Versuch einer numerisch-taxonomischen Lösung der phylogenetischen Beziehungen im Rahmen des Gelechioiden Tribus Gnorimoschemini (Lepidoptera). Staphia 16: 209-247. **TAX MOR GEN BIB**
591. **Povolny, D.**, 1956, Die äusseren Genitalien der Lepidopteren und ihre taxonomische Bedeutung. Pr. brn. Zakl. csl. Akad. Ved. 28: 315-345, 4 figs. **TAX MOR GEN BIB**
592. **Povolny, D.**, 1966, Die taxonomisch geklärten palaearktischen Gnorimoschema-Arten (Lep. Gel.) nebst Beschreibung einer neuen Art. Arkiv Zool. (2) 18 (15): 393-404, 11 Taf. **TAX MOR FAU GEN** [available in Cesa Library]
593. **Povolny, D.**, 1967, Ein kritischer Beitrag zur taxonomischen Klärung einiger palaearktischer Arten der Gattung Scrobipalpa (Lepidoptera, Gelechiidae). Acta Sci. nat. Brno (n.s.) 1: 209-250, figs. **TAX MOR FAU GEN** [available in Cesa Library]
594. **Povolny, D.**, 1967, Die Stammgeschichtlichen Beziehungen der Tribus Gnorimoschemini im Weltraum (Lepidoptera, Gelechiidae). Acta ent. Mus. Nat. Pragae 37: 161-232, figs. **CLA PHI GEN MOR** [available in Cesa Library]
595. **Povolny, D.**, 1967, Reisebericht und Charakteristik des Sammelgebietes. Cas. morav. Mus. Brne 52 (suppl.): 12-31, figs. **HAB ECO TRAV** [available in Cesa Library]

596. **Povolny,D.**, 1972, Zur Fauna der Tribus Gnorimoschemini (Lepidoptera, Gelechiidae) im Iran Acta ent. bohemoslov. 69(3): 186-206, 22 Abb. **TAX FAU BIO ECO DIST MOR GEN BIB** [available in Cesa Library]
597. **Povolny,D.**, 1976, Zur Synonymie einiger Arten der Tribus Gnorimoschemini (Lepidoptera, Gelechiidae). Acta zool. Acad. Sci. Hung. 22: 145-154, figs. **TAX MOR FAU GEN** [available in Cesa Library]
598. **Povolny,D.**, 1977, Neue Funde von Gnorimoschemini (Lepidoptera, Gelechiidae) aus Iran und Afghanistan. Acta ent. bohemoslov. 74(5): 322-338, 26 figs. **TAX ECO DIST MOR GEN BIB**
599. **Povolny,D.**, 1991, Zur heutigen Kenntnis von Nahrungspflanzen der Tribus Gnorimoschemini (Lepidoptera, Gelechiidae). Acta Univ. Agric. (Brno) 38: 191-204. **BIO ECO**
600. **Povolny,D.**, 1991, Morphologie, Systematik und Phylogenie der Tribus Gnorimoschemini (Lepidoptera, Gelechiidae). Acta Sci. Natur. Acad. Sci. Bohemoslov. Brno (N.S.) 25: 1-61. **TAX MOR BIB**
601. **Prins,W.de & J. de Prins**, 2005, World Catalogue of Insects. vol. 6 Gracillariidae 502 pp. Apollo Books, Kirkeby Sand, Stenstrup Denmark. **CAT BIB** [available in Cesa Library]
602. **Prout,L.B.**, 1912-1916, Die Spannerartigen Nachtfalter [in] Seitz,A., Die Gross-Schmetterlinge der Erde Bd.4: 1-479, 25 Taf. Alfred Kernen Verlag. Stuttgart. **TAX MOR FAU ATL** [available in Cesa Library]
603. **Prout,L.B.**, 1934-1939, Die Spannerartigen Nachtfalter [in] Seitz,A., Die Gross-Schmetterlinge der Erde Bd.4 (suppl.): 1-253, Taf. Alfred Kernen Verlag. Stuttgart. **TAX MOR FAU ATL** [available in Cesa Library]
604. **Ragonot,E.L. & G.F.Hampson**, 1901, Monographie des Phycitinae et Galleriinae II. [in] Romanoff,N.M., Mém. lépid. 8: xiv + 602 pp. 31 Taf. St. Petersburg. **TAX MOR KEY FAU ATL** [available in Cesa Library]
605. **Ragonot,E.L.**, 1893, Monographie des Phycitinae et Galleriinae I. [in] Romanoff,N.M., Mém. lépid. 7: lvi + 658 pp. 26 Taf. St. Petersburg. **TAX MOR KEY FAU ATL** [available in Cesa Library]
606. **Raineri,V.**, 1994, Some considerations on the genus Thetidia and description oof a new genus Antonechloris gen.nov. (Lepidoptera, Geometridae). Atalanta 25 (1/2): 365-372, 13 figs. **TAX ATL BIO ECO DIS MOR GEN KEY BIB** [available in Cesa Library]
607. **Razowski,J.**, 1960, Studies on the Cochylidae (Lepidoptera) Part II. The genera of the Palaearctic Cochylidae. Polski Pismo ent. 30: 281-356, figs. **TAX MOR FAU GEN** [available in Cesa Library]
608. **Razowski,J.**, 1961, Studies on Cochylidae (Lepidoptera) Part VI. Remarks on types of some Cochylidae. Polski Pismo ent. 31: 301-319, figs. **TAX MOR FAU GEN** [available in Cesa Library]
609. **Razowski,J.**, 1965, The Palaearctic Cnephasiini (Lepidoptera, Tortricidae). Acta zool. cracov. 10 (3): 199-343, pls. 12-26. **TAX MOR FAU GEN BIB** [available in Cesa Library]
610. **Razowski,J.**, 1967, Afghanische Wickler-Arten (Lepidoptera, Tortricidae und Cochylidae). Beitr. naturk. SWDtl. 26(3): 91-108, 50Abb. **TAX FAU BIO ECO DIST MOR GEN BIB TRAV** [available in Cesa Library]
611. **Razowski,J.**, 1968, Revision of the generic group Agapeta Hübner (Lepidoptera, Cochylidae). Acta zool. cracov. 13: 73-102, figs. **TAX MOR FAU GEN DIS BIB** [available in Cesa Library]
612. **Razowski,J.**, 1968, Revision of the generic group Eupoecilia Stephens (Lepidoptera, Cochylidae). Acta zool. cracov. 13: 103-130, figs. **TAX MOR FAU GEN DIS BIB** [available in Cesa Library]
613. **Razowski,J.**, 1968, Revision of the generic group Cochylis Treitschke (Lepidoptera, Cochylidae). Acta zool. cracov. 13: 131-148, figs. **TAX MOR FAU GEN DIS BIB** [available in Cesa Library]
614. **Razowski,J.**, 1968, Revision of the generic group Cochylidia Obratzov (Lepidoptera, Cochylidae). Polski Pismo ent. 38: 3-8, figs. **TAX MOR FAU GEN DIS BIB** [available in Cesa Library]
615. **Razowski,J.**, 1970, Cochylidae, [in] Amsel,H.E. et al., Microlepidoptera Palaearctica 3: xiv + 529 pp., 161 Taf., Wien. **TAX MOR FAU ATL GEN BIB DIS ECO** [available in Cesa Library]
616. **Razowski,J.**, 1970, A short catalogue of the Palaearctic Cochylidae (Lepidoptera). Acta zool. cracov. 15: 341-400. **CAT BIB** [available in Cesa Library]
617. **Razowski,J.**, 1974, Descriptions of four new species of the Tortricini (Lepidoptera, Tortricidae). Acta zool. cracov. 19 (8): 147-154, 9 figs. **TAX MOR FAU GEN** [available in Cesa Library]
618. **Razowski,J.**, 1974, Phylogeny and classification of Lepidoptera. Acta zool. cracov. 19(1): 1-18, 1 fig. **TAX MOR CLA PHY BIB** [available in Cesa Library]
619. **Razowski,J.**, 1977, Monograph of the genus Archips Hübner (Lepidoptera, Tortricidae). Acta zool. cracov. 22 (5): 55-206, 223 text-figs. **TAX MOR FAU GEN DIS ECO BIO** [available in Cesa Library]
620. **Razowski,J.**, 1977, Catalogue of the generic names used in Tortricidae (Lepidoptera). Acta zool. cracov. 22 (6): 207-296. **NOM CAT** [available in Cesa Library]

621. **Razowski,J.**, 1983, New species of Aethes Billberg (Tortricidae). *Nota lepid.* 6 (4): 239-243, 10 figs. **TAX MOR FAU GEN** [available in Cesa Library]
622. **Razowski,J.**, 1984, Tortricini, [in] Amsel,H.E. et al., *Microlepidoptera Palaearctica* 6: xvi + 376 pp., 101 Taf., Wien. **TAX MOR FAU ATL GEN BIB DIS ECO** [available in Cesa Library]
623. **Razowski,J.**, 1987, The genera of Tortricidae (Lepidoptera), Part I. Palaearctic Chlidanotinae and Tortricinae. *Acta zool. cracov.* 30 (11): 141-355. **CAT BIB DIS** [available in Cesa Library]
624. **Razowski,J.**, 1989, The genera of Tortricidae Part II. Palaearctic Olethreutinae. *Acta zool. cracov.* 32 (7): 107-328. **TAX BIB MOR** [available in Cesa Library]
625. **Razowski,J.**, 1991, The catalogue of the species of Tortricidae (Lepidoptera), Part I. Palaearctic Chlidanotinae and Tortricinae: Cochylini, Tortricini, Ceracini, Cnephasiini. *Acta zool. cracov.* 34 (1): 99-162. **CAT BIB DIS** [available in Cesa Library]
626. **Razowski,J.**, 1993, The catalogue of the species of Tortricidae (Lepidoptera), Part II. Palaearctic Sparganothini Euliini Ramapesiini and Archipini. *Acta zool. cracov.* 35 (3): 665-703. **CAT BIB DIS** [available in Cesa Library]
627. **Razowski,J.**, 1995, The catalogue of the species of Tortricidae (Lepidoptera), Part IV. Palaearctic Olethreutinae: Microcorsini, Bactrini, Endotherniini and Olethreutini. *Acta zool. cracov.* 38 (2): 285-324. **CAT BIB** [available in Cesa Library]
628. **Razowski,J.**, 1999, Catalogue of the species of Tortricidae Part V. Palaearctic Eucosmina and Enarmoniina (Insecta, Lepidoptera). *Shilap Revta lepid.* 27 (108): 437-506. **CAT BIB DIS** [available in Cesa Library]
629. **Razowski,J.**, 2005, Description and rectifications in Asian Cochylini (Lep., Tortricidae). *Polskie pismo Ent.* 74: 431-438, figs. **TAX MOR FAU GEN**
630. **Rebel,H.**, 1891, Meyrick's Pyralidinen Classification. *Stettin ent. Ztg.* 52 (4/6): 103-116. **TAX BIB** [available in Cesa Library]
631. **Rebel,H.**, 1892, Zwei Geometriden Classificationen. *Stettin ent. Ztg.* 53: 247-268. **TAX CLA** [available in Cesa Library]
632. **Rebel,H.**, 1901, II.Theil: Famil. Pyralidae-Micropterygidae. [in] Staudinger,O. & H.Rebel, *Catalog der Lepidopteren des palaearctischen Faunengebietes.* 368S. Berlin. **TAX MOR FAU CAT BIB** [available in Cesa Library]
633. **Reh,L.**, 1925, *Handbuch der Pflanzenkrankheiten. Vierter Band Tierische Schädlinge an Nutzpflanzen. Erster Teil, Vierte Auflage.* 483 S., 218 Abb. Berlin. **ECO BIO** [available in Cesa Library]
634. **Rehnelt,S. & K.Rehnelt**, 1972, Ein Fund von *Colias erate* in Griechenland (Lep., Pieridae). *Ent. Z., Frankf. a. M.* 82(14): 159-160. **FAU DIS BIB GEO** [available in Cesa Library]
635. **Reiss,H. & A.Schulte**, 1964, Beitrag zur Zygaenenfauna Afghanistans (Lep.). *Ent. Z., Frankf. a. M.* 74 (14): 153-162, 12 Abb. **TAX MOR FAU ATL** [available in Cesa Library]
636. **Reiss,H. & W.G.Tremewan**, 1967, A Systematic Catalogue of the genus *Zygaena* Fabricius (Lepidoptera, Zygaenidae). [In] Schimitschek, E., *Series Entomologica* vol. 2, xvi+329 pp. Dr. W. Junk-Den Haag. **CAT BIB DIS TAX** [available in Cesa Library]
637. **Reiss,H.**, 1930-1931, Familie Zygaenidae. [in] Seitz,A., *Gross-Schmett. Erde, Suppl.* 2: 1-50. Stuttgart. **TAX FAU ATL BIO ECO DIST MOR**
638. **Riley,N.D.**, 1925, The species usually referred to the genus *Cigaritis* Boisd. *Novit. zool.* 32: 70-95, figs. **TAX MOR FAU GEN** [available in Cesa Library]
639. **Robinson,G.S.**, 1979, Clothes moths of the *Tinea pellionella* complex: a revision of the world's species (Lepidoptera, Tineidae). *Bull. Br. Mus. nat. Hist. (Ent.)* 38 (3): 57-128, figs. **TAX CLA KEY MOR FAU GEN BIB** [available in Cesa Library]
640. **Robinson,G.S.**, 1986, Fungus moths: a review of the Scardiinae (Lepidoptera, Tineidae). *Bull. Br. Mus. nat. Hist. (Ent.)* 52 (2): 37-181, figs. **TAX MOR FAU ATL GEN KEY DIS ECO BIO BIB** [available in Cesa Library]
641. **Robinson,G.S., Ackery,P.R., Kitching,I.J., Beccaloni,G.W. & L.M.Hernandez**, 2005, Hosts - a database of hostplants of the World's Lepidoptera <http://intern.nhm.ac.uk/jdsml/research-curation/projects/hostplants/index.dsm> Natural History Museum, London. **DIS BIO** [available in Cesa Library]
642. **Roesler,R.-U.**, 1973, Trifine Acrobasiina (1. Teilband der Phycitinae). [in] Amsel,H.G. et al., *Microlepidoptera Palaearctica* vol.4. Textband, xvi + 752 S., 145 Abb.; Tafelband 137 S., 37 Abb., 38 Farbtaf., 121 SW-Taf., 11 Verbreitungstab. Verlag G. Fromme Co. Wien. **TAX MOR FAU ATL GEN KEY DIS ECO BIO BIB** [available in Cesa Library]
643. **Roesler,R.-U.**, 1987, Die bisher als *Rhodophaea* geläufige Gattung *Trachycera* Ragonot,1893 (Lepidoptera, Pyraloidea, Phycitinae) in der Palaearktis - Taxonomische

- Neuorientierung und Beschreibung neuer Taxa. Ent. Z., Frankf. a. M. 97 (21): 305-319, 10 Abb. **TAX MOR FAU GEN CAT BIB** [available in Cesa Library]
644. **Roesler,R.-U.**, 1988, Untersuchungen zur Taxonomie paläarktischer Phycitinae (Lepidoptera, Pyraloidea). Beitr. Ent. 38: 65-73, figs. **FAU TAX** [available in Cesa Library]
645. **Roesler,R.-U.**, 1989, Die Artengruppe um die als Christophia beschriebene Epiparthia dattinella (Ragonot 1887) (Lepidoptera: Pyraloidea, Phycitinae) mit Beschreibung dreier neuer Taxa. Ent. Z., Frankf. a. M. 99(1/2): 1-15, 13 Abb. **TAX NOM MOR FAU GEN BIB ECO DIST CAT** [available in Cesa Library]
646. **Roesler,R.-U.**, 1989, Zwei neue Phycitinen-Arten (Lepidoptera, Pyraloidea) der Gattung Amechedia Amsel,1961 aus Afghanistan und dem Iran. Ent. Z., Frankf. a. M. 99: 169-176, 5 Abb. **TAX MOR FAU GEN BIB DIS** [available in Cesa Library]
647. **Roesler,R.-U.**, 1990, Drei neue Taxa für die quadrifinen Acrobasiina sowie die neue Check-Liste für Arsissa Ragonot,1893 (Lepidoptera, Pyraloidea, Phycitinae). Ent. Z., Frankf. a. M. 100 (3): 33-52, figs. **TAX MOR FAU GEN CAT** [available in Cesa Library]
648. **Roesler,R.-U.**, 1993, Quadrifine Acrobasiina Erster Teil (2. Teilband der Phycitinae). [in] Amsel,H.G., Microlepidoptera Palaearctica vol.8 (Text & Tafeln). Verlag G.Braun, Karlsruhe. **TAX MOR FAU ATL GEN KEY DIS ECO BIO BIB** [available in Cesa Library]
649. **Ronkay,G. & L.Ronkay**, 1992, Taxonomic studies on the Palaearctic Cuculliae Part V. The stigmatophora-Group (Lepidoptera, Noctuidae). Acta zool. hung. 38 (3/4): 345-358, 28 figs. **TAX MOR FAU KEY GEN ATL BIB** [available in Cesa Library]
650. **Ronkay,L. & Z.Varga**, 1989, Studies on the Palaearctic Noctuidae. Sect. Amphipyrrinae, I. The genus Pseudohadena Alpheraky,1889. The laciniosa group. Acta zool. hung. 35(3/4): 339-353, 19 figs. Pl. **TAX MOR FAU GEN KEY ATL DIS BIB GEO** [available in Cesa Library]
651. **Ronkay,L. & Z.Varga**, 1993, Taxonomic studies on the genera Pseudohadena Alpheraky,1889 and Auchmis Hübner,[1821] (Lepidoptera, Noctuidae) Part IV. Acta zool. hung. 39(1/4): 211-248, figs. **TAX MOR FAU CAT GEN BIB ATL** [available in Cesa Library]
652. **Ronkay,L.**, 1986, Taxonomic Studies on the genus Autophila Hübner,1823. I. Acta zool. hung. 32(1/2): 141-159, 38 figs. **TAX MOR FAU GEN DIST BIB** [available in Cesa Library]
653. **Ronkay,L.**, 1986, On the taxonomy and zoogeography of some Palaearctic and Indo-Australian Plusiinae (Lepidoptera, Noctuidae). Annls hist.-nat. Mus. natn. hung. 78: 205-218, figs. **TAX MOR FAU GEN** [available in Cesa Library]
654. **Ronkay,L.**, 1989, Taxonomic Studies on the genus Autophila Hübner, 1823 (Lepidoptera, Noctuidae), II. Acta zool. hung. 35(1/2): 111-141, 74 figs. **TAX MOR FAU ATL GEN CAT KEY** [available in Cesa Library]
655. **Ronkay,L.**, 1990, Taxonomic and zoogeographical studies on the subfamily Cuculliinae (Lepidoptera, Noctuidae). Part II. Esperiana 1: 471-497, 69 figs., pls. **TAX FAU MOR GEN BIB** [available in Cesa Library]
656. **Ronkay,L.**, 1990, New taxa of the genus Metalopha Staudinger,1892 (Lepidoptera, Noctuidae). Esperiana 1: 199-212, 26 figs.,pl.8. **TAX FAU MOR GEN KEY** [available in Cesa Library]
657. **Ronkay,L.**, 2005, Revision of the genus Lophoterges Hampson,1906 (s.l.) (Lepidoptera, Noctuidae, Cuculliinae) Part II. The Genus Lophoterges s.str. Acta zool. hung. 51 (1): 1-57, figs. **TAX MOR FAU ATL GEN DIS BIB** [available in Cesa Library]
658. **Rosen,K.von**, 1929, Familie Papilio[nidae]. [In] Seitz,A., Gross-Schmett. Erde, Suppl. 1: 7-20. Stuttgart. **TAX MOR FAU ATL DIS ECO BIO BIB** [available in Cesa Library]
659. **Rothschild,W. & K.Jordan**, 1903, A revision of the lepidopterous family Sphingidae. Novit. zool. 9, suppl.: cxxv + 972 pp., 67 pls. **TAX MOR FAU DIS BIB** [available in Cesa Library]
660. **Rothschild,W. & K.Jordan**, 1916, Corrections of and additions to our "Revision of the Sphingidae". Novit. zool. 23: 115-123, 3 figs. **TAX MOR FAU**
661. **Rothschild,W. & K.Jordan**, 1916, Further corrections of and additions to our "Revision of the Sphingidae". Novit. zool. 23: 247-263, 14 figs. **TAX MOR FAU**
662. **Rothschild,W.**, 1895, A revision of the Papilios of the eastern Hemisphere, exclusive of Africa. Novit. zool. 2: 167-463. **TAX MOR FAU** [available in Cesa Library]
663. **Rothschild,W.**, 1909, Catalogue of the collection of Parnassiinae in the Tring Museum, with systematic notes. Novit. zool. 16 (1): 1-20. **FAU TAX MOR** [available in Cesa Library]
664. **Rothschild,W.**, 1910, Catalogue of the Arctianae in the Tring Museum, with notes and descriptions of new species. Novit. zool. 17 (1): 1-85; 17 (2): 113-171. **TAX MOR FAU** [available in Cesa Library]
665. **Rothschild,W.**, 1912, Verbesserungen und Zusätze zu den Cossiden. [in] Seitz,A., Die Gross-Schmetterlinge der Erde, Band 2. pp.450-452. Stuttgart. **TAX FAU MOR**

666. **Rougeot, P.-C.**, 1969, Contribution a l'etude des Lépidopteres Attacides d'Afghanistan description d'une sous-espece nouvelle. Entomops 13: 165-168, 2 figs. **TAX MOR FAU ATL** [[available in Cesa Library](#)]
667. **Rühl, F.**, 1892-[1893], Die palaearktischen Grossschmetterlinge und ihre Naturgeschichte. Erster Band: Tagfalter. 1-384S. Leipzig. **TAX MOR FAU** [[available in Cesa Library](#)]
668. **Röber, J.**, 1907, 2. Familie Pieridae Weisslinge, [in] Seitz, A., Die Gross-Schmetterlinge der Erde 1: 39-74, Taf. **TAX MOR FAU ATL ECO BIO EGG LAR PUP** [[available in Cesa Library](#)]
669. **Sakai, S.**, 1978, Butterflies from the Hindukush, Karakorum, Kashmir and Ladak, with Descriptions of two new Species and six Subspecies. Atalanta 9(1): 104-131, 69 figs. **TAX ECO BIO MOR FAU ATL** [[available in Cesa Library](#)]
670. **Sakai, S.**, 1981, Butterflies of Afghanistan. 278pp. Tokyo. **TAX MOR FAU ATL DIS BIO BIB**
671. **Samodurov, G.D., Korolev, W.A. & W.W. Tschikolowez**, 2000, Eine Übersicht über die Satyriden der Gattung Hyponephele Muschamp, 1915 VI. Die Arten Hyponephele capella (Christoph, 1877), H. narica (Hübner, [1808-1813]), H. naricina (Staudinger, 1870), H. fusca (Stsh., 1960) und H. naricoides Gross, 1977 (Lep., Satyridae). Atalanta 31 (1/2): 135-170, figs., pls. x-xii. **TAX MOR FAU ATL GEN DIS MAP** [[available in Cesa Library](#)]
672. **Sattler, K. & W.G. Tremewan**, 1984, The Lepidoptera names of Denis & Schiffermüller - a case for stability. Nota lepid. 7 (3): 282-285. **NOM** [[available in Cesa Library](#)]
673. **Sattler, K.**, 1967, Ethmiidae, [in] Amsel, H.G., Gregor, F. H. Reisser (Ed.), Microlepidoptera Palaearctica vol. 2 (Text & Tafeln). Verlag Georg Fromme & Co. Wien. **TAX MOR FAU ATL GEN DIS ECO BIO BIB** [[available in Cesa Library](#)]
674. **Sattler, K.**, 1972, Anmerkungen zu Razowski, 1970, Cochylidae, Microlepidoptera Palaearctica, Band 3. Dt. ent. Z. N.F. 19 (4/5): 287-299. **TAX NOM BIB** [[available in Cesa Library](#)]
675. **Sattler, K.**, 1973, A Catalogue of the family-group and genus-group names of the Gelechiidae, Holcopogonidae, Lecithoceridae and Symmocidae (Lepidoptera). Bull. Br. Mus. nat. Hist. (Ent.) 28 (4): 155-282. **TAX NOM BIB** [[available in Cesa Library](#)]
676. **Sauter, W. & P. Hättenschwiler**, 1991, Zum System der palaearktischen Psychiden (Lep., Psychidae). I. Teil. Liste der palaearktischen Arten. Nota lepid. 14(1): 69-89. **TAX NOM CAT DIS** [[available in Cesa Library](#)]
677. **Sauter, W.**, 1987, Zum System der westpalaearktischen Gracillariidae. Mitt. schweiz. ent. Ges. 60: 307-314. **TAX MOR**
678. **Schintlmeister, A.**, 1989, Zoogeographie der palaearktischen Notodontidae (Lepidoptera). Neue ent. Nachr. 25: 1-117, 20 Abb. **TAX MOR FAU ATL GEN BIB GEO MAP BIO ECO CAT** [[available in Cesa Library](#)]
679. **Schneider, D., Legal, L., Dierl, W. & M. Wink**, 1999, Androconial haribushes of the Syntomis (Amata) phegea (L.) group (Lepidoptera, Ctenuchidae): A synapomorphic character supported by sequence data of the mitochondrial 16S rRNA Gene. Z. Naturforsch 54C: 1119-1139. **MOL PHY** [[available in Cesa Library](#)]
680. **Schoorl, J.W.**, 1990, A phylogenetic study on Cossidae (Lepidoptera, Ditrysia) based on external adult morphology. Zool. Verh. 263: 1-295, 138 figs., 1 pl., 33 tab. **TAX CAT ATL BIO ECO DIS MOR GEN KEY BIB** [[available in Cesa Library](#)]
681. **Schröder, H.**, 1975, Eine neue afghanische Unterart des Parnassius mnemosyne (Lep., Parnassiidae). Ent. Z., Frankf. a. M. 85: 53-56, Abb. **TAX MOR FAU ATL** [[available in Cesa Library](#)]
682. **Schulte, A.**, 1977, Une sous-espece nouvelle de Colias marcopolo Gr.-Grsh. Entomops 42: 35-36. **TAX MOR FAU**
683. **Schulte, A.**, 1989, Einige neue Pieriden-Taxa aus dem Kaukasus, dem Pamir und Afghanistan. Nachr. ent. Ver. Apollo (N.F.) 10(4): 291-297, 1 Taf. **TAX FAU ATL ECO MOR BIB** [[available in Cesa Library](#)]
684. **Schurian, K.G. & P. Hofmann**, 1982, Die Thersamonia-Gruppe (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo, Suppl. 2: 1-59, 8 Abb. 2 Taf. [[available in Cesa Library](#)]
685. **Schurian, K.G.**, 1988, Neueinteilung des Subgenus Lysandra der Gattung Polyommatus Latreille (Lepidoptera, Lycaenidae). Ent. Z., Frankf. a. M. 98 (10): 129-144. **TAX MOR FAU CLA BIB NOM** [[available in Cesa Library](#)]
686. **Schurian, K.G.**, 1989, Revision der Lysandra-Gruppe des Genus Polyommatus Latr. (Lepidoptera, Lycaenidae). Neue ent. Nachr. 24: 1-181, 29 Taf. **MAP TAX MOR FAU ATL GEN DIS BIO BIB EGG LAR PUP NOM** [[available in Cesa Library](#)]
687. **Schurian, K.G., Hagen, W. Ten & H.-G. Mark**, 1999, Beitrag zur Biologie sowie Versuch einer taxonomischen Einordnung von Plebeius (Vacciniina) loewii (Zeller, 1847) (Lepidoptera,

- Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 20(1): 1-16, figs. **GEN PHY TAX MOR ECO BIO LAR PUP HAB BIB** [available in Cesa Library]
688. **Schüssler, H.**, 1933, Saturniidae: 1.Subfam. Attacinae. [in] Strand, E., Lepidopterorum Catalogus Pars 55. 81pp. Dr. W. Junk Berlin. **NOM CAT BIB CLA** [available in Cesa Library]
689. **Scoble, M.J., Pitkin, L.M., Parsons, M., Honey, M.R. & B.R. Pitkin**, 1999, Geometrid Moths of the World. 1400pp. CSIRO Publishing, Collingwood & Apollo Books, Stenstrup. **CAT BIB BIO** [available in Cesa Library]
690. **Scopoli, J.A.**, 1763, Entomologia Carniolica exhibens insecta Carnioliae indigena et distributa in ordines, genera, species, varietates, methodo Linn. xxxvi+420 pp., 37 pls., Vindobonae, Trattner. **TAX MOR FAU CLA** [available in Cesa Library]
691. **Scudder, S.H.**, 1875, Historical sketch of the generic names proposed for butterflies: a contribution to systematic nomenclature. Proc. am. Acad. Arts Sci., Boston 10: 91-293. **TAX NOM BIB**
692. **Seitz, A.**, 1909, Familie: Syntomidae, [in] Seitz, A., Die Gross-Schmett. Erde 2: 37-42, pls., Stuttgart. **TAX MOR FAU ATL BIB DIS** [available in Cesa Library]
693. **Seitz, A.**, 1910, Familie: Arctiidae, [in] Seitz, A., Die Gross-Schmett. Erde 2: 43-108, pls., Stuttgart. **TAX MOR FAU ATL BIB DIS** [available in Cesa Library]
694. **Shank, C.C.**, 2008, Biodiversity profile of Afghanistan. 149 pp. UNEP Programme, Kabul. [access 2 October 2011]. **ECO BIO FAU BIB** [available in Cesa Library]
695. **Sheljuzhko, L.**, 1919, Neue palaearktische Lepidopteren-Formen. Neue Beitr. syst. Insektenk. 1: 129-132. **TAX MOR FAU**
696. **Shirozu, T. & H. Yamamoto**, 1956, A generic revision and philogeny of the tribe Theclini (Lepidoptera, Lycaenidae). Sieboldia 4: 329-421, 35-85 Pls. **TAX MOR FAU KEY BIB ??**
697. **Sibatani, A.**, 1974, A new genus for two species of Lycaeninae (s.str.) (Lepidoptera, Lycaenidae). from Papua New Guinea. J. Aust. ent. Soc. 13: 95-110, 23 figs. **TAX NOM MOR GEN KEY BIB** [available in Cesa Library]
698. **Sieder, L.**, 1959, Neue palaearktische Psychiden (Lepidoptera, Psychidae). I. Eine neue Psychide aus Afghanistan: Sciopetris amseli spec.nov. Z. wien. ent. Ges. 44: 145-147, figs. 8-10. **TAX FAU MOR GEN** [available in Cesa Library]
699. **Sieglinde & K. Rehne**, 1972, Ein Fund von Colias erate in Griechenland (Lep., Pieridae). Societas ent. 82(14): 159-160. **FAU GEO** [available in Cesa Library]
700. **Smiles, K.H.**, 1979, A revision of the subgenus Dysgnophos (Lepidoptera, Geometridae). J. nat. Hist. 13: 99-119, figs. **TAX MOR FAU ATL GEN MAP DIS BIB** [available in Cesa Library]
701. **Spatenka, K. & K. Reshöft**, 1989, Eine neue Art der Gattung Bembecia Hübner, 1819 aus Ost-Afghanistan (Lepidoptera, Sesiidae). Entomofauna 10 (10): 177-186, 4 figs. **TAX MOR FAU GEN ATL** [available in Cesa Library]
702. **Spatenka, K.**, 1992, Weitere neue palaearktische Sesiiden (Lepidoptera, Sesiidae). Alexanor 17 (7): 427-446, 19 figs. **D TAX MOR FAU ATL GEN ECO BIO** [available in Cesa Library]
703. **Spatenka, K.**, 1997, Neue Glasflügler (Lepidoptera, Sesiidae) aus dem Pamir und dem Hindukusch. Bonn. zool. Beitr. 47 (1/2): 31-41, figs. **TAX MOR FAU ATL GEN** [available in Cesa Library]
704. **Spatenka, K., Gorbunov, O., Lastuvka, Z., Tosevki, I. & Y. Arita**, 1996, Die Futterpflanzen der paläarktischen Glasflügler (Lepidoptera, Sesiidae). Nachr. ent. Ver. Apollo (N.F.) Suppl. 17 (1): 1-20. **BIO ECO** [available in Cesa Library]
705. **Speidel, W. & L. Aarvik**, 2002, Synonyms of European Tortricidae and Noctuidae, with special reference to the publications of Hübner, Geyer & Fröhlich. Nota lepid. 25 (1): 17-22. **TAX NOM**
706. **Speidel, W.**, 1989, Die Synonymie von Pyrausta aerealis (Hübner) (Lepidoptera, Crambidae). Nachr. ent. Ver. Apollo (N.F.) 10(2): 175-177. **TAX MOR DIS BIB** [available in Cesa Library]
707. **Spitzer, K.**, 1984, Notes on taxonomy and distribution of the genus Gynaephora Hübner, 1819 (Lymantriidae). Nota lepid. 7 (2): 180-183, 2 figs. **TAX MOR CAT DIS ATL BIB ECO BIO** [available in Cesa Library]
708. **Stainton, H.T.**, 1856, Descriptions of three species of Indian Microlepidoptera. Trans. ent. Soc. Lond. (n.s.) (2) 3 (8): 301-304. **TAX MOR FAU**
709. **Stauder, H.**, 1924, Neue Palaeartenformen II. Mitt. münch. ent. Ges. 14: 59-66. **TAX MOR FAU** [available in Cesa Library]
710. **Staudinger, O. & A. Bang-Haas**, 1882, Über einige neue Parnassius- und andere Tagfalter-Arten Central Asiens. Berl. ent. Z. 26 (1): 161-177, 2 Taf. **TAX MOR FAU ATL** [available in Cesa Library]

711. **Staudinger, O. & H. Rebel**, 1901, I. Theil: Famil. Papilionidae-Hepialidae. [in] Staudinger, O. & H. Rebel, Catalog der Lepidopteren des palaearctischen Faunengebietes. xxxii+411S. Berlin. **TAX MOR FAU CAT BIB** [available in Cesa Library]
712. **Stephens, J.F.**, 1827-1835, Illustrations of British entomology; or, a synopsis of indigenous insects...Haustellata. 1 (1827-1828): 152pp., pls.1-12; 2 (1828-1829): 203pp., pls.13-24; 3 (1829-1831): 337pp., pls.25-32; 4 (1831-1835): 436pp., pls. 33-41. Baldwin & Cradock, London. **TAX MOR FAU ATL BIB** [available in Cesa Library]
713. **Sterneck, J.**, 1940, Versuch einer Darstellung der systematischen Beziehungen bei den palaearktischen Sterrhinae (Acidaliinae), Studien über Acidaliinae (Sterrhinae) VII, I. Teil: Der Gattung Sterrha und deren nächste Verwandte. Z. Wien. Ent.-Ver. 25: 6-17, 25-36, 56-59, 77-79, 98-107, 126-128, 136-142, 152-159, 161-176, pl.1-10. **TAX MOR FAU GEN** [available in Cesa Library]
714. **Sterneck, J.**, 1940-1941, Versuch einer Darstellung der systematischen Beziehungen bei den palaearktischen Sterrhinae (Acidaliinae), Studien über Acidaliinae (Sterrhinae) VIII, II. Teil: Der Gattung Scopula und deren nahe Verwandte. Z. Wien. Ent.-Ver. 25 (1940): 200-208, 214-218, pl.23-28; ibid. 26 (1941): 17-31, 41-55, 88-96, 105-116. **TAX MOR FAU GEN** [available in Cesa Library]
715. **Sterneck, J.**, 1941, Versuch einer Darstellung der systematischen Beziehungen bei den palaearktischen Sterrhinae (Acidaliinae), Studien über Acidaliinae (Sterrhinae) IX, III-VI. Teil. Z. Wien. Ent.-Ver. 26: 150-159, 176-183, 191-198, 211-216, 217-222, 222-230, 248-262, pls.12-25. **TAX MOR FAU GEN** [available in Cesa Library]
716. **Stichel, H.**, 1907, Lepidoptera. [in] Wytsman, P., Genera Insectorum Fasc. 58. Parnassiinae. Bruxelles. **TAX MOR FAU BIB KEY** [available in Cesa Library]
717. **Stichel, H.**, 1908, Die Lepidopteren-Gattung Parnassius Latreille mit besonderer Berücksichtigung der historischen, morphologischen und biologischen Verhältnisse. Berl. ent. Z. (Sitzb. 1906) 52: (15)-(26). **TAX MOR BIO CLA** [available in Cesa Library]
718. **Stichel, H.**, 1910-1911, Lepidoptera. [in] Wytsman, P., Genera Insectorum Fasc. 112. Riodinidae. Bruxelles. **TAX MOR FAU BIB KEY**
719. **Stoll, C.**, 1780-[1782], [in] Cramer, P., Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 4 (part): 29-252 pp., 305-400 Pls. Amsterdam & Utrecht. **TAX MOR FAU ATL** [available in Cesa Library]
720. **Stoll, C.**, 1787-[1790] Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America [supplement] viii+ [184] pp., 4 Pls. Amsterdam. **TAX MOR FAU ATL** [available in Cesa Library]
721. **Strand, E.**, 1910, Familie: Lymantriidae, [in] Seitz, A., Die Gross-Schmett. Erde 2: 109-141, pls., Stuttgart. **TAX MOR FAU ATL BIB DIS** [available in Cesa Library]
722. **Strand, E.**, 1911, Familie: Thaumetopoeidae, [in] Seitz, A., Die Gross-Schmett. Erde 2: 143-145, pls., Stuttgart. **TAX MOR FAU ATL BIB DIS** [available in Cesa Library]
723. **Strand, E.**, 1922, Arctiidae: Subfam. Lithosiinae, [in] Wagner, F., Lepidopterorum Catalogus Pars 26. 501-899S. W. Junk, Berlin. **TAX CAT NOM BIB**
724. **Stshetkin, Y.Y.**, 1984, Two new subspecies of Pseudothecle cyri. Zool. Zh. 63(9): 1430-1432. **TAX MOR FAU**
725. **Sviridov, A.V., Speidel, W. & K. Reshöft**, 1996, Eine neue Catocala-Art aus Afghanistan (Lepidoptera, Noctuidae). Nachr. ent. Ver. Apollo (N.F.) 17 (2): 191-199, 2 Abb. **TAX MOR GEN MOR BIB** [available in Cesa Library]
726. **Swainson, W.**, 1827, A sketch of natural affinities of the Lepidoptera Diurna of Latreille. Phil. Mag. (n.s.) 1(1): 180-188. **TAX MOR CLA NOM** [available in Cesa Library]
727. **Swinhoe, C.**, 1885, List of Lepidoptera collected in southern Afghanistan. Trans. ent. Soc. London 1885: 337-355, pl.ix. **FAU ATL** [available in Cesa Library]
728. **Swinhoe, C.**, 1903, A revision of the Old World Lymantriidae in the National Collection. Trans. ent. Soc. London 1903: 375-498. **TAX MOR FAU KEY CLA BIB DIS** [available in Cesa Library]
729. **Swinhoe, C.**, 1905-1910, Lepidoptera Indica 7. Rhopalocera Papilionidae Pierinae (continued) Lycaenidae Gerydinae Lycaenopsinae and Everinae. x + 286 pp. Plates 551-639. London. **TAX MOR FAU ATL DIS BIB GEN** [available in Cesa Library]
730. **Swinhoe, C.**, 1910-1911, Lepidoptera Indica 8. Rhopalocera Lycaenidae Lycaeninae Plebeinae Lampidinae Chrysophaninae Poritinae Amblypodiinae Curetinae Liphyrinae Ruralinae. x+ 293 pp. Plates 640-705. London. **TAX MOR FAU ATL DIS BIB GEN** [available in Cesa Library]

731. **Swinhoe,C.**, 1911-1912, Lepidoptera Indica 9. Rhopalocera Lycaenidae (continued) Horaginae Deudorixinae Hypolycaeninae Zesiusinae Aphnaeinae Biduandinae Cheritrinae Loxurinae, Hesperidae Ismeneinae Achalarinae. viii+ 278 pp. Plates 706-756. London. **TAX MOR FAU ATL DIS BIB** [available in Cesa Library]
732. **Swinhoe,C.**, 1912-1913, Lepidoptera Indica 10. Rhopalocera Hesperidae (continued) Celaenorrhinae Hesperinae Pamphilinae Astictopterinae Suastinae Erionotinae Matapinae Notocryptinae Platingiinae Erynninae. Addenda x+ 361 pp. Plates 757-835. London. **TAX MOR FAU ATL DIS BIB** [available in Cesa Library]
733. **Swinhoe,C.**, 1922-1923, A revision of the genera of the family Liparidae. Ann. Mag. nat. Hist. (9) 10: 449-484; (9) 11: 47-97, 289-304, 400-442. **TAX MOR FAU KEY BIB** [available in Cesa Library]
734. **Talbot,G.**, 1939, Revisional notes on the genus Colotis Hübn. (Lepid., Pieridae) with a systematic list. Trans. R. ent. Soc. Lond. 88: 173-233. **TAX MOR FAU DIST CLAS BIB** [available in Cesa Library]
735. **Talbot,G.**, 1939, Butterflies, [in] Sewell,R.B.S., The Fauna of British India including Ceylon and Burma. Volume 1. xxix + 600 pp., 3 Pls. Taylor and Francis, London. **TAX MOR FAU KEY GEO DIS BIB BIO ECO** [available in Cesa Library]
736. **Talbot,G.**, 1943, Revisional notes on Anaphaeis Hübn. and Belenois Hübn., with descriptions of some new forms (Lep., Rhop., Pieridae). Ann. Mag. nat. Hist. (11) 10: 305-336. **TAX MOR FAU DIS** [available in Cesa Library]
737. **Tams,W.H.T. & J.Bowden**, 1953, A revision of the African species of Sesamia Guenée and related genera (Agrotidae, Lepidoptera). Bull. ent. Res. 43: 645-678, 6 Pls. **TAX MOR FAU ???**
738. **Ten Hagen,W.**, 2008, Beitrag zur Kenntnis des Genus Callophrys Billberg,1820: eine neue Art aus Südiran (Lepidoptera, Lycaenidae). Nachr ent. Ver. Apollo (N.F.) 29 (1/2): 9-14, Abb. **TAX MOR FAU ATL GEN ECO** [available in Cesa Library]
739. **Thomas,W. & Reshöft,K.**, 1983, Zur Biologie von Ocnogyna afghanicola Ebert 1974 (Lepidoptera, Arctiidae). Andrias 3: 71-72. **BIO** [available in Cesa Library]
740. **Thomas,W.**, 1989, Bemerkungen zur Gattung Carcinopyga (Lep., Arctiidae) und zu Carcinopyga lichenigera Felder (Beiträge zur Arctiiden Systematik-4). Atalanta 19: 139-147, 3 Abb. **TAX MOR FAU GEN DIS BIB** [available in Cesa Library]
741. **Toll,S. & H.G.Amsel**, 1967, Coleophoriden aus Afghanistan (Lepidoptera, Coleophoridae). Beitr. naturk. SWDtl. 26(3): 5-16, Taf. **TAX FAU ECO DIST MOR GEN** [available in Cesa Library]
742. **Toll,S.**, 1962, Materialien zur Kenntnis der palaearktischen Arten der Familie Coleophoridae. Acta zool. cracov. 7 (16): 577-720, 133 figs. **TAX MOR FAU ATL GEN BIB BIO**
743. **Tremewan,W.G. & C.M.Naumann**, 1989, A revision of Zygaena (Agrumenia) magiana Staudinger,1889 (Lepidoptera: Zygaenidae). Entomologist's Gaz. 40: 114-123, Pl.11-12, 8 figs. **TAX NOM MOR ECO BIO BIB GEO** [available in Cesa Library]
744. **Tremewan,W.G. & D.Povolny**,1968, Beiträge zur Kenntnis der Fauna Afghanistans: Zygaenidae, Lepidoptera. Acta morav. Mus. Brne (Sci. Nat.) 53 (suppl.): 161-172. **TAX MOR FAU**
745. **Tremewan,W.G.**, 1961, The subgenera of the genus Zygaena Fabricius, Lepidoptera: Zygaenidae. Entomologist's Rec. J. Var. 73: 200-203. **TAX NOM** [available in Cesa Library]
746. **Tremewan,W.G.**, 1988, A bibliography of the Zygaeninae (Lepidoptera, Zygaenidae). 188pp. Colchester. **BIB** [available in Cesa Library]
747. **Triberti,P.**, 1984, Notes on some species of Caloptilia Hb. described by O. Staudinger (Lep., Gracillariidae). Dt. ent. Z. (N.F.) 31 (1/3): 9-14, 5 figs. **TAX BIO DIST MOR GEN BIB** [available in Cesa Library]
748. **Triberti,P.**, 1990, Three new Palaearctic species of the subfamily Gracillariinae (Lepidoptera, Gracillariidae). Z. ArbGem. öst. Ent. 41 (3/4): 65-70, figs. **TAX MOR FAU ATL GEN** [available in Cesa Library]
749. **Trusch,R. & S.Erlacher**, 2001, Zur Morphologie, Verbreitung, Bionomie und Identifikation der Dyscia-Arten. Bonner zool. Monogr. 49: 1-116, 12 Pls. **TAX MOR FAU ECO BIO ATL GEN**
750. **Trusch,R. & S.Erlacher**, [2003], Taxonomic changes in the geometrid moths taxon Dyscia Hübner,[1825] (Lepidoptera, Geometridae, Ennominae). Eur. J. Ent. 99 (4): 529-541. **TAX MOR NOM** [available in Cesa Library]
751. **Tshikolovets,V.V.**, 1997, New blue butterfly taxa from Central Asia (Lepidoptera, Lycaenidae) - Communication 4. Phegea 25(3): 117-121, 17 figs. **TAX MOR FAU ATL GEN HAB ECO** [available in Cesa Library]
752. **Tutt,J.W.**, 1892, Classification by neuration. Entomologist's Rec. J. Var. 3: 50-51. **CLA TAX MOR** [available in Cesa Library]

753. **Tutt, J.W.**, 1892, [Reply to "Classification by structure of imago by E.Meyrick"]. Entomologist's Rec. J. Var. 3: 106-111. **CLA TAX MOR** [available in Cesa Library]
754. **Tutt, J.W.**, 1894, The life-history of a lepidopterous Insect, comparising some account of its morphology and physiology. I. Classification. Entomologist's Rec. J. Var. 5: 65-68, 89-92. **CLA MOR** [available in Cesa Library]
755. **Ustjuzhanin, P.Y.**, 2001, New species, distribution records and synonymies of Plume Moths (Lepidoptera, Pterophoridae) from the Palaearctic Region. Nota lepid. 24 (3): 11-32. **TAX MOR FAU**
756. **Uygun, N., et al.**, 1995, A serious citrus pest: Citrus leafminer, *Phyllocnistis citrella* Stainton (Lepidoptera, Gracillariidae). Turk. J. Ent. 19: 247-252. **ECO BIO**
757. **Uygun, N., et al.**, 1997, Studies on biological control of *Phyllocnistis citrella* Stainton (Lepidoptera, Gracillariidae) in Turkey. Integrated Control in Citrus Fruit Crops, IOBC wprs Bulletin 20: 96-101. **ECO BIO**
758. **Vane-Wright, R.I. & P.R. Ackery**, 1984, The Biology of Butterflies. 429pp. 34 figs. Princeton University Press, New Jersey. **ECO BIO BIB MOR**
759. **Varga, Z. & L. Ronkay**, 1991, Taxonomic Studies on the palaearctic Noctuidae (Lepidoptera) I. New taxa from Asia. Acta zool. hung. 37(3/4): 263-312, 113 figs. Pls. 1-3. **TAX MOR FAU GEN KEY ATL DIS BIB** [available in Cesa Library]
760. **Varga, Z. & L. Ronkay**, 1996, New and revised taxa of the genera *Chersotis* Boisduval, 1840 and *Dichagyris* Lederer, 1857 from Central Asia (Lepidoptera, Noctuidae, Noctuinae). Esperiana 4: 103-132, 83 figs., 2 Pls. **TAX MOR FAU ATL GEN BIB** [available in Cesa Library]
761. **Varga, Z. & P. Gyulai**, 2001, New species of the genera: *Euxoa*, *Dichagyris* and *Chersotis* from Central Asia (Lepidoptera, Noctuidae, Noctuinae). Esperiana 8: 771-790, figs. **TAX MOR FAU GEN BIB** [available in Cesa Library]
762. **Varga, Z.**, 1979, Neue Noctuiden aus der Sammlung Vartian (Wien), II. Z. ArbGem. öst. Ent. 31 (1/2): 1-12, 7 Abb. 1 Taf. **TAX MOR FAU ATL GEN** [available in Cesa Library]
763. **Varga, Z.**, 1985, Beiträge zur Kenntnis der Gattung *Xenophya* Boursin, 1969 (Lepidoptera, Noctuidae), mit der Beschreibung drei neuer Arten. Z. ArbGem. öst. Ent. 37 (1/2): 26-36, 6 Abb. 1 Taf. **TAX MOR FAU ATL GEN KEY** [available in Cesa Library]
764. **Varga, Z.**, 1989, Zweiter Beitrag zur Kenntnis der Gattung *Xenophya* Boursin, 1969 (Lepidoptera, Noctuidae), mit der Beschreibung fünf neuer Arten. Z. ArbGem. öst. Ent. 41 (1/2): 1-18, figs. **TAX MOR FAU ATL GEN KEY** [available in Cesa Library]
765. **Varga, Z.**, 1990, New species of Noctuidae from Afghanistan and adjacent territories I. The genera *Euxoa* Hübner [1821] 1816, *Dichagyris* Lederer 1857, *Rhyacia* Hübner [1821] 1816 and *Chersotis* Boisduval 1840 (Lepidoptera, Noctuidae, Noctuinae). Esperiana 1: 167-198, 188 figs., 7 pls. **TAX FAU MOR GEN** [available in Cesa Library]
766. **Varga, Z.**, 1992, Taxonomic notes on the genus *Haderonia* Staudinger, 1896, with descriptions of one new genus and four new species (Lepidoptera, Noctuidae). Acta zool. hung. 38(1/2): 95-112, 60 figs. **TAX MOR FAU GEN BIB ATL** [available in Cesa Library]
767. **Varga, Z.**, 1993, Beiträge zur Kenntnis der Gattung *Dichagyris* Lederer, 1857 (Lepidoptera, Noctuidae) I. Acta zool. hung. 39(1/4): 289-300, figs. **TAX MOR FAU ATL GEN BIB** [available in Cesa Library]
768. **Varga, Z.**, 1996, Biogeography and evolution of orear Lepidoptera in the Palaearctic. Acta zool. hung. 42 (4): 289-330, 12 figs. **GEN MET MAP BIB** [available in Cesa Library]
769. **Varga, Z.**, 1996, New species and subspecies of *Dichagyris*, *Chersotis* and *Rhyacia* (Lepidoptera, Noctuidae) from Central Asia. Acta zool. hung. 42 (3): 195-230, figs. **TAX MOR FAU ATL GEN BIB** [available in Cesa Library]
770. **Varga, Z., Ronkay, L. & H. Hacker**, 1990, Revision of the genus *Bryopolia* Boursin, 1954 (Lepidoptera, Noctuidae). Esperiana 1: 427-469, 121 figs. **TAX FAU MOR GEN KEY BIB** [available in Cesa Library]
771. **Vartian, E.**, 1963, Eine neue Celama Hb. aus Afghanistan (Lepidoptera, Nolidae). Z. wien. ent. Ges. 48: 131-132. **TAX MOR FAU** [available in Cesa Library]
772. **Vartian, E.**, 1964, Österreichische entomologische Iran- Afghanistan - Expeditionen. Beiträge zur Lepidopterenfauna 3. Eine neue *Ephesia* Hb. aus Afghanistan (Lep., Catocalinae). Z. wien. ent. Ges. 49: 117-118, Taf. 15 fig. 1. **TAX MOR FAU ATL** [available in Cesa Library]
773. **Verity, R.**, 1905-1911, *Rhopalocera palaearctica*. Papilionidae et Pieridae. 86+368 pp. 2+12+72 pls. Firenze. **TAX MOR FAU ATL BIB** [available in Cesa Library]
774. **Verity, R.**, 1914, Dates of Publication of "*Rhopalocera Palaearctica*". Novit. zool. 21: 426. **BIB** [available in Cesa Library]

775. **Verity, R.**, 1929, The asiatic origins of the Western palaearctic Rhopalocera exemplified by *Melitaea didyma* Esp. Entomologist's Rec. J. Var. 41: 31-34, 39-43, 63-67, 72-76, 89-91, 111-118, 127-132. **TAX MOR FAU** [available in Cesa Library]
776. **Viidalepp, J.R.**, 1988, [in] H. Remm, Fauna Pyadenis gor Credney Azii [The Geometrid fauna of the mountains of Central Asia]. Institut Zoologii & Botaniki 1988: 1-211, Tab.1-3, 8 Pls., 42 figs. [in Russian]. **TAX FAU MOR GEN KEY NOM** [available in Cesa Library]
777. **Vives Moreno, A.**, 1988, Catalogo Mundial Sistemático y de Distribucion de la Familia Coleophoridae Hübner, [1825] (Insecta, Lepidoptera). Bol. San. Veg. 12: 1-196. **CAT FAU TAX DIST** [available in Cesa Library]
778. **Wagner, H. & R.Pfitzner**, 1911, Hepialidae. [in] Aurivillius, C. & H. Wagner, Lepidopterorum Catalogus Pars 4. 26pp. Dr. W. Junk Berlin. **NOM CAT BIB CLA** [available in Cesa Library]
779. **Wagner, H.**, 1913-1919, Sphingidae, [in] Wagner, H., Lepid. Cat., Pars 12 (1913), Pars 18 (1914), Pars 21 (1915), Pars 23 (1919). 440 pp., Berlin. **CAT BIB DIS** [available in Cesa Library]
780. **Wakeham-Dawson, A.**, 1996, How useful are male genitalia as taxonomic characters in the genus *Pseudochazara* de Lesse, 1951 (Lepidoptera, Satyridae)? Entomologist's Gaz. 47: 227-237, 9 figs. 3 Tab. **GEN TAX MOR BIB**
781. **Wakeham-Dawson, A.**, 1997, Discriminant analysis of androconia in the genus *Pseudochazara* de Lesse, 1951 (Lepidoptera, Satyridae). Entomologist's Gaz. 48: 37-46. **FAU TAX MOR AND BIB**
782. **Warnecke, G.**, 1941, Ein weiterer Beitrag zur Kenntnis der *Dyscia conspersaria* F.-Gruppe (Lep., Geometr.). Z. Wien. EntVer. 26: 208-211, 231-235, 241-246, pls. 27, 28. **TAX MOR FAU ATL GEN** [available in Cesa Library]
783. **Warren, B.C.S.**, 1930, A definition of the satyrid genera *Erebia*, *Callerebia*, *Paralasa* and *Erebomorpha*. Entomologist's Rec. J. Var. 42: 103-107. **TAX MOR** [available in Cesa Library]
784. **Warren, B.C.S.**, 1936, Monograph of the genus *Erebia*. vii+407pp. 104 Pls. British Museum (Nat. Hist.), London. **TAX MOR FAU GEN BIO ECO DIS BIB ATL** [available in Cesa Library]
785. **Warren, B.C.S.**, 1942, Genus *Pandoriana* gen. nov. A preliminary description. Entomologist 75: 245-246. **TAX MOR**
786. **Warren, B.C.S.**, 1944, Review of the classification of the Argynnidi: with a systematic revision of the genus *Boloria*. Trans. R. ent. Soc. Lond. 94: 1-101, Pls. **TAX MOR FAU GEN BIO ECO DIS BIB ATL** [available in Cesa Library]
787. **Warren, B.C.S.**, 1961, The androconial scales and their bearing on the question of speciation in the genus *Pieris*. Ent. Tidskr. 82: 121-148, pls. 1-3. **TAX MOR**
788. **Warren, W.**, 1909-1913, Familia Noctuidae, [in] Seitz, A., Die Gross-Schmett. Erde 3: pp. 9-444, Taf., Stuttgart. [available in Cesa Library]
789. **Watson, E.Y.**, 1893, A proposed classification of the Hesperiidae, with a revision of the genera. Proc. zool. Soc. Lond. 1893: 3-132, 3 Pls. **TAX MOR FAU BIB ATL CLA KEY** [available in Cesa Library]
790. **Watson, L. & M.J.Dallwitz**, 2007, British insects the genera of Lepidoptera Noctuidae. <http://delta-intkey.com/> **MOR KEY** [available in Cesa Library]
791. **Watson, L. & M.J.Dallwitz**, 2007, British insects the genera of Lepidoptera Geometridae. <http://delta-intkey.com/> **MOR KEY** [available in Cesa Library]
792. **Wehrli, E.**, 1933, Familie Psychidae. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 2: 211-226. Stuttgart. **TAX FAU ATL BIO ECO DIST MOR** [available in Cesa Library]
793. **Wehrli, E.**, 1936, Neue Gattungen, Subgenera, Arten und Rassen. Ent. Rdsch. 53: 513-516, 562-568, 11 figs. **TAX MOR FAU ATL** [available in Cesa Library]
794. **Wei, C.H., Kun, A. & Yen, S.-H.**, 2007, A preliminary analyses [sic!] of the phylogeny of the Ethmiinae moths (Lepidoptera, Gelechioidea) with special reference to the evolutionary patterns of host use. Acta zool. hung. 53 (suppl.1): 61-100, figs. **CLA PHI MOR BIB** [available in Cesa Library]
795. **Weidenhoffer, Z. & W.Eckweiler**, 1988, Notes on the status of *Armenia hyrcanica* (Riley, 1939) (Lepidoptera, Lycaenidae). Nota lepid. 10 (4): 241-246, 3 figs. **TAX MOR FAU MAP BIB DIS** [available in Cesa Library]
796. **Whalley, P.E.S.**, 1963, A Revision of the World species of the genus *Endotricha* Zeller (Lepidoptera, Pyralidae). Bull. Br. Mus. (Nat. Hist.) Ent. 13 (11): 395-454, 37 Pls., 314 figs. **TAX MOR GEN DIS BIB FAU KEY ATL** [available in Cesa Library]

797. **Whalley,P.E.S.**, 1964, Catalogue of the Gallerinae (Lepidoptera, Pyralidae) with descriptions of new genera and species. Acta zool. cracov. 9(10): 561-618, figs. **TAX MOR FAU GEN CAT BIO BIB ATL** [available in Cesa Library]
798. **Whalley,P.E.S.**, 1970, A synonymic catalogue of the genera of Phycitinae (Lepidoptera, Pyralidae). Bull. Br. Mus. nat. Hist. (Ent.) 25: 31-72. London. **TAX NOM BIB** [available in Cesa Library]
799. **Whalley,P.E.S.**, 1973, The genus Etiella Zeller (Lepidoptera, Pyralidae): A zoogeographic and taxonomic study. Bull. Br. Mus. (Nat. Hist.) Ent. 28 (1): 1-21, 1 textfig., 7 maps, 15 Pls. **TAX MOR FAU ATL GEN DIS KEY BIB BIO CAT** [available in Cesa Library]
800. **Wiltshire,E.P.**, 1941, The phenological classification of Palaearctic Lepidoptera. A preliminary essay. Entomologist's Rec. J. Var. 53: 101-106. **ECO** [available in Cesa Library]
801. **Wiltshire,E.P.**, 1958, New species and forms of Lepidoptera from Afghanistan and Iraq. J. Bomb. nat. Hist. Soc. 55(2): 228-237, 1 Pl., figs. **TAX FAU MOR GEN** [available in Cesa Library]
802. **Wiltshire,E.P.**, 1961, Ergebnisse der Deutschen Afghanistan Expedition 1956 der Landessammlungen für Naturkunde Karlsruhe. Middle East Lepidoptera XV. A second contribution to the Lepidoptera of Afghanistan. Beitr. naturk. Forsch. SWDtl. 191 (3): 337-371, figs. **TAX MOR FAU ATL GEN** [available in Cesa Library]
803. **Wiltshire,E.P.**, 1966, Österreichische entomologische Iran-Afghanistan Expeditionen. Beiträge zur Lepidopterenfauna, Teil 10. Subfamilien Larentiinae und Ennomiinae (s.l.) (Lep., Geometridae). Middle East Lepidoptera XXIII. Z. wien. ent. Ges. 51: 138-151, 2 Taf., 20 figs. **TAX ATL BIO DIS MOR GEN** [available in Cesa Library]
804. **Wiltshire,E.P.**, 1966, Österreichische entomologische Iran-Afghanistan Expeditionen. Beiträge zur Lepidopterenfauna, Teil 9. Subfamilien Larentiinae und Ennomiinae (s.l.) (Lep., Geometridae). Middle East Lepidoptera XXII. Z. wien. ent. Ges. 51: 113-138, 4 Taf., 32 figs. **TAX ATL BIO DIS MOR GEN** [available in Cesa Library]
805. **Wiltshire,E.P.**, 1966, Österreichische entomologische Iran-Afghanistan-Expeditionen. Beiträge zur Lepidopterenfauna 6.Subfamilien Alsophilinae und Geometrinae (Lepidoptera, Geometridae) Middle East Lepidoptera xxi. Z. wien. ent. Ges. 51: 27-32, Taf.2. **TAX MOR FAU ATL GEN** [available in Cesa Library]
806. **Wiltshire,E.P.**, 1967, Middle East Lepidoptera XX. A third contribution to the fauna of Afghanistan. Beitr. naturk. Forsch. SWDtl. 26(3): 137-169, 16 pls. **TAX FAU ATL MOR GEN** [available in Cesa Library]
807. **Wiltshire,E.P.**, 1969, Beiträge zur Kenntnis der Fauna Afghanistans. Quadrifinae, Noctuidae (Lep.) (Middle East Lepidoptera XXX). Cas. morav. Mus. Brne 54 (suppl.): 431-446, 3 figs. **TAX MOR FAU GEN BIB** [available in Cesa Library]
808. **Wiltshire,E.P.**, 1970, A review of the genus Pericyma Herrich-Schäffer and neighbouring genera (Noctuidae). Veröff. zool. St. Samml. München 14: 92-111, figs. **TAX MOR FAU ATL GEN BIO BIB ECO** [available in Cesa Library]
809. **Wiltshire,E.P.**, 1970, Some new Jaspidiinae and Catocalinae mainly from the Sudan (Noctuidae). Veröff. zool. St. Samml. München 14: 112-119, figs. **TAX MOR FAU ATL GEN BIO BIB ECO** [available in Cesa Library]
810. **Wiltshire,E.P.**, 1971, Österreichische Expedition nach Persien und Afghanistan. Beiträge zur Lepidopterenfauna, Teil 15. Noctuidae-Quadrifinae (Middle East Lepidoptera,XXVII). Annln naturh. Mus. Wien 75: 627-649, 2 pls. **TAX FAU MOR GEN BIB** [available in Cesa Library]
811. **Wiltshire,E.P.**, 1971, Middle East Lepidoptera xxix. Noctuidae Quadrifinae. Beitr. naturk. Forsch. SüdWtl. 30(1): 57-63, figs. **TAX MOR FAU GEN ATL** [available in Cesa Library]
812. **Wiltshire,E.P.**, 1976, Middle East Lepidoptera, xxxiii. Some new Lasiocampidae, Noctuidae, Geometridae and Limacodidae. Z. ArbGem. öst. Ent. (1975) 27(3/4): 73-84, 7 figs. 2 Pls. **TAX MOR FAU ATL GEN KEY** [available in Cesa Library]
813. **Wyatt,C.W. & K.Omoto**, 1963, Auf der Jagd nach Parnassius autocrator Avin. Z. wien. ent. Ges. 48: 163-170, 3 Abb. **TRAV FAU ECO ATL** [available in Cesa Library]
814. **Wyatt,C.W. & K.Omoto**, 1966, New Lepidoptera from Afghanistan. Entomops 5: 138-167, figs. **TAX MOR FAU ATL BIB CAT** [available in Cesa Library]
815. **Wyatt,C.W. & K.Omoto**, 1967, New Lepidoptera from Afghanistan. Entomops 6: 170-200, figs. **TAX MOR FAU ATL BIB CAT** [available in Cesa Library]
816. **Wyatt,C.W.**, 1961, Additions to the Rhopalocera of Afghanistan with descriptions of new species and subspecies. J. Lepidopterist's Soc. 15 (1): 1-18, 3 Pls. **TAX MOR FAU ATL** [available in Cesa Library]
817. **Wyatt,C.W.**, 1964, Further additions to the Rhopalocera of Afghanistan. J. Lepidopterist's Soc. 18: 78. **FAU**

818. **Wyatt,C.W.**, 1975, Description de deux nouvelles races d'Afghanistan de *Parnassius* (Lep., Papilionidae). Entomops 36: 105-109, 3 figs. **TAX MOR FAU ATL** [available in Cesa Library]
819. **Wytzman,P.**, 1902, Lepidoptera. [in] Wytzman,P., Genera Insectorum Fasc. 4. Leptocircinae. Bruxelles. **TAX MOR FAU BIB KEY**
820. **Yakovlev,R.V.**, 2006, A revision of carpenter moths of the genus *Holcocerus* Staudinger,1884 (s.l.). Eversmannia Suppl. 1: 1-104, figs. Tula. **TAX MOR FAU**
821. **Yakovlev,R.V.**, 2009, Catoptinae subfam.n., a new subfamily of carpenter-moths (Lepidoptera, Cossidae). Zool. Zh. 88 (10): 1207-1212. **TAX MOR FAU** [available in Cesa Library]
822. **Yata,O.**, 1989, A revision of the Old World species of the genus *Eurema* Hübner (Lepidoptera, Pieridae). Part I. Phylogeny and zoogeography of the subgenus *Terias* Swainson and descriptions of the subgenus *Eurema* Hübner. Bull. Kitakyushu Mus. Nat. Hist. 9: 1-103, 24 pls. **TAX MOR FAU ATL GEO PHY CLA**
823. **Yata,O.**, 1991, A revision of the Old World species of the genus *Eurema* Hübner (Lepidoptera, Pieridae). Part 2. Descriptions of the smila, the hapale, the ada, and the sari (part) groups. Bull. Kitakyushu Mus. Nat. Hist. 10: 1-51, 21 pls. **TAX MOR FAU ATL**
824. **Yata,O.**, 1992, A revision of the Old World species of the genus *Eurema* Hübner (Lepidoptera, Pieridae). Part 3. Description of the sari group (part). Bull. Kitakyushu Mus. Nat. Hist. 11: 1-77, 30 pls. **TAX MOR FAU ATL**
825. **Yata,O.**, 1994, A revision of the Old World species of the genus *Eurema* Hübner (Lepidoptera, Pieridae). Part 4. Description of the hecabe group (part). Bull. Kitakyushu Mus. Nat. Hist. 13: 59-105, pls.5-35. **TAX MOR FAU ATL**
826. **Yu Feng, H. & J.A.Powell**, 2004, Phylogenetic relationships within Heliodinidae and Systematics of Moths formerly assigned to Heliodines Stainton (Lepidoptera, Yponomeutoidea). Publisher Univ of California Press. **TAX MOR FAU ATL GEN CLA BIB**
827. **Zagulyaev,A.K.**, 1975, Fauna of the U.S.S.R. Nasekomye Cheshuekrylye, vol.4 no 5 Nastoyashchie Moli (Tineidae). 547pp., figs. Nauka Publishers, Leningrad. **TAX MOR FAU ATL GEN BIO BIB ECO** [available in Cesa Library]
828. **Zerny,H.**, 1914, Über paläarktische Pyraliden des k. k. naturhistorischen Hofmuseums in Wien. Annln. naturh. Mus. Wien 28: 295-348, 2 Taf. **TAX MOR FAU ATL** [available in Cesa Library]
829. **Zerny,H.**, 1916, Die Beschreibung einer neuen paläarktischen Pyralide. Verh. zool.- bot. Ges. Wien 66: (147)-(149), 2 figs. **TAX MOR FAU ATL** [available in Cesa Library]
830. **Zhdanko,A.B.**, 1994, Systematics and distribution of Lycaenidae of the genus *Thersamonia* (Lepidoptera) [sic]. Ent. Obozr. 73(1): 144-152, 21 figs. [in Russian]. **TAX MOR KEY GEN DIS** [available in Cesa Library]
831. **Zhdanko,A.B.**, 1994, Farsia subgen.n.- A new subgenus of the genus *Vacciniina* (Lycaenidae, Lepidoptera) from the Middle Asia. Ent. Obozr. 73: 151-154, figs. [in Russian]. **TAX MOR GEN CLA** [available in Cesa Library]
832. **Zhdanko,A.B.**, 1995, New genus and species of Hairstreaks (Lycaenidae, Lepidoptera) from Central Asia. Zool. Zh. 74 (10): 120- 124, 2 figs., engl. summ. [in Russian]. **TAX MOR FAU GEN KEY BIB** [available in Cesa Library]
833. **Zhdanko,A.B.**, 1995, On the systematics of the genera *Lycaena* F. and *Heliophorus* Geyer (Lepidoptera, Lycaenidae). Ent. Obozr. 74 (3): 652-661, figs. engl. summ. [in Russian]. **TAX MOR GEN KEY CLA DIS** [available in Cesa Library]
834. **Zolotuhin,V.V.**, 1994, New and little known Lepidoptera Heterocera (Lasiocampidae, Nolidae) from Russia and adjacent territories. Zool. Zh. 73 (10): 62-71 [engl. trans. Ent. rev. 74(8): 84-93, 6 figs.,1995] **TAX MOR FAU ATL BIB DIS**
835. **Zolotuhin,V.V.**, 1998, Further synonymic notes in the Lasiocampidae with the description of a new Euthrix-species (Lepidoptera, Lasiocampidae). Entomofauna 19 (2): 53-74, 23 figs. **TAX MOR FAU GEN BIB** [available in Cesa Library]

Some Illustrations of the Classical Works on South West Asia with some remarks on the species of Afghanistan

“*Lepidoptera Indica*”, published by the authors Frederick Moore, and C.Swinhoe in 1890-1913, is monumental as one of the rare, comprehensive publication in ten volumes on the butterflies of historical British India and adjacent countries. It comprises excellent 835 colour plates of adult insects, as well as caterpillars and pupae. Unfortunately, modern attempts on the same subject appear comparatively poor, both in information, and in illustrations. Selected plates used here represent also some butterflies found in Afghanistan. Some remarks are given here to such species. Similarly, some coloured illustrations especially of moths of British India, published in classical journals like *Proceedings Zoological Society of London* are also given here as examples. All these and similar publications produced in 19 and 20th centuries are still the most important publications in the taxonomy and the fauna of the *Lepidoptera* of South Asia.

In the following part, some representative plates of the British classical books and journals are given. Among the illustrated species, occurring in Afghanistan are also mentioned with some complementary faunistic information.




Fig. 1 - Moore, F., 1893-1896, *Lepidoptera Indica* 2: pl. 98, **figs. 4, 4a**. This species is currently known as “*Hipparchia* (*Neohipparchia*) *parisatis* (Kollar, [1849])”. Originally described from Iran (Fars), and distributed from East Turkey to Caucasus, North Pakistan, Uighur A.R. in rocky places.



Fig. 2 - Moore, F., 1893-1896, *Lepidoptera Indica* 2: pl. 100, **figs. 1, 1a**. This species is currently known as "*Aulocera padma* (Kollar, [1844])". Originally described from Kashmir. Present distribution of the species is from Afghanistan, Baluchistan, Pakistan, North India, Tibet to Myanmar. - pl. 100, **figs. 2, 2a**. This species is currently known as "*Aulocera swaha* (Kollar, [1844])". Like preceding, it is originally described from Kashmir with almost the same range.




Fig. 3 - Moore, F., 1893-1896, *Lepidoptera Indica* 2: pl. 101, **figs. 3, 3a**. This species is currently known as “*Karanasa huebneri* (C.Felder & R.Felder, [1867])”. Type locality of this species is Himalaya occidental.: Lahoul, Shigri, Spiti: Dishungdeo. Its range is restricted to east Afghanistan Safedkoh, North Pakistan, Chitral, Gilgit, Kashmir and Ladak, at the alpine zone and rocky, stony places.




Fig. 4 - Moore, F., 1893-1896, *Lepidoptera Indica* 2: pl. 103, **figs. 1, 1a**. This species is listed here as “*Hyponephele* (s.str. (*Turaninephele*)) *davendra* (Moore, 1865)”. It is described from Tibet, and North India (Kunawur). Its range is from Iran, Turkmenistan, Kirgizistan, Uighur A.R., Afghanistan, North Pakistan to North India. **Figs. 3, 3a**. This species is listed here as “*Hyponephele* (s.str. (*Turaninephele*)) *brevistigma* (Moore, 1892)”. It was described from Ladak Dras, Kardong; also found in Afghanistan, Pamir (Tadjikistan), Kirgizistan, North India.




Fig. 5 - Moore, F., 1893-1896, *Lepidoptera Indica* 2: pl. 112, **figs. 5, 5a**. This species is listed here as “*Ypthima bolanica* Marschall, 1882”. The species was described at Mach in the Bolan pass (Pakistan). It is also found in Oman, East Iran, Baluchistan, and Afghanistan.




Fig. 6 -Moore,F., 1896-1899, *Lepidoptera Indica* 3: pl.267, **figs. 1a-e**. This species is listed here as “*Athyma (Tatisia) selenophora* (Kollar,[1844])”. It was described from Kashmir and also distributed from Afghanistan, India, Myanmar, Thailand, China, Taiwan to the Philippines and Japan.



Fig. 7 -Moore,F., 1899-1900, *Lepidoptera Indica* 4: pl.306, **figs. 1a-c**. This species is listed here as “*Cyrestis* (s.str.) *thyodamas* Boisduval,1836”. The species is well represented in the Orientalic Region, also in Japan. Westernmost area of its distribution is Afghanistan, represented by ssp. *afghana* described by Martin in 1903.




Fig. 8 -Moore,F., 1899-1900, *Lepidoptera Indica* 4: pl.311, **figs. 1a-e**. This species is listed here as “*Precis (Junonia) orithya* (Linnaeus,1758)”. A palaeotropical species. Recently found also in South Turkey.




Fig. 9 -Moore,F., 1899-1900, *Lepidoptera Indica* 4: pl.316, **figs. 2,2a**. This species is listed here as "*Nymphalis xanthomelas* (Esper,[1781])". A palaearctic species known also in Afghanistan (Paghman, Koh-i Baba, Kabul, Panshir, etc.). **Figs 3,3a**. This species is listed here as "*Aglais kaschmirensis* (Kollar,[1844])", described from Kashmir. It is also known from Afghanistan (Kabul), Baluchistan, Northern Pakistan (Chitral), Northern India.



Fig. 10 -Moore,F., 1899-1900, *Lepidoptera Indica* 4: pl.317, **figs. 2,2a**. This species is listed here as “*Aglais rizana* (Moore,1872)”, described from India (Kunawur). It is also known from Tadjikistan, Afghanistan, Pakistan (Chitral), North India, Sikkim, and Ladak.



Fig. 11 -Moore,F., 1899-1900, *Lepidoptera Indica* 4: pl.371, **figs. 1,1a-b**. This species is listed here as “*Argynnis* (*Protodryas*) *kamala* Moore,1857”, described from East India, also known from East Afghanistan, North Pakistan, and North India.



Fig. 12-Moore,F., 1899-1900, *Lepidoptera Indica* 4: pl.373, **figs. 1a-b.** This species is listed here as “*Argynnis* (*Argyreus*) *hyperbius* (Linnaeus,1763)”. Palaetropical species to the Philippines and Australia, also known in Afghanistan, Pakistan (Chitral).




Fig. 13-Moore,F., 1899-1900, *Lepidoptera Indica* 4: pl.374, **figs. 1a-c.** This species is listed here as “*Argynnis (Fabriciana) jainadeva* Moore,1865”, described from India (upper Kunawur), also known in Afghanistan (Safed Koh), North Pakistan (Chitral), Ladak, North India.



Fig. 14-Moore,F., 1899-1900, Lepidoptera Indica 4: pl.375, **fig. 1**. This species is listed here as “Issoria issaea Moore,1857”. It is also known in Afghanistan.




Fig. 15 - Butler, A.G., 1880, On a collection of Lepidoptera from Candahar. Proc. Zool. Soc. Lond. 1880: pl.39 **fig.1** Listed here as "*Hyponephele interposita*" described by Erschoff in 1874 from Central Asia, but it is represented also in Afghanistan, ranging from Iran to Central Asia (Kazakhstan, Uighur ili, Mongolia) and Pakistan. **Fig.2** Listed here as "*Melitaea fascelis robertsi*" described by Butler in 1880 from Candahar as distinct species but currently considered as a subspecies of *M. fascelis* [=trivia]. **Figs.3-4** Described as "*Lampides contracta*" by Butler in 1880 from Candahar, but it is currently considered as junior synonym of *Chilades parrhasius* (Fabricius, 1793), ranging from Arabian Peninsula, Iran to India, Philippine Islands. **Fig.5** described as a distinct species "*Chrysophanus stygianus*" by Butler in 1880 from Candahar but it is currently considered as a subspecies of *Lycaena phlaeas* (Linn.) from Afghanistan, Pamir (Tadjikistan), and northern Pakistan.





Fig. 16 - Swinhoe, C., 1885, List of Lepidoptera collected in Southern Afghanistan. Trans. Ent. Soc. London 1885: **Pl. 9**. Following figures represent the species described from Afghanistan, however, some of them are currently considered invalid. These are as follows; **Fig. 1** “*Chaerocampa stipularis*” [= *Rethera komarovi stipularis* (Swinhoe, 1885)] (Afghanistan, Pakistan); **Fig. 2** “*Caradrina belucha*” [= *Caradrina* (*Eremodrina*) *belucha* Swinhoe, 1885] (from Turkey (Gürün) to Pakistan, Uighur ili (Korla)); **Fig. 3** “*Spaelotis coriscantis*” [= *Autophila* (*Cheirophanes*) *gracilis* (Staudinger, 1874)] (from Iran to Uighur ili); **Fig. 4** “*Agrotis cespitis*” [= *Euxoa cespitis* (Swinhoe, 1885)] (from Iran to Pakistan); **Fig. 5** “*Agrotis conformis*” [= *Eugnorisma conformis* (Swinhoe, 1885)] (Afghanistan, Pakistan (Quetta)); **Fig. 6** “*Orthosia uniformis*” [= *Hoplodrina ambigua* (Denis & Schiff., 1775)] (Palearctic); **Fig. 7** “*Axiopaena fluviatilis*” [= *Axiopoena maura* (Eichenwald, 1830)] (from Caucasus to Pakistan); **Fig. 8** “*Catocala afghana*” [= *Catocala afghana* Swinhoe, 1885] (from Turmenistan to Kazakhstan and Pakistan); **Fig. 9** “*Tephрина ossea*” [= *Tephрина ossea* Swinhoe, 1885] (Pakistan (Quetta)).



Annotated Checklist of the Lepidoptera of Afghanistan

List of the species of the Afghani Lepidoptera is divided below into two groups, namely butterflies and moths. Under these titles, the species are mentioned alphabetically under the families, together with the chronologically arranged synonymous names. English vernacular names are given in blue colour, while Turkish vernaculars in orange, if exist. References to the original descriptions are in green and added to some taxa. Range of the species are mentioned as codes and in brown colour. Totally 239 species of 9 families are given under "Butterflies". Similarly, 1436 species of 42 families are listed under the title "Moths".

Butterflies

Papilionidae

- Atrophaneura (s.str. (Byasa)) latreillei (Donovan,1826)** (Papilionidae) Synonym(s): *latreillei* Donovan,1826; *minereus* Gray,1831. Rose Windmill Gülrengi Rüzgardeğirmeni Papilio latreillei Donovan,1826, Naturalist's Repository 4: pl.140. Type(s): Nepal. AF Ng IN Ass Nag Kma Mus Mpr NP PK SI MM LA VN Ton CN
- Atrophaneura (s.str. (Pachliopta)) aristolochiae (Fabricius,1775)** (Papilionidae) Synonym(s): *aristolochiae* Fabricius,1775; *diphilus* Esper,[1793]; *thoas* Swainson,1833. Common Rose Loğsakelebeği Papilio aristolochiae Fabricius,1775, Syst. Ent.: 443. Type(s): Indiae orientalis. AF IN Ass Slo PK ID Shw TW PH Bat TH Bnk CMa Cuo Cu07 Cu09 Cu10 Cu12 CDo CD2 Nrt Cbi Knc Lop Sbu Rat Rng Yal Tng Pap Mro Mae Dst Kao Ntt SPa Sgk Hya Tnc PSu MY Lkw P-T SG VN Ton Tda LA L13 L25 L39 L28 L31
- Hypermnestra helios (Nickerl,1846)** (Papilionidae) Synonym(s): *helios* Nickerl,1846; *maxima* Lang,1884; *persica* Neuburger,1900; *hyrcana* Sheljuzhko,1956. Desert Apollo Çölapollosu Ismene helios Nickerl,1846, Stettin ent. Ztg. 7: 208, Pl.[3], figs.A-D. T-S Al Aa AF BI Db IR Bu Se Kh Bm Kbb KG Kp Ky PK Syr TJ Tm TM UZ CN Ui
- Papilio (s.str. (Alexanoria)) alexanor Esper,[1800]** (Papilionidae) Synonym(s): *polidamas* De Prunner,1787 nec Linn.,1758; *alexanor* Esper,[1800]; *polychaon* Loche,1801; *destelensis* Nel & Chauliac,1983. Southern Swallowtail, Tiger Swallowtail Kaplan Kirlangıçkuyruk Papilio alexanor Esper,[1800], Die Schmett., Suppl. I,1: 89, Taf.110 fig.1 (nom. nov. pro *Papilio polydamas* De Prunner,1798) Type(s): "Nice en Provence" (ex De Prunner,1798: 69). AF AL B-H FR GR HV IL IQ AZ Nv Ord Cc Arr IR Ab Ak Zj Fa Elb Th IT JO KG KK LB Ftr Aiz MK Si TJ TM TR UZ SS B-H HV Syr Tm PK BI T-S
- Papilio (s.str.) machaon Linnaeus,1758** (Papilionidae) Synonym(s): *machaon* Linnaeus,1758; *reginae* Retzius,1783; *umbellatarum* Fabricius,1807; *aurantiaca* Speyer,1858. Swallowtail, Common Yellow Swallowtail Kirlangıçkuyruk Papilio machaon Linnaeus,1758, Syst. Nat. (Ed 10)1: 462. Type(s): Europe. AF AL AM Ao At AT BE BH B-H BY Ch CH CN Co Cr CY CZ DE DK DZ EE ES Mu FI FR GB GG GR HV Ii IN IQ IR Ir IT KG Kmt Kp Kr Krl Ku KW LB LT LU LV MA MD MK MN MT NL NO OM PK PL PT QA Rd RU Sa SA SE Sh Si SK Sm So Sr SS SY TM TN TR UA Ui Uk US UZ VI Ya Ass BG Ci BT Chb Hkk JP Kis Kr Mc MM NP Pja Shn SI Teb Ti Vv Yu Sju Trb Mst Slv Rg Rtc Mt Ko JO Kts Tm KK KP KR Um Mre Cp Bn Cho Ax Dj DsA Ii Ket KuA Sau Sem Tar TeA Tk TrA T-S Ab Ak Elb Th Ss Ke Fa Ba Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ces CA Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Lug Mdr Mlg Mu18 Nrr Ore Pv Ple Rio Seg Sma Sor Svl Ter Tol Trg Val Vel Zg Zm Bei Bmm YU RO HU AZ TJ Zj Als Yuk BCo Abt Ssk Mnt On Qb Qg US MX Arz Cf Col Id Kan Mch Mon Ndk NMx Ne Neb Org Sdk Ut Ws Wy TW Gn IL Pa Hf Shn Yu VN Ton Ass Cc
- Parnassius (Driopa) mnemosyne (Linnaeus,1758)** (Papilionidae) Synonym(s): *mnemosyne* Linnaeus,1758 Clouded Apollo, Clouded Parnassius Dumanlıapollu Papilio mnemosyne Linnaeus,1758, Syst. Nat. (Edn.10) 1: 465. Type(s): Finlandia. AF AL Cc AM AT Ba BG B-H BY CH CZ DE DK EE ES FI FR GG GR HU HV IR IQ IL IT KG KK Kr LB LT LV MK NO PL RO RU SE Si SK Sm So Sr SS TJ TM TR UA Uk UZ VI YU Mt Ko Mkl Trb Dur Sof Rg Rtc Slv Zag Skp Beo SY Aa Ax Dj DsA Ik Ike Ket T-S KuA Sem T-A Tk Tu TrA TI CN Ui Brk Fa Ab Ak Gh Gor Ara Lo Elb Mz Eri Alg AZ Nv Dz Teb Kc Ist
- Parnassius (Kailasius) autocrator Avinoff,1913** (Papilionidae) Synonym(s): *autocrator* Avinoff,1913 Parnassius charltonius ssp. *autocrator* Avinoff,1913, Horae Soc. ent. ross. 40 (5): 16-17, Pl.ii fig.5. Type ♀: [Tadjikistan]: Darwas, Gushnon Pass. AF Anj Bd Bqu Pm TJ Wk Mgb
- Parnassius (Kailasius) charltonius Gray,[1853]** (Papilionidae) Synonym(s): *charltonius* Gray,[1853]; *#mendica* Bryk,1912. Regal Apollo Kralapollu Parnassius charltonius Gray,[1853], Cat. Lepid. Ins. Br. Mus.: 77, pl.12 fig.7. Syntypes: [India]: Kumaon (after Riley). PK Bg AF Bd Bt Ch Ci CN Ui Hp IN KK Kk Nu Pm T-A Ti TJ
- Parnassius (Kailasius) inopinatus (Kotzsch,1940)** (Papilionidae) Synonym(s): *inopinatus* Kotzsch,1940 Kailasius inopinatus Kotzsch,1940, Ent. Z., Frankf. a. M. 54: 17. Holotype ♂: Northwest Afghanistan: Firuskuhi Kette. AF Bm Hk Ng
- Parnassius (Koramius) delphius (Eversmann,1843)** (Papilionidae) Synonym(s): *delphius* Eversmann,1843 Banded Apollo Bandlı Apollo Doritis delphius Eversmann,1843, Bull. Soc. Nat. Moscou 16: 541, t.7, figs.1a,b. Type(s): Altai [patria falsa]; [Kazakhstan]: Dschungarischer Alatau. Aa AF Ax Bc Bd Bg Bik Blt Bt

Ch Ci CN Dj Drw Fe Ga Gg Hk Hp Hu IN Ju Kbb KG KK Kml Ku KuA Ld Msg Na Nks Nmg Nrk PK Pm Prg Sdh Sem
Shg Slt Spi Sry TeA TJ Tk Tkl Tls TrA T-S Ui UZ Ys Ik DsA Sus

11. **Parnassius (Koramius) jacobsoni** Avinoff,1913 (Papilionidae) Synonym(s): *jacobsoni* Avinoff,1913
Jacobson's Apollo *Jacobson'un Apollusu* *Parnassius delphius* ssp. *jacobsoni* Avinoff,1913, Horae Soc. ent. ross.
40 (5): 20, Pl.ii figs. 8,9. Syntypes ♂♂: [Tadjikistan] : "Pamiro centrali" Zentral Pamir: Pshart Pass, Kisil-jar,
Pamirski Post. Pm TJ AF Bd Hk Slg Nks
12. **Parnassius (Koramius) staudingeri** A.Bang-Haas,1882 (Papilionidae) Synonym(s): *staudingeri*
A.Bang-Haas,1882 *Staudinger's Apollo* *Parnassius staudingeri* A.Bang-Haas,1882, Berl. ent. Z. 26(1): 163-164,
pl.2 figs.7,8. Syntypes: [Uzbekistan]: Hazret-Sultan Gebirge, südlich von Samarkand. T-S CN H-S M-A Pm TJ Ui UZ
Z-G AF Bd
13. **Parnassius (Koramius) stoliczkanus** C.Felder & R.Felder,[1865] (Papilionidae) Synonym(s):
stoliczkanus C.Felder & R.Felder,[1865]; *zanskarica* O.Bang-Haas,1934. *Stoliczka's Apollo* *Parnassius stoliczkanus*
C.Felder & R.Felder,[1865], Reise Fregatte "Novara", Lep. Rhop. (2): 138; (3): Taf.69, figs. 2,3 [1867]. Syntypes:
Ladak, Prov. Rupshu pr. Narka (leg. Dr. Stoliczka). TuT Spi Cls Asr Gg Ys Bzl AF Ch Hp IN Ld PK Zo P-P
14. **Parnassius (s.str.) actius (Eversmann,1843)** (Papilionidae) Synonym(s): *actius* Eversmann,1843;
urumtschiensis Verity,[1906]; *jacovlevi* Korb,1998. *Doritis actius* Eversmann,1843, Bull. Soc. Nat. Moscou 16: 540,
Tb.9 figs.2a,b. Type(s): "Altai [sic]" Dshungarischer Alatau (Lukhtanov & Lukhtanov,1994:42). Ch CN KG KK PK Ui
Cho Bc DsA Um Au Ju Pm TJ T-S Na Gg PK T-A Ax Ta Tls UZ Al AF Bd Dj Ii Aa Ket Ku KuA Sem TeA Tk TrA M-A
Anj Bqu Hk Kl
15. **Parnassius (s.str.) epaphus Oberthür,1879** (Papilionidae) Synonym(s): *epaphus* Oberthür,1879; *altynensis*
Stichel,1907. *Common Red Apollo* *Adi Kırmızıapollu* *Parnassius epaphus* Oberthür,1879, Etüd. Ent. 4: 23
(nomen novum pro *jacquemontii* Gray, Cat. Lepid. Br. Mus.: pl.xii, figs.1,2). Type ♀: China: [Uighur A.R.]: "Tartarie
chinoise". AF Alt Amd B-B Ch Cmt CN Grt Haz Hk IN Ld Nsh PK Ci Rup Sz Tat Ti Tib Ts Ui Kma Cho Au Sdh
16. **Parnassius (s.str.) honrathi Staudinger,1882** (Papilionidae) Synonym(s): *honrathi* Staudinger,1882
Honrath's Common Blue Apollo *Honrath'in Adi Maviapollosu* *Parnassius honrathi* Staudinger,1882, Berl. ent.
Z. 26 (1): 161, Taf.1 figs.4,5,5a. Syntypes 20♂ 5♀: [Uzbekistan]: Hazret-Sultan Gebirge, südlich von Samarkand,
2000-2500m. AF Hk H-S Kbb Pm TJ UZ Z-G
17. **Parnassius (s.str.) infernalis Staudinger,1886** (Papilionidae) Synonym(s): *infernalis* Staudinger,1886;
#pseudopatricius Kreuzberg,1997 *Parnassius delphius* var. *infernalis* Staudinger,1886, Stettin ent. Ztg. 47: 195.
Syntypes: [Kirgizistan]: Osh. AF Ch Hu KK Osh T-S PK Pm TJ
18. **Parnassius (s.str.) jacquemontii Boisduval,1836** (Papilionidae) Synonym(s): *jacquemontii*
Boisduval,1836 *Keeled Apollo* *Parnassius jacquemonti* Boisduval,1836, Hist. Nat. Ins., Sp. Gén. Lép. 1: 400.
Type ♂: Kashmir. AF Al Ch Ci CN Ui Fe Hp H-S Hu IN PK Pm Sha Sz T-A Ti TJ Ts UZ Al KK T-S Osh
19. **Parnassius (s.str.) tianschanicus Oberthür,1879** (Papilionidae) Synonym(s): *tianschanicus*
Oberthür,1879; *discobolus* Staudinger,1881; *discobolus* Alpheraky,1881. *Celestial Apollo* *Tanrıdağıapollusu*
Parnassius corybas var. *tianschanica* Oberthür,1879, Etüd. ent. 4: 108. Syntypes 1♂ 1♀: [China: Uighur A.R.]: Foret
de Kouldja; Thianschan [Tengri Tagh] (montagnes célestes de la Chine). Aa AF Al Alt Au Ax Bg Ch Bg Ys Sha Ci CN
Fe Gg Hk Ket KG Db KK Dln KuA Mn Na Nrk PK Pm Ta T-A TeA TJ Chr Kud Rsh TrA Ui Um UZ Smk Tas T-S Alt
Ku Ju Bc Adu Um Kyz M-A DsA Tar Tk Knd Cht Kl
20. **Princeps (s.str. (Achillides)) bianor (Cramer,[1777])** (Papilionidae) Synonym(s): *bianor* Cramer,[1777];
connectens Mell,1938 nec Fruhst.,1906; *elegans* Chou et al.,2000; *pulcher* Chou et al.,2000; *longimacula* Wang & Niu,2002
Papilio bianor Cramer,[1777], Utitl. Kapellen 2: 10, tab.103 fig.C. Type(s): China. AF Ci PK SI IN Ass Slo Kma Meg NP
BT MM Tns Shn VN Ton LA CN T-T Ti JP RU Sh Krl KP TH CMa CDo CRa Nan Cbi TAK TW
21. **Princeps (s.str. (s.str.)) demoleus (Linnaeus,1758)** (Papilionidae) Synonym(s): *demoleus*
Linnaeus,1758; *erithonius* Cramer,[1782]; *epius* Fabricius,1793; *sthenelus* Macleay,1826; *demoleinus* Oberthür,1879; *pictus*
Fruhstorfer,1898; *#chryseis* Boullet & Le Cerf,1912; *flavosignatus* Heydemann,1954 *Lime Butterfly* *Nusaybin Güzeli*
Papilio demoleus Linnaeus,1758, Syst. Nat. (Edn.10) 1: 464. Type(s): Asia. SY TR AF AU BH Ch CN ID IN IQ IR Th
KW LK MM MY TW PH Nf Nj OM PG PK QA SA TH CMa UE VN YE Ala Bab Bal Bat Bas Bil Boh Bon Bus
CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan
Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic Alo Shw Grm Sba Ass Slo Cm1 Phr TAK Non Chy Nrt Knc
Bnk Rat Chu Cbi Ray Rng Srt Tng Phu Sat Ptt Yal Nna Dst Qs Cuo Cuo5 Cuo7 Cu10 Cu12 Phi Pno Ton Ann KH LA
NP Ctw Ctw1 Ctw2 Ctw3 Ctw4 Ctw5 Ctw6 Ctw7 Fa Kz Es Hz Ke Ss Yz Bu By Hil Sum Ja Bor Hn Flo Alo Bli CDo CD2
Tnc Hya Sgk Tda Pmy Bgd

Pieridae

22. **Aporia (Metaporia (Turanoporia)) leucodice (Eversmann,1843)** (Pieridae) Synonym(s): *leucodice*
Eversmann,1843; *altensis* Heyne,1895; *morosevitshae* Sheljuzhko,1907. *Blackvein Karadamar* *Pontia leucodice*
Eversmann,1843, Bull. Soc. Nat. Moscou 3: 541, pl.7 figs.2a,b. Syntypes: [Kasachstan]: Noor-Saisan, Tarbagatai. AF
Ax Bl Bog CN Dj DsA Fe Hk Hr IR Mz Go Elb KG KK Ktm KuA Mn PK Ci Zi Sau Sem Sp Tar TeA Tk TrA T-S Ui Ku
Tu Um Adu Z-G
23. **Aporia (s.str.) crataegi (Linnaeus,1758)** (Pieridae) Synonym(s): *crataegi* Linnaeus,1758; *nigronevrosus*
Retzius,1783; *minor* Verity,1907; *basanius* Fruhstorfer,1910; *crataegiaugusta* Verity,1937. *Black-veined White*
Alicbeyazi *Papilio crataegi* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 467. Type(s): [Europe]. Ae AF AL AM Ao At AT AZ
Ba BE BG B-H Bs BY Ch CH CN CY CZ DE DK DZ EE ES FI FR GG Gn GR HU HV IL IQ IR IT JP Kg KG KK KP Kr
Krl LB LT LU LV MA MK MN NL No NO Om Or PL PM PT Rd RO RU Sb SE Si Sj SK SM So Sr SS SY Sz Ti TJ TM To
TR Ts Tt UA Ui Uk VI Tm T-S Aq Ax Bog Dg DsA DsA Ka Kt Ktm KuA Kw Mn Pp Pw Rk Sp Syr Tar TeA Tk TrA Ze

Mt Ko Sjr Sof Ril Slv Rtc Rg Vrn Beo JO Ktn Bn Kp Kh Ab Ak Kz Fa Ke Lo Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRE Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Cc Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio Seg San Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm Yz TN Kml Bc

24. **Belenois aurota (Fabricius,1793)** (Pieridae) Synonym(s): *mesentina* Cramer,[1780] *nec* Cr.,[1777]; *aurota* Fabricius,1793; *augusta* Olivier,1804; *syrinx* Wallengren,1860; *lordaca* Walker,1870; *auriginea* Butler,1886; *turanica* Sheljuzko,1908; *#iris* Gauckler,1912; *#sulphurea* Gauckler,1912; *#pusillima* Strand,1915; *#punctifera* Hulstaert,1924. Pioneer, Caper White Beyazöncü *Papilio aurota* Fabricius,1793, Ent. Syst. 3(1): 197. Type(s): Coromandel. AF DJ EG ER ET IL Js Pa Hf IN IQ Qg IR Kz Fa Ke Ss JO KE LB Bei LK MG NA OM PK Ci Cp SA SD SO SY TR TZ UG YE ZA Tva Lpo Kru Pf Spb Ent Lj Mdk Jh Pre Gau Nta Kzu Ptb Est Tug Wnn Mpu ZR TM TJ NP
25. **Catopsilia pomona (Fabricius,1775)** (Pieridae) Synonym(s): *pomona* Fabricius,1775; *crocale* Cramer,[1775]; *jugurtha* Cramer,[1777]; *catilla* Cramer,1779; *hilaria* Stoll,1781; *lalage* Herbst,1792; *alcmeone* Fabricius,1793; *titania* Fabricius,1798; *jugurthina* Godart,1819; *endeer* Boisduval,1832; *phlegus* Wallace,1867; *flava* Butler,1869; *heera* Swinhoe,1885; *flavescens* Fruhstorfer,1910; *latilimbata* Fruhstorfer,1910; *celebica* Fruhstorfer,1910; *ostentata* Fruhstorfer,1910; *micromalayana* Fruhstorfer,1910; *rivalis* Fruhstorfer,1910; *crocalina* Fruhstorfer,1910; *citronella* Fruhstorfer,1910; *nivescens* Fruhstorfer,1910; *perspicua* Fruhstorfer,1910; *serrata* Fruhstorfer,1910; *bidotata* Fruhstorfer,1910; *siscia* Fruhstorfer,1910; *dionysiades* Fruhstorfer,1910; *pura* Lindner,1924; *formosana* Sonan,1930 Lemon Emigrant Sargöçmen *Papilio pomona* Fabricius,1775, Syst. Ent.: 479. Type(s): Nova Hollandia. PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic LK IN Ass Slo MM Adm Nk AF PK Ci TH CMA Dst Qs Lmp Tht Cm1 Cuo Cuo1 Cuo2 Cuo8 Cuo9 Cuo10 CDo CD2 Dsk Hpt Nst Lsa Ths Knc Sbu Bnk Nrt Pbu Rat Sgk Hya Tnc VN Ton Tda
26. **Catopsilia pyranthe (Linnaeus,1758)** (Pieridae) Synonym(s): *pyranthe* Linnaeus,1758 Mottled Emigrant Alacalgöçmen *Papilio pyranthe* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 469. Type(s): Asia. PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic AF PK IN Ass Slo NP SI MM TH Nst Chw CMA CDo MY LK VN ID Cnz Czi1 Cuo Cu12
27. **Colias (Eriocolias) alpherakii Staudinger,1882** (Pieridae) Synonym(s): *alpherakii* Staudinger,1882; *#leucophryna* Groum-Grshimailo,1893. Green Clouded Yellow Alferaki'nin Azameti *Colias alpherakii* Staudinger,1882, Berl. ent. Z. 26(1): 164-166. Syntypes: [Tadjikistan]: Alai-Gebirge; [Uzbekistan]: Prov. Samarkand: Hazret-Sultan-Gebirge. AF Al Ci H-S Kbb PK Pm Pnj Sha TJ UZ CN Ui
28. **Colias (Eriocolias) cocandica Erschoff,1874** (Pieridae) Synonym(s): *cocandica* Erschoff,1874; *#hybrida* Groum-Grshimailo,1893; *#galba* Groum-Grshimailo,1893. Khokandian Clouded Yellow Kokand Azameti *Colias nastes* var. *cocandica* Erschoff,1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepidoptera): 6, pl.1, fig.3. Syntypes: Schurowski-Gletscher. AF Hk Kbb Bc Bqu PK Gg Hu CN Gn Ti Ui Kl Kml Cho Rth T-S KK Ld Ln Sda UZ KG TeA KuA TrA Ax Al T-A
29. **Colias (Eriocolias) fieldii Ménéttriés,1855** (Pieridae) Synonym(s): *fieldii* Ménéttriés,1855 Himalayan Clouded Yellow Himalaya Azameti *Colias fieldii* Ménéttriés, 1855, Cat. Mus. Petrop., Lepid. 1: 79, pl.i fig.5. AF Cp Mre Ci CN Gg Gn Hk Ld Nu PK Pj Si Ti Bl IN Ass Slo
30. **Colias (Eriocolias) marcopolo Groum-Grshimailo,1888** (Pieridae) Synonym(s): *marcopolo* Groum-Grshimailo,1888; *#diana* Schulte,1989. Marcopolo's Clouded Yellow Markopolo Azameti *Colias Marco-Polo* Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 304-305. Syntypes ♂♂: [Pakistan]: Hindukusch orient. [Hunza] AF Bd Bik Ch Gg Hk Hu Kbb PK Pm TJ Wk
31. **Colias (Eriocolias) shahfuladi Clench & Shoumatoff,1956** (Pieridae) Synonym(s): *shahfuladi* Clench & Shoumatoff,1956; *#christinae* Schulte,1989. Clench's Clouded Yellow Shafuladi Azameti *Colias shahfuladi* Clench & Shoumatoff,1956, Vidensk. Medd. fra Dansk naturh. For. 118: 173-175. Holotype ♂: Afghanistan: Koh-i-Baba Mts.: Mt. Shah Fuladi, between Surtu and top, Takatu, 4500m. AF Kbb
32. **Colias (Eriocolias) wiskotti Staudinger,1882** (Pieridae) Synonym(s): *wiskotti* Staudinger,1882 Broad Bordered Clouded Yellow Hindukuş Azameti *Colias wiskotti* Staudinger,1882, Berl. ent. Z. 26(1): 166-168, Taf.2 figs.9,10. Syntypes: [Tadjikistan]: Alai-Gebirge; [Uzbekistan]: Hazret-Sultan-Gebirge. PK Nwf Ci AF Al T-S Hk H-S TJ UZ Pm KK Ik Ax Kbb KG Tls IR Kh
33. **Colias (Neocolias) erate (Esper,[1805])** (Pieridae) Synonym(s): *erate* Esper,[1805]; *afghana* O.Bang-Haas,1927 Eastern Pale Clouded Yellow Doğu Azameti *Papilio erate* Esper,[1805], Die Schmett. (Suppl.) 1(2): 13, pl.119, fig.3. Type(s): Russia: Sarepta. AF Anj Ao AT At Att Aty Au Ba Bd BG Bqu BY Ci Cp Mre CN CZ Dj Ga GR Hk HU IR LB Kab Kbb KG KK Ku Ld Nu Pag PK PL Pnj RO RU Sem SK Sm So Sr TJ TM TR UA Ui Uk UZ VI YE YU Ser Gj Or Aq Mg Ky Rk Kt Ka Sp Tk Aa Db Tm TrA KuA TeA Ax Na Nym Ktm MK MD CY Syr TW DsA T-S Fa Ab Ak ET SA As SD
34. **Colias poliographus Motschulsky,1860** (Pieridae) Synonym(s): *poliographus* Motschulsky,1860 Motschulsky's Clouded Yellow Asya Azameti *Colias poliographus* Motschulsky,1860, Etüd. Ent. 9: 29. AF Ci PK CN MN KP Am RU Prj Us JP ?KG ?Aa
35. **Colotis (s.str.) fausta (Olivier,[1804])** (Pieridae) Synonym(s): *fausta* Olivier,[1804] Large Salmon Arab, Salmon Caper Butterfly *Papilio fausta* Olivier,[1804], Voyage dans l'empire Ottoman, l'Egypte et la Perse 4: pl. 33, figs. 4a, b. Type(s): La Cote de Syrie. [Lebanon: Beirut]. LB Bei Ad AF As BH Dh Hd Hj IL Pa Hf IN IQ IR Hz Ke Ss Fa JO KW Nf Nj OM PK QA SA SO SY TD TR YE Bl EG SA Krc Nwf Ca Pj Cp TM
36. **Delias (belladonna-gr.) belladonna (Fabricius,1793)** (Pieridae) Synonym(s): *belladonna* Fabricius,1793 Hill Jezebel *Papilio belladonna* Fabricius,1793, Ent. Syst. 3(1): 180. Type: [Tong-King]. Ch CN Hun Fkn Kig Sz Yu VN Ton Ann Meg Ass IN Slo Nag BT Khs Shn MM Tns NP SI LA Kma Kul Hp Sml AF TH CMA Dst Dso9 MY ID Clb Sum Dp
37. **Euchloe (s.str.) ausonia (Hübner,[1804])** (Pieridae) Synonym(s): *ausonia* Hübner,[1804]; *marchandae* Geyer,[1832]. Dappled White, Green-Dapled White Dağ Oyklösü *Papilio ausonia* Hübner,[1804], Samml.

- eur. Schmett. 1: pl.113, figs.582-583; 64-65. Syntypes:Italien. Aa AF AL Cc AM Ao At AZ Ba BE BG B-H Bs BY CH Cm CN Co Cr FR GG GR HV IL IQ IR IT JO KG Kp Ku Ky LB LY MK Mn Or Rd RO RU Si Sm Sp Sr SS SY Tk Syr Tm TM TR T-S UA Ui Uk YU Mt Ko Slv Skp Vrn Rg Rtc TrA Aa Sau Tra DsA Mrk Nym Ktm CY Fa Lo Elb Th Zj
38. **Ixias pyrene (Linnaeus,1764)** (Pieridae) Synonym(s): *pyrene* Linnaeus,1764; *aenippe* Cramer,[1779] **Yellow Orange Tip Şafak Uçlu İksiyas** *Papilio pyrene* Linnaeus,1764, *Museum Ludovicae Ulrica*: 241. Type(s): China. AF CN HK LK IN Ass Slo Adm PK Cp Ci Bl Pj Kma Bl Sd Drm TH CMA Cuo Cuo1 Cu10 Cu11 Cu12 CDo Bnk Nst Ths Cbi Nkh MY Prk MM Mrg TW VN Ton Tda Ann
39. **Pieris (Artogeia) canidia (Sparrman,1768)** (Pieridae) Synonym(s): *canidia* Sparrman,1768 **Doğu Beyaz Meleşi** *Papilio canidia* Sparrman,1768, *Amoen. Acad.* 7: 504, note m. Type(s): Regio Indica. AF Ahw CN Feg Fkn Gg Gn Haz HK Hk Hn Hnn Hpe Hph Hun IMn IN Ass Slo Jn Kab KG Kgs Kig KK KP Kst Kwa Kwt KwT Ld Lng Mc NHu Nu Paz Phn PK Ci Kab Mre Pm SG She Shs SI Stg Sz Ti Tkg Ton TW Ui VN Yu RU Vv Kst SI Ug T-S NP TH CMA Cm1 Cuo Cuo7 CDo Int Qs Dso8 Dst Phr Loe Tda PH Luz
40. **Pieris (Artogeia) krueperi Staudinger,1860** (Pieridae) Synonym(s): *krueperi* Staudinger,1860 **Kruper's Small White Krüper'in Beyazmeleşi** *Pieris krueperi* Staudinger,1860, *Wien. ent. Monatschr.* 4: 19-20. Syntypes ♂♀:"Graecia": Arkanania. AF AL BG Chi GR IQ IR Elb Th Fa Ke Ss Kos Ld MK OM PK SY Syr TeA TR Cc Slv Tm Ikc KK KG T-S IN CN Ui Ga UZ Smk
41. **Pieris (Artogeia) rapae (Linnaeus,1758)** (Pieridae) Synonym(s): *rapae* Linnaeus,1758; *nelo* Bergsträßer,1780; *metra* Stephens,1827; *alpica* Rossi,1929. **Small White, Cabbage White. Küçük Beyazmelek** *Papilio rapae* Linnaeus,1758, *Syst. Nat.* (Edn.10)1: 468. Lectotype ♂: [Sweden (Verity,1947)] (LSL). Ae AF AL AT Az BE BG BH B-H BY Ch CH Ci CN Cn Co Cr CY CZ DE DK DZ EE ES FI FR GB Gg GR Hk HU HV IE IN IQ IR IS IT JO JP KG KK Kp KW Ld LT LU LV MA Mc Md MK MN MT Nf Nj NL NO OM PK PL PT QA Rd RO SA Sa SE Si SK SS SY TJ TM TN TR UA UZ YU Aa Am Ao At Aty Ax Ba Bs Cb Ikc Ir Ka Kg KP Kr KuA Kw Ky Mn No Om Pe Pr Pt Pw RU Sb Sj Sm So Sp Sr St TeA Tk Tm Tra Tt Us Vl Cw Dv Smt H-W Sur Ssx Ken Mt Ko Ril Sjn Mst Mkl T-S Um Bl Ci Bn DsA Sja Act Alc Alv Alm Atm Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Mu18 Nrr Ore Pv Rio Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm Lug Ple San US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Id Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi Sca SDk Tnn Tx Ut Vi Vr WVi Wc Ws Wy AU Hw Agh Pa Hf TW Kml JP RU Am Us Sh TW VN D-I Ldo GG AZ Kir AM Cc Arr
42. **Pieris (s.str.) brassicae (Linnaeus,1758)** (Pieridae) Synonym(s): *brassicae* Linnaeus,1758; *chariclea* Stephens,1827; *#venata* Verity,1908; *cyniphia* Turati,1924. **Large White Büyük Beyazmelek** *Papilio brassicae* Linnaeus,1758, *Syst. Nat.* (Edn.10) 1: 468. Type(s): [Europe]. Adr AF AL At AT Az Bd BE BG B-H Bs BY Cb CH CN Co Cr CY CZ DE DK EE ER ES FI FR GB GR Hk HU HV IE İi IL IQ IR IS IT JO Ka Kab Kbb Kg KG KK Kp Kr Kw Ky LB LT LU LV MK MT NL No NO NP Om Pag PK Ci PL PT Pw Rd RO RU Sa Sb SE Si SK So SS Tm TM TR Tt UA Ui UZ Aa Ax Ikc KuA Mn Sp Tk Tra Cw Dv Smt H-W Sur Ssx Ken Ko MA DZ TN Sjn Trb Sof Rg Rtc Slv Mt LY Cy SY Kts T-S Um Bn DsA Elb Th Sju Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Mu18 Nrr Ore Pv Rio Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm Lug Ple San Mu18 IN Ass Slo Dk TH Pa Hf
43. **Pontia callidice (Hübner,[1800])** (Pieridae) Synonym(s): *callidice* Hübner,[1800]; *callidice* Esper,[1803]. **Peak White Dorukların Benekliemeleşi** *Papilio callidice* Hübner,[1800], *Samml. eur. Schmett.* 1:63,pl.81, figs. 408,409. Syntypes: Schweizergebirge. Aa AF At Kts AT Ax Bv Py Fo6 F65 BY Ch CH CN DE DsA ES FR Hu IQ IR Ab Ak Bk Elb Th IT KG KK KuA Ld Mn PK Ci Pm RU Sau Sp SS Tar TeA TJ Tk TR Cc Tra UA Ui Ku Um T-S
44. **Pontia chloridice (Hübner,[1813])** (Pieridae) Synonym(s): *russiae* Esper,[1784] *nec russiae* Esper,[1783]; *chloridice* Hübner,[1813]; *#aestuosa* Staudinger,1901; *albidice* Staudinger,1901 *nec Oberthür,1881.* **Small Bath White, Hübner's Mountain White Küçük Benekliemelek** *Papilio chloridice* Hübner,[1813], *Samml. eur. Schmett.* 1: pl. 141, figs. 712-715. Syntype(s): [Europe]. AF Ao Aq Bn At Ba BG BY Cb Ci CY Dj DsA FI Gg GR IQ Kq IR Ab Ak Elb Th Kh Lo Ka Kbb KG KK Kw Ld LT LV MK Mn MN Mrk Om Or PK Pnj Pw Rk RU Sau Sb Sem Sm So Sp Sr Tar TeA Tk TR Cc Tt UA Uk Uv Slv Rg T-S CN Ui Adu Um
45. **Pontia daplidice (Linnaeus,1758)** (Pieridae) Synonym(s): *daplidice* Linnaeus,1758; *belemida* Geyer,[1832]; *albidice* Oberthür,1881; *iberidice* Bryk,1940. **Bath White Benekliemelek** *Papilio daplidice* Linnaeus,1758, *Syst. Nat.* (Edn.10) 1: 468. Type(s): Europe australis & Africa. Adr AF AL Ao AT Ba BE BG B-H Bw BY CH Cr CZ DE DK ES FI FR GB GR Hk HU HV IE IR IT Kab Kb Kbb Kr LT LU LV MK MT NL Nu Pag PK Ci Cp PL Pnj PT RO RU SA Sa SE Si SK Sm So Sr SS Teb TR UA Uk Vt YE YU Cw Dv Smt H-W Sur Ssx Ken Mt Ko Sof Slv Vrn Rtc Et NP JO Sjn He IL Hf Pa So Ad Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Mu18 Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm TH CMA CDo
46. **Pontia glauconome Klug,1829** (Pieridae) Synonym(s): *glaucanome* Klug,1829 **Desert Bath White Çöl Benekliemeleşi** *Pontia glaucanome* Klug,1829, [in] Ehrenberg, *Symb. Phys. Ins.* 1: signature G, Pl.7 figs. 18,19. Type(s): In Arabia deserta; [Egypt]: in monte Sinai. CV MR MA DZ IQ IR Th Kz Fa Ke Ss SA YE SY JO PK Pj Bl Ci Nwf KE TD SO SD Sk IQ AF UZ TM
47. **Zegris fausti Christoph,1877** (Pieridae) Synonym(s): *fausti* Christoph,1877; *#decolorata* Verity,1908. **Faust's Orange Tip Türkistan Zegrisi** *Zegris fausti* Christoph,1877, *Horae Soc. ent. ross.* 12: 231-232, Taf.v figs.1,2. Syntypes: [Turkmenistan]: Krasnowodsk. T-S Kpt Aa AF İi KG Krn TJ TM Tra UZ IR Kh

Argynnidæ

48. **Aglais kaschmirensis (Kollar,[1844])** (Argynnidæ) Synonym(s): *kaschmirensis* Kollar,[1844] **Kashmiri Tortoiseshell Keşmir Aglaisi** *Vanessa kaschmirensis* Kollar,[1844], [in] Hügel, *Kaschmir und das Reich der Siek* 4: 442, Pl.11 figs. 3, 4. Type(s): [India]: Kaschmir. AF Ch IN Kab Ld Pag SI NP Ci PK Wa Bl Kul Nwf Sfk Abb
49. **Aglais nixa (Groum-Grshimailo,1890)** (Argynnidæ) Synonym(s): *nixa* Groum-Grshimailo,1890 **Pamir Aglaisi** *Vanessa urticae* var. *nixa* Groum-Grshimailo,1890, [in] Romanoff, *Mém. lépid.* 4: 426. Syntypes:

- Tadjikistan: South of Darvaz: Khoubou-rabat, 9000ft. Lectotype ♂: "Hissar Mt." designated by Murzin, 2000 [in] Tusov, et al. Guide Butts. Russia 2: 30-31 (BMNH). **TJ Pm AF PK CN Ui**
50. **Aglais rizana (Moore, 1872)** (Argynnidæ) Synonym(s): *rizana* Moore, 1872 **Hindukuş Aglaisi** Vanessa *rizana* Moore, 1872, Proc. zool. Soc. Lond. 1872: 559. Syntypes: India: Kunawur. **Ld TJ PK Sfk AF SI Ci IN Knw Hp**
51. **Argynnis (Argyreus) hyperbius (Linnaeus, 1763)** (Argynnidæ) Synonym(s): *hyperbius* Linnaeus, 1763; *niphe* Linnaeus, 1767. **Papilio hyperbius** Linnaeus, 1763, *Amoenitates Academicæ seu dissertationes physicae*... 6: 408. Type(s): China. **ET IN Ass Slo MM CN Ui TW LK TH Chy CMa CDo Loe MY ID Ja Sum AF PK BI Ci Cp Mre PH Luz Mdo AU**
52. **Argynnis (Fabriciana) argyrospilata Kotsch, 1938** (Argynnidæ) Synonym(s): *argyrospilata* Kotsch, 1938 **Argynnis argyrospilata** Kotsch, 1938, Ent. Rdsch. 55: 360, [2 figs.] Syntypes 3♂♂: [Afghanistan]: Chodja-Mahomed, 2800-3000m. **AF**
53. **Argynnis (Fabriciana) jainadeva Moore, 1865** (Argynnidæ) Synonym(s): *jainadeva* Moore, 1865 **Safed Koh Fritillary** *Argynnis jainadeva* Moore, 1865, Proc. zool. Soc. Lond. 1865: 495-496, Pl. 30 fig. 1. Syntypes: India: Upper Kunawur. **Hp IN Knw Ld Sfk AF PK Ci Nwf**
54. **Argynnis (Pandoriana) pandora ([Denis & Schiffermüller], 1775)** (Argynnidæ) Synonym(s): *pandora* [Denis & Schiffermüller], 1775; *maja* Cramer, 1775 nec *Fabricius*, 1775; *cynara* *Fabricius*, 1777; *cyrnea* *Schwerda*, 1926; *transcaucasica* *Moucha*, 1967; *deserticola* *Gross & Ebert*, 1975. **Cardinal, Great Fritillary** *Bahadır* *Papilio pandora* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 176. Type(s): Austria: Vienna district. **AF AL AM At AT AZ BG B-H BY CH CN Cn Co Cr CZ DZ DE EE ES Fe FR GG GR HU HV IQ IR IT LB Kr MA MK PL PT RO RU Sa Si SK Sr SS TJ Pm TM TN TR T-S UA Ui UZ VI YU Z-G LAT Wn SY Aq Uk KG Nym Buc Ktm Sau Tar DsA Ket Bog Tu TeA KuA TrA Tm Ax KK Um PK Gg Ci Adr Mu Mu18 Um Ae CY T-S Elb Th Nv Ord Tbl Bjo Smt Cc Mos**
55. **Argynnis (Protodryas) kamala Moore, 1857** (Argynnidæ) Synonym(s): *kamala* Moore, 1857 **Kamal Fritillary** *Argynnis kamala* Moore, 1857, [in] *Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy* (1): 156, nr. 324. Type(s): Himalaya boreo- occ. **Ld PK Abb Ci IN Kma Sfk AF**
56. **Athyma (Tatisia) selenophora (Kollar, [1844])** (Argynnidæ) Synonym(s): *selenophora* Kollar, [1844] *Limenitis selenophora* Kollar, [1844], [in] *Hügel, Kaschmir und das Reich der Siek* 4: 426, Taf. 7, figs. 1, 2. Type(s): Kaschmir. **AF Ch Hr IN CN HK TH CMA CDo Pbu Phi Cbu Chy Nna Cbi Rng Nst Ths Sya PH Pal TW JP**
57. **Boloria (Procrossiana) erubescens (Staudinger, 1901)** (Argynnidæ) Synonym(s): *erubescens* *Staudinger*, 1901 **Tanrıdağları Noktalıkelebeği** *Argynnis hegemonye* var. *erubescens* *Staudinger*, 1901, *Cat. lepid. palaeart. Faunengeb.* 3(1): 35, nr. 209a. Type(s): [China: Uigur A.R.]: Korla (alp?). **Aa AF Cho CN Db Fe Ju KG KK Kl Ku Tk T-S Ui Uit Um Adu UZ DsA TrA Ket TeA KuA Ax Ci Hu Gg PK**
58. **Boloria (s.str.) generator (Staudinger, 1886)** (Argynnidæ) Synonym(s): *generator* *Staudinger*, 1886 **Uygur Menekşekelebeği** *Argynnis pales* var. *generator* *Staudinger*, 1886, *Stettin ent. Ztg.* 47: 235. Syntypes ♂♂: [Usbekistan]: Alai (Margelan), Usgent, Namangan; [Kirgizistan]: Osch; [China]: Tianschan [Tengri Tagh]. **Aa AF CN Db Fe Hk Ju KG KK Sem Tj Tk T-S Ui UZ Osh DsA TeA TrA Ket KuA Ax Ch Lho IN**
59. **Vanessa (Cynthia) cardui (Linnaeus, 1758)** (Argynnidæ) Synonym(s): *cardui* Linnaeus, 1758; *carduelis* *Cramer*, 1775; *elymi* *Rambur*, 1829; *kershawi* *McCoy*, 1868; *pallida* *Schoyen*, 1881; *universa* *Verity*, 1919; *takesakiana* *Kato*, 1925. **Painted Lady** *Dikenkelebeği* *Papilio cardui* Linnaeus, 1758, *Syst. Nat. (Edn. 10)* 1: 475. Syntypes: Europa, Africa [Sweden (Verity, 1950)]. **Ad Ae AF AL As At AT Az BE BG BH BY Ch CH CN Co Cr CY CZ DE Dh DK EE ES FI FR GB GR Hd Hj HU IE IL IN IQ IR IS IT JO KG KK KW LB Ld LT LU LV MN MT Mu Nf Nj NL NO PH PK PL PT QA Rd RO RU SA Sa SE SI Si SK SY Ti TJ TM TR T-S UA Ui UZ YE YU SS HV B-H MK Mt AO BF BI BJ BW BZ CF CG CI CM Cn Dj Dj DZ EG EH ER ET FP GA GH GM GN GO GW KE KM LR LS LY MA MG ML MR MW MZ NA NE NG RW SC SD Sem SL SN SO ST SZ TD TG Tk TN TZ UG ZA ZM ZR ZW Cw Dv Smt H-W Sur Ssx Ken Cy LY Kts Tm Ci Um Sau Tar DsA TeA KuA TrA Ket Bn Mu Mu18 GG AZ Nv AM MD NP Ab Ak Ahw Ar Ara B-A Bk Brz Bu By Dzf Es Fa Gh Gor Ha Hz Il Kaz Kd Kh Km Kz Lo Ma Mz Qz Se Ss Th Yz Zj Ke Luz Mno Neg Pal US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Id Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa Ndk NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi SDk Tnn Tx Ut Vi Vr WVi Wc Ws Wy Ord Nta Kzu Ptb Gau Pre Est Spb Lj Tva Lpo Mdk Ent Kru Pma Pf Pa Hf TH CMA SD91 SD119**
60. **Cyrestis (s.str.) thyodamas Boisduval, 1836** (Argynnidæ) Synonym(s): *thyodamas* Boisduval, 1836; *nobilior* *Martin*, 1903. **Cyrestis thyodamas** Boisduval, 1836, [in] *Cuvier, R×gne Anim., Ins.* 2: t. 138 fig. 4. **IN Adm NP SI MM LK TH CMA Cuo Cu10 CDo Nna Knc Nrt Cbi Nst Hn TW CN JP Ch Ass Ch AF PK Kma Mre**
61. **Euthalia (Aconthea) aconthea (Cramer, [1777])** (Argynnidæ) Synonym(s): *aconthea* *Cramer*, [1777] *Papilio aconthea* *Cramer*, [1777], *Uitl. Kapellen* 2: pl. 134, figs. D, G. Type(s): Java. **AF ID LK SI IN MM TH CMA Cuo Cuo7 Rng Yal Tng Nst Ths Nan Knc Cbi CN Hn MY PH**
62. **Hypolimnas misippus (Linnaeus, 1764)** (Argynnidæ) Synonym(s): *misippus* Linnaeus, 1764 *inaria* *Cramer*, [1779]; *alcippoides* *Butler*, 1883. **Common Diadem, False Plain Tiger** *Hypolimnas* *Papilio misippus* Linnaeus, 1764, *Museum Ludovicae Ulrica*: 264. Type(s): "America" [Patria falsa]; [Indonesia: Java]. **AF AO AU Az BF BH BI BJ BW BZ CF CG CI CM CN DJ DZ EG EH ER ET FI GA GH GM GN GO Bio GW Hn ID IN IR Hz KE KH KM LB LK LR LS LY MA MG ML MM MR MW MY MZ NA NE NG OM PG PH PK QA RW SA SC SD SL SN SO ST SZ TD TG TH TN TR TW TZ UG US VN YE ZA Nta Kzu Ptb Mdk BI Ci PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic ZM ZR ZW Cp Fl Mss NCa Tx Tva Lpo Gau Pre Spb Lj Jh Wri Ent Dbn Kny Kru Pma BR PE CMA CDo Lmp Nna Cbu Pkk Loe Nrt Bnk Ray Nst Chw Tnga Usa Ani**
63. **Issoria issaea (Moore, 1857)** (Argynnidæ) Synonym(s): *issaea* Moore, 1857; *issaea* *Elwes*, 1885 **Argynnis issaea** Moore, 1857, [in] *Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy* (1): 156, nr. 323. **MM NP SI PK Abb Sgl Mre Ci Nwf Sfk AF IN**
64. **Issoria lathonia (Linnaeus, 1758)** (Argynnidæ) Synonym(s): *lathonia* Linnaeus, 1758; *saturata* *Röber*, 1897; *hungarica* *Aigner-Abafi*, 1906; *florens* *Verity*, 1916; *emiflorens* *Verity*, 1919; *attenuata* *Sagarra*, 1926; *nigroprivata* *Verity*, 1933.

- Queen of Spain Fritillary İspanyol Kraliçesi Papilio lathonia Linnaeus,1758, Syst. Nat. (Edn.10) 1: 481. Type(s): [Sweden (Verity,1950)]. Adr AF AL At Kts AT Ba BE BG B-H BY Ch CH CN Cn Co CZ DE DK DZ EE ES FI FR GB GR HU HV IE IR IT KG KK Kr LB Ld LT LU LV MA MK NL NO PK PL PT RO RU Sa SE Sem Si SK Sm So Sr SS TJ Tk TM TN TR T-S UA Ui Uk UZ VI YU NP SI Ken Tm Sau Tar DsA TrA Kua Ax TeA Mu Mu18 T-T Sz Ket PK Ci Nwf Sfk Bl MM Abb Mre IQ Cc GG AZ AM Nv MD Tls T-S Ab Ak Ahw Ar Ara B-A Bk Brz Bu By Dzf Es Fa Gh Gor Ha Hz Il Kaz Kd Kh Km Kz Lo Ma Mz Qz Se Ss Th Yz Zj
65. **Limnitis (s.str.) lepechini Erschoff,1874** (Argynnidae) Synonym(s): *lepechini Erschoff,1874* Limnitis lepechini Erschoff,1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepidoptera): 14, pl.1, fig.10. Syntypes: [Uzbekistan]: [Samarkand], "...circa Maracanda (2150') volat junio mense". AF TJ Pm UZ Smk Gg PK Ci Asr Cls Nwf Haz
66. **Melitaea (Cinclidia) tangigharuensis De Freina,1980** (Argynnidae) Synonym(s): *tangigharuensis De Freina,1980* Kabul Fritillary Afgan İparhanı Melitaea tangigharuensis De Freina, 1980, Atalanta 11 (1): 13-17, Abb. Holotype ♂: Afghanistan: Kabul Fluß, Tang-i-Gharu- Schlucht, 1600m. (in coll. Freina). AF Kab
67. **Melitaea (Didymaeformis) didymina Staudinger,1895** (Argynnidae) Synonym(s): *didymina Staudinger,1895*; #perplexa Higgins,1941. Melitaea didyma var. didymina Staudinger,1895, Dt. ent. Z., Iris 8: 347. Syntypes: [Mongolia]: Changai Mts., Uliassutai. AF CN MN Ui Um Anj Bqu Hk
68. **Melitaea (Didymaeformis) fascelis (Fabricius,1787)** (Argynnidae) Synonym(s): #trivia Denis & Schiffermüller,1775; iphigenia Esper,1782 (praeoc.); #fascelis Esper,1783; fascelis Fabricius,1787; cleo Latreille,1803 Lesser Spotted Fritillary Güzel İparhan Papilio fascelis Fabricius,1787, Mant. Ins. 2: 58-59, nr.570. Syntypes: [Russia]: Russia australiori. Ae AL AM At AT AZ Ba BG B-H BY CZ EG ES GG Cc GR HU HV IL Pa Hf IQ IR Zj Fa Bu Ss Ke Elb IT JO KG LB Bei MK MN Or PT RO RU SK Sm Sn So Sr SS SY TM TR UA Uk UZ Smk VI YU Tls Syr Tm Bog Aq Kw Sp Nym Sau Mrk Tar PK Bl Pj Ci Nwf AF T-S Nv Ord CN Ui
69. **Melitaea (Didymaeformis) lutko Evans,1932** (Argynnidae) Synonym(s): *lutko Evans,1932* Chitral Fritillary Melitaea robertsi lutko Evans,1932, Indian Butts. (2): 185. Type(s): [Pakistan]: Chitral. BI Ci PK AF
70. **Melitaea (Didymaeformis) perseia Kollar,[1849]** (Argynnidae) Synonym(s): *perseia Kollar,[1849]*; caucasica Staudinger,1861; magnacasta Verity,1929; araratica Verity,1929; sargon Hemming,1932; tauricus Belter,1934; caucasicola Bryk,1940; hafiz Higgins,1941; gina Higgins,1941; darius Gross & Ebert,1975; pfeifferi Gross & Ebert,1975 (praeocc.); wernickei Gross & Ebert,1975; elbursicola Gross & Ebert,1975; safawides Gross & Ebert,1975. Persian Fritillary, Desert Fritillary, Iranian Toadflax Frit İranlı İparhan Melitaea perseia Kollar,[1849], Denkschr. Akad. Wiss. Wien 1: 52. Type(s): [Iran]: Persia [Shiraz]. IQ Su Bgd IR Zj Fa By TR JO AF BI Nwf Ci Pj PK SY LB IL He Pa Hf Kp TM Cc AZ Nv Ord
71. **Melitaea (Didymaeformis) shandura Evans,1924** (Argynnidae) Synonym(s): #shandura Evans,1912; shandura Evans,1924 Dardic Fritillary Dardik İparhanı Melitaea shandura Evans,1924, J. Bombay nat. Hist. Soc. 30: 90. Holotype ♂: [Pakistan]: Chitral, Shandur lake, 11000ft. Ci Kbb PK Sha Shv TJ Pm AF Bd Shv
72. **Melitaea (s.str.) arduinna (Fabricius,1787)** (Argynnidae) Synonym(s): *arduinna Fabricius,1787*; rhodopensis Freyer,[1836]; uralensis Eversmann,1844. Freyer's Fritillary Türkistan İparhanı Papilio arduinna Fabricius,1787, Mant. Ins. 2: 60, nr.577. Type(s): [Russia]: Russia australiori. Aa AF At Bn Ba BG CN Db GR KG KK MK RO RU Sr TJ Tk TR Cc T-S UA Ui UZ JO Buc Nym Ktm Tar Sau DsA TrA Tu Bog Mkk IR Zj Elb Th Lo IQ
73. **Melitaea (s.str.) avinovi Sheljuzhko,1914** (Argynnidae) Synonym(s): *avinovi Sheljuzhko,1914* Avinov's Fritillary Avinov'un İparhanı Melitaea arduinna ssp. avinovi Sheljuzhko,1914, Dt. ent. Z., Iris 26: 20. figs. 2-5. Syntypes 30♂ 3♀: [Tadjikistan]: südwestl. Pamir: Ishkashim (in Bergen bei kishlak Njut). TJ Pm AF
74. **Melitaea (s.str.) minerva Staudinger,1881** (Argynnidae) Synonym(s): *minerva Staudinger,1881*. Melitaea minerva Staudinger,1881, Stettin ent. Ztg. 42: 289. Syntypes ♂♀: [Kasachstan]: Dschungarischer Ala Tau. T-S CN Ui UZ Syr Tm DsA Aem Ket Kua TrA Ax TeA AF Kbb Pnj
75. **Melitaea kuchi Wyatt,1961** (Argynnidae) Synonym(s): *kuchi Wyatt,1961* Koh-i Baba Fritillary Melitaea kuchi Wyatt,1961, J. Lepidopterist's Soc. 15(1): 7-8, figs. Holotype ♂: Afghanistan: N. of Koh-i-Baba Mts., Band-i-Amir, Hazarajat, 11500ft. AF Kbb
76. **Melitaea paludani Clench & Shoumatoff,1956** (Argynnidae) Synonym(s): *paludani Clench & Shoumatoff,1956* Melitaea paludani Clench & Shoumatoff,1956, Vidensk. Medd. fra Dansk naturh. For. 118: 166-167. Holotype ♂: Afghanistan: Koh-i-Baba Mts.: Marak, 4500m. AF Kbb
77. **Nymphalis xanthomelas (Esper,[1781])** (Argynnidae) Synonym(s): #xanthomelas [Denis & Schiffermüller],1775; xanthomelas Esper,[1781] Yellow-legged Tortoiseshell Sarı Ayaklı Nimfalis Papilio xanthomelas Esper,[1781], Die Schmett. 1(2): 77, pl.63, fig.4. Type(s): Wien. AF AL AM Cc At Bn AT AZ Ba BG B-H BY Ch CN Cr CZ Dj DK EE FI FR GB GG Smt Bjo GR HU HV IR Zj Elb Mz JP Kab Kbb KG Kr LT LV MK Pag PL Pnj RO RU SE Sem SK Sm So Sr SS Tk TR UA Uk YU Syr Tm Ui Um Kml Sau Tar DsA Ax TrA Kua Kma Ci Wa Bl PK IN T-S
78. **Polygonia (Comma) c-album (Linnaeus,1758)** (Argynnidae) Synonym(s): *c-album Linnaeus,1758*; g-album Fourcroy,1785. Comma Butterfly Yırtıkırtık Papilio c-album Linnaeus,1758, Syst. Nat. (Edn.10) 1: 477. Type(s): [Sweden (Verity,1950)]. AF AL At Bn Kts AT Ba BE BG BY CH CN Co CZ DE DK EE ES Mu FI FR GB GR HU IT KG Kr LB LT LU LV DZ MA TN MN NL NO PL PT RO RU Sa SE SI Si SK Sm So Sr Ti TR UA Ui Uk VI YU Cw Dv Smt H-W Sur Ssx Ken GG AZ AM Nv MD MK HV SS B-H MD Cc IQ Ama IR Mz Elb TH Cma
79. **Polygonia (Comma) egea (Cramer,[1775])** (Argynnidae) Synonym(s): *egea Cramer,[1775]* (junior homonym); vualbum Esper,1780; l-album Esper,1789; triangulum Fabricius,1793; autumnalis Stefanelli,1873; #balucha Evans,1932; #pallida Evans,1932. Southern Comma, Pellitory Butterfly Anadolu Yırtıkırtığı Papilio egea Cramer,[1775], Uitl. Kapellen 1: 124; Pl. 78 figs.C,D. Syntypes: [Turkey]: [Istanbul]: Constantinople; [Izmir]: Smyrna (nec Papilio egea Fabricius,1775; cf. ICZN Art. 58, Opinion 516. Ae AF AL BG BY CH CN Co Cr FR GR IT LB MK MT

PK BI PK Mre IN Kma RO RU Sa Si Sr TR UA Ui YU JO IR Elb Mz Th Fa Ss IQ Mos TM Kp Cc AM AZ GG Nv Ord
Lag Smt Bjo IL Pa Hf

- 80. Polygonia (Comma) undina (Groum-Grshimailo, 1890)** (Argynnidæ) Synonym(s): *undina* Groum-Grshimailo, 1890; #chitralica Evans, 1932; *interposita auctorum* **Turkestanian Comma Tanrıdağı Yırtıkırtığı** Vanessa undina Groum-Grshimailo, 1890, [in] Romanoff, Mém. lépid. 4: 424, pl. 17 fig. 1. Syntypes: [Kirghizistan]: Oche [Osch]. T-S His Drw Pm Al AF Ch KG KK Nu PK Ci TJ CN Ui Um Osh DsA Ax TrA KuA
- 81. Precis (Junonia) almana (Linnaeus, 1758)** (Argynnidæ) Synonym(s): *almana* Linnaeus, 1758 **Papilio** almana Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 472. Type(s): Asia. PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic AF PK Cp IR Ss BI Pj IN LK MM TH MY CN ID Clb Sba Sum Ja TW Nna Cbi TAk Bnk Ray Pap Cma Cuo Cuo2 Cuo10 Cuo7 Cm1 Cmz Czo3 Cz11 CDo CD2 Dsk Hpt Sgk Hya Tnc PSu Nst Ths
- 82. Precis (Junonia) hierta (Fabricius, 1798)** (Argynnidæ) Synonym(s): *lintingensis* Osbeck, 1765 [rejected name, Op. 842, 1968]; *hierta* Fabricius, 1798 **Yellow Pansy** Papilio hierta Fabricius, 1798, Suppl. ent. syst.: 424. Type(s): [China]: Lingting. TH AF AO BF BI BJ BW CF CG CI CM CN DJ EG EH ER ET GA GH GM GN GO Bio GW IN KE LR LS LY MG ML MR MW MZ NA NE NG PK RW SA SC SD Sk SL SN SO ST SZ TD TG TZ UG YE ZM ZR ZW LB ZA Nta Kzu Est Tva Lpo Spb Ptb Lj Mdk Ent Gau Pre Jh Mpu Brb MG SD SA YE SC Sk IR JO MM Adm LK MY Lkw TH Cma Cuo Cuo1 Cuo9 Cuo10 Int Dsk Hpt Lmp Tht Chy TAk Sbu Rng Sat Non Phi Nna Cbu Tng Tuo Sya Ths Nst
- 83. Precis (Junonia) orithya (Linnaeus, 1758)** (Argynnidæ) Synonym(s): *orithya* Linnaeus, 1758 **Blue Pansy** Papilio orithya Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 473. Type(s): India. TR BI BJ BW CF CG CI CM DJ DZ EG EH ER ET GA GH GM GN GO Bio GW IQ Nsr Bji Bgd IR Lo Fa Ke JO KE KW LR LY MA MG ML MR MW MZ NA NE NG OM PK RW SA SD SL SN SO ST SZ TD TG TN TZ UG YE MG ZA Nta Kzu Ptb ZM ZR ZW SY IN LK MM Ci Mre Pj Nwf Pes Rw Cp Tra Tva Lpo Spb Lj Kru Dbn MZ ZW BW NA PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Tab Taw Tic Stu SG ID Sum Ja Bli Lb LS Baw Bor Clb Hn TH MY Lkw Cma Cuo Cuo7 Cuo12 Cmz Cz11 Loe Nna Knc Cbi Sbu Non Phi Nrt Cbu Ray Pht Sgk Yal Tng Hya PSu Nst Ths AE AF AO BF BH
- 84. Sephisa dichroa (Kollar, [1844])** (Argynnidæ) Synonym(s): *dichroa* Kollar, [1844] **Limnitis dichroa** Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 429, Taf. 8 figs. 1, 2. Type(s): Kaschmir. AF Ch Hr PK Ci Mre ?Ti TH NP SI IN
- 85. Vanessa (s.str.) indica (Herbst, 1794)** (Argynnidæ) Synonym(s): *indica* Herbst, 1794; *calliroe* Hübner, 1806 **Indian Red Admiral Kırmızı Hintamirali** Papilio atalanta indica Herbst, 1794, [in] Jablonsky, Natursyst. Ins. (Schmett.) 7: Taf. 180, figs. 1, 2. Type(s): India bor. Cn ES CN RU IN NI SI Ti CN PK Mre AF Ch NP MM LK TW JP PH Luz Mno Pal ID Clb LK TH Cma Dst CDo

Satyridæ

- 86. Aulocera padma (Kollar, [1844])** (Satyridæ) Synonym(s): *padma* Kollar, [1844] **Great Satyr Büyük Satir** Satyrus padma Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 445, pl. xv figs. 1, 2. Syntypes: Kashmir. AF Ass BI Ch CN Gg IN Kgr Kma MM Mpr Msm Mus Nag PK SI Ti Up Ys Zh Sfk
- 87. Aulocera swaha (Kollar, [1844])** (Satyridæ) Synonym(s): *swaha* Kollar, [1844] **Common Satyr Adi Satir** Satyrus swaha Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 444, Taf. 14, figs. 1, 2. Type(s): Kaschmir. AF Kab Pag Gg Ch Kul Ci IN Kgr Ld Mus Nwf PK SI Mre Abb Asr Bt Chl Gg Gs
- 88. Chazara (Neochazara) enervata (Staudinger, 1881)** (Satyridæ) Synonym(s): *enervata* Staudinger, 1881; *analoga* Alpheraky, 1881; *ochracea* Heyne, [1894]. **Dark Rockbrown, Turanian Grayling Türkistancadı** Satyrus anthe var. enervata Staudinger, 1881, Stettin ent. Ztg. 42: 271. Syntypes: [Kasachstan]: Saisan. Lectotype ♂: Saisan, designated by Lukhtanov, 1994, Herbiopoliana 3: 157 (in ZMHUB). Aa AF BI Ci CN Db IR Kh KG KK Ku Ky Omi PK Sp TJ Tk Syr Tm TM Ui UZ Nym Sau Tar DsA Ssn TrA KuA Ax Ket Sju Bog Kpt T-S
- 89. Chazara (Neochazara) heydenreichi (Lederer, 1853)** (Satyridæ) Synonym(s): *heydenreichi* Lederer, 1853; *karasagina* Holik, 1949. **Turkestanian Hermit Uygurcadısı** Satyrus heydenreichi Lederer, 1853, Verh. zool.-bot. Ver. Wien 3: 359. Syntypes: [Kazachstan]: in den Vorbergen des Altai, zw. Ustkamenogorsk und Ustbuchraminsk am Irtsch. Bg KG KK PK Rk RU Ci Sha SkL Sp Tk CN Ui Um Kml Nym Sau Tar Ket Ax TrA KuA DsA Tls AF Hk T-S
- 90. Chazara (s.str.) briseis (Linnaeus, 1764)** (Satyridæ) Synonym(s): *briseis* Linnaeus, 1764; *daedale* Bergsträßer, 1780; *bataia* Fruhstorfer, 1909; *interjecta* Verity, 1916; *variabilis* Varin, 1958; *pictonica* Varin, 1958. **Hermit Cadı** Papilio briseis Linnaeus, 1764, Museum Ludovicae Ulricae: 276. Type(s): Germania. AF AL AM Ao At Bn Kts AT Aty AZ Ba BE BG B-H BY CH CN CY CZ DE DZ ES FR GG GR HU HV IQ IR IT Ju KG KK LU MA MK MN PL RO RU SE Si SK Sm So Sr SS TJ TM TN TR T-S UA Ui Uk Uz V1 YU Tm V1 Ao Sr Uk Aq Or Sm Tt Cb Kt Kw Ty Om Pw Ka Rk Tar Sau Ssn Mn Buc At Bn Mtr Kts Ur Aa Ku Sem Tk Ui TeA KuA DsA Bc Ab Ak Kd Mz Elb Kp Sju Cc Bc
- 91. Coenonympha (Lyela) amirica Wyatt, 1961** (Satyridæ) Synonym(s): *amirica* Wyatt, 1961 **Afghan Esmerleylasi** Lyela amirica Wyatt, 1961, J. Lepidopterist's Soc. 15(1): 16, figs. Holotype ♂: Afghanistan: [Koh-i-Baba Mts.], Band-i-Amir, Hazarajat, 9500-11000ft. AF Kbb
- 92. Coenonympha (s.str.) mangeri O. Bang-Haas, 1927** (Satyridæ) Synonym(s): *mangeri* O. Bang-Haas, 1927 **Afghani Heath Afghan Zipzip Perisi** Coenonympha mangeri O. Bang-Haas, 1927, Horae Macrolepid. 1: 50, t. 7 figs. 21, 22. Syntypes 5♂ 2♀: Afghanistan: Pagmann mt. AF Kab Kbb Pag
- 93. Esperarge (Marginarge) eversmanni (Eversmann, 1847)** (Satyridæ) Synonym(s): *eversmanni* Eversmann, 1847 **Hipparchia eversmanni** Eversmann, 1847, Bull. Soc. Nat. Moscou 20 (3): pl. 2 figs. 5, 6. Syntypes:

- [? Kasachstan: Dschungarischer Alatau (cf. Lukhtakov & Lukhtanov, 1994, *Herbipoliana* 3: 75)]. **TM Kp AF Ch Ci Nwf PK CN Ju KG KK Sem Tk Ui DsA Ket TeA KuA TrA Tu Ax Syr Tm Sju T-S Ku Kun Kst Ta UZ TJ Pm**
94. **Hipparchia (Neohipparchia) parisatis (Kollar, [1849])** (Satyridae) **Synonym(s):** *parisatis* Kollar, [1849]; *macrophthalmus* Eversmann, 1851; *malatinus* Heyne, 1894; *ismail* Gross & Ebert, 1975; *huochenensis* Huang & Zhou, 2000. **White-bordered Grayling, White-bordered Black; Kollar's Gray Beyaz Bandlı Karamelek** *Satyrus parisatis* Kollar, [1849], *Denkschr. Akad. wiss. Wien* 1: 51. Lectotype ♂: [Iran]: Pers[ia]: Shiraz (Kudrna, 1977: 143). **AF AM Cc IN IQ IR Fa Ss Elb Th Kp AE OM TM TR Bl Ci Gg Hu Nwf PK Abb CN Ui**
95. **Hyponephele (s.str. (Caspinephele)) dysdora (Lederer, 1869)** (Satyridae) **Synonym(s):** *dysdora* Lederer, 1869; # *dystora* Eckweiler & Hofmann, 1980. **Lederer's Steppe Brown Lederer'in Esmerperisi** *Epinephele dysdora* Lederer, 1869, *Horae Soc. ent. ross.* 6: 85-86. Syntypes 6♂♂: [Iran]: Persien: Astrabad. Lectotype ♂: "Hadschyabad" (designated by Lukhtanov, 1994, *Herbipoliana* 3: 127 (ZMHUB)). **TJ AF CN IR Elb Th Kp TM Ui Aa Db KG KK Ky Tk T-S Ax Syr Tm DsA Ket Bog Tu KuA TrA Sau Tar Sju T-I Pm UZ**
96. **Hyponephele (s.str. (Ereminephele)) capella (Christoph, 1877)** (Satyridae) **Synonym(s):** *capella* Christoph, 1877 **Christoph's Steppe Brown Kristof'un Esmerperisi** *Epinephele capella* Christoph, 1877, *Horae Soc. ent. ross.* 12: 241-243, pl. 5, 6 figs. Syntypes: [Iran]: Nord Persien. **IR Elb By Bk TM Kp UZ AF Kab Pag Kbb Pnj Bd Shv TJ Pm**
97. **Hyponephele (s.str. (Ereminephele)) fusca (Stshetkin, 1960)** (Satyridae) **Synonym(s):** *fusca* Stshetkin, 1960 **Darker Steppe Brown Koyu Esmerperi** *Epinephele narica* ssp. *fusca* Stshetkin, 1960, *Trudy inst. zool. parazit. Tadzhiik SSR* 19: 99. Holotype: S. Tadzhikistan: lower part of Vakhsh River, Mt. Buritau. **TJ Bgr Bl Koj Mtz Mur TM Kp UZ IR AF**
98. **Hyponephele (s.str. (Ereminephele)) huebneri Koçak, 1980** (Satyridae) **Synonym(s):** *narica* Hübner, [1813] nec *Fabr.*, 1793; *huebneri* Koçak, 1980 **Hübner's Steppe Brown Hübner'in Esmerperisi** *Hyponephele huebneri* Koçak, 1980, *Nota lepid.* 2 (4): 140 (nomen novum pro *Papilio narica* Hübner, [1813] nec *Fabricius*, 1793). Type(s): unknown, probably lower Wolga. **AF CN Ui Bgr Bl KG Ao Sau Mn Tk KK Koj Mtz Mur PK RU Uk VI MN UZ IR PK IN RU DsA T-S At Ssn Ti Aa**
99. **Hyponephele (s.str. (Iranonephele)) amardaea (Lederer, 1869)** (Satyridae) **Synonym(s):** *amardaea* Lederer, 1869 **Hyrcanian Steppe Brown Hirkanya Esmerperisi** *Epinephele amardaea* Lederer, 1869, *Horae Soc. ent. ross.* 6: 84, Taf. v figs. 1, 2. Syntypes: Hadschyabad. Lectotype ♂: [Iran]: "Hadschyabad" designated by Lukhtanov, 1994, *Herbipoliana* 3: 129 (ZMHUB). **AF IR TM Kp Elb**
100. **Hyponephele (s.str. (Iranonephele)) glasunovi (Groum-Grshimailo, 1893)** (Satyridae) **Synonym(s):** *glasunovi* Groum-Grshimailo, 1893 **Glasunov's Steppe Brown Glasunov'un Esmerperisi** *Epinephele amardaea* var. *glasunovi* Groum-Grshimailo, 1893, *Horae Soc. ent. ross.* 27: 129. Syntypes: Gissar-Gebirge. Lectotype ♂: mont. Hissariensis, Iskander-kul, designated by Lukhtanov, 1994, *Herbipoliana* 3: 129 (in ZMHUB). **T-S KG KK Ax Syr Tm Db Tls Ky Na Tkl Ik TJ AF Pm**
101. **Hyponephele (s.str. (Iranonephele)) hilaris (Staudinger, 1886)** (Satyridae) **Synonym(s):** *hilaris* Staudinger, 1886 **Cheerful Steppe Brown Güzel Esmerperi** *Epinephele hilaris* Staudinger, 1886, *Stettin ent. Ztg.* 47: 249. Syntypes: [Usbekistan]: Usgent, Samarkand; [Kirgizistan]: Osch. **AF Bd Shv Drk Gg PK Ci KG KK Osh Smk UZ T-G Wk Pm TJ Z-G Hk Tls T-S**
102. **Hyponephele (s.str. (Iranonephele)) perplexa Wyatt & Omoto, 1966** (Satyridae) **Synonym(s):** *perplexa* Wyatt & Omoto, 1966 **Omoto's Steppe Brown Omoto'nun Esmerperisi** *Hyponephele amardaea* ssp. *perplexa* Wyatt & Omoto, 1966, *Entomops* 5: 182-183, figs. Holotype ♂: Afghanistan: Hinhu Kush: Bala Quran, Anjuman valley, 3300-3400m. **T-S AF Kbb Anj Bd Bqu Hk KK T-A**
103. **Hyponephele (s.str. (Orientinephele)) difficilis Clench & Shoumatoff, 1956** (Satyridae) **Synonym(s):** *difficilis* Clench & Shoumatoff, 1956 **Shoumatoff's Steppe Brown Şumatof'un Esmerperisi** *Hyponephele difficilis* Clench & Shoumatoff, 1956, *Vidensk. Medd. fra Dansk naturh. For.* 118: 162-163. Holotype ♂: Afghanistan: Koh-i-Baba Mts.: Mt. Shah Fuladi, Tarapas, 3000m. **AF Kbb**
104. **Hyponephele (s.str. (Orientinephele)) mussitans Clench & Shoumatoff, 1956** (Satyridae) **Synonym(s):** *mussitans* Clench & Shoumatoff, 1956 **Afghan Steppe Brown Afgan Esmerperisi** *Hyponephele pulchella* ssp. *mussitans* Clench & Shoumatoff, 1956, *Vidensk. Medd. fra Dansk naturh. For.* 118: 161-162. Holotype ♂: Afghanistan: Puistagoli, 3500m. **AF Kbb**
105. **Hyponephele (s.str. (Tengrinephele)) pamira Lukhtanov, 1990** (Satyridae) **Synonym(s):** *pamira* Lukhtanov, 1990 **Pamir Steppe Brown Pamir Esmerperisi** *Hyponephele pamira* Lukhtanov, 1990, *Vestn. zool.* 1990 (6): 16-17, figs. Holotype ♂: Tadzhikistan: West Pamir: Toghusbulak, 3800m. **Pm TJ Chr Mgb Sry Ish Vn ?AF**
106. **Hyponephele (s.str. (Turaninephele)) brevistigma (Moore, 1892)** (Satyridae) **Synonym(s):** *brevistigma* Moore, 1892 **White-ringed Ladakhi Steppe Brown Beyazhalkalı Ladak Esmerperisi** *Maniola brevistigma* Moore, 1892, *Lepid. India:* 47, pl. ciii, fig. 3. Syntypes ♂♂: Ladak: Dras, Kardong. **T-S IN Dra Kdg Ld Al KK AF TJ Pm**
107. **Hyponephele (s.str. (Turaninephele)) davendra (Moore, 1865)** (Satyridae) **Synonym(s):** *davendra* Moore, 1865; *roxane* Felder & Felder, 1867. **White-ringed Steppe Brown Beyaz halkalı Esmerperi** *Epinephele* [sic!] *davendra* Moore, 1865, *Proc. zool. Soc. Lond.* 35: 502 pl. 30 f. 7. Syntypes: Tibet: Nari Khorsum; China: Gughe; [India]: Kunawur. **TM UZ TJ KK AF Anj Bd Bqu Ci Hk Hyb Nwf IN IR Ss Fa Kab Kma Yz PK Spi Na Al T-S CN Ui**
108. **Hyponephele (s.str.) interposita (Erschoff, 1874)** (Satyridae) **Synonym(s):** *interposita* Erschoff, 1874; *margelanica* Turati, 1909 (cf. Samodurov et al., 1995, *Atalanta* 26 (1/2): 182). **Intermediate Steppe Brown Turan Esmerperisi** *Epinephele interposita* Erschoff, 1874, [in] Fedtschenko, *Reise in Turkestan* 2(5) 3: 22, pl. 2 fig. 16.

Syntypes: Turkestan. CN T-S Ui Tek IR AF TM BI PK TJ UZ KG MN Nym Ktm Bkb Sau Tar Sp Sju DsA Tk IiD Syr Tm

109. **Hyponephele (s.str.) lupina (Costa,[1836])** (Satyridae) Synonym(s): *lupina* Costa,[1836] **Steppe**
Brown Esmerperi *Satyrus lupinus* Costa,[1836], Fauna Regno di Napoli...[69], [311], pl.4 figs.3,4. Syntypes: Italia: Napoli: Otranto, Bosco di Guagnano.. At Bn Ae AF AL AM Ao AZ Ba B-H Cr CY CZ DZ ES Mu FR GG GR HU Hr HV IL IQ IR IT JO KG KK LB MA MK MN PK PT Rd RU Si SK Sm Sr SS TJ TM TR UA UZ VI YU Uk Aq Ky Syr Tm Db Aa Tk Ka Kt Ty Pw Sp Mn Or Bs Sm Kg Sau Mrk Tar DsA IiD T-S SY Tls CN Ui Ii Ku Sju Hr Ax Kh Kp Cc
110. **Hyponephele sussurans Clench & Shoumatoff,1956** (Satyridae) Synonym(s): *sussurans* Clench & Shoumatoff,1956 **Hyponephele sussurans Clench & Shoumatoff,1956**, Vidensk. Medd. fra Dansk naturh. For. 118: 160-161. Holotype ♂: Afghanistan: Marak, 4500m. **AF Kbb**
111. **Kanetisa digna (Marschall,1882)** (Satyridae) Synonym(s): *digna* Marschall,1882 **Hipparchia digna** Marschall,1882, J. asiat. Soc. Beng. 51 (2): 67. Type ♀: [Pakistan]: Shandur Plateau. **PK Sha Ci Gg Ch Nwf AF Kbb Pnj Hk**
112. **Karanasa bolorica (Groum-Grshimailo,1888)** (Satyridae) Synonym(s): *bolorica* Groum-Grshimailo,1888 **Hindukuş Küçükkartalı** *Satyrus boloricus* Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 307. Syntypes ♂♀: [Pakistan: Gilgit]: Hindukusch orient. [Hunza]. **Ci Nwf AF Anj Bd Bqu Gg Hk Hu Msg PK**
113. **Karanasa huebneri (C.Felder & R.Felder,[1867])** (Satyridae) Synonym(s): *huebneri* C.Felder & R.Felder,[1867]; *caesia* Moore,1874; *leechi* Moore,1892; *modesta* Moore,1892; *pallida* Tytler,1926; *balti* Tytler,1926; *astorica* Tytler,1926. **Ladak Küçükkartalı** *Satyrus hübnieri* C.Felder & R.Felder,[1867], Reise Fregatte "Novara", Lep. Rhop. (3): 494, Tab.lxix figs. 8,9. Syntypes ♂♀: Himalaya occidental.: Lahoul, Shigri, Spiti: Dishungdeo. **Bzl Asr Gg Ch Ci Dro Ld Lho PK Sfk AF**
114. **Karanasa kotandari Wyatt,1961** (Satyridae) Synonym(s): *kotandari* Wyatt,1961 **Afgan Küçükkartalı** *Karanasa pamira* ssp. *kotandari* Wyatt,1961, J. Lepidopterist's Soc. 15(1): 10-11. Holotype ♂: Afghanistan: Kabul, Paghman Mts., Kotandar Pass, 11000-12500ft. **AF Kab Pag**
115. **Karanasa moorei (Evans,1912)** (Satyridae) Synonym(s): *moorei* Evans,1912 **Keşmir Küçükkartalı** *Satyrus (Karanasa) hübnieri moorei* Evans,1912, J. Bombay nat. Hist. Soc. 21: 563. Syntypes: [Pakistan]: Chitral, Shandur Pass (nomen novum pro *leechi* Moore nec Groum-Grshimailo). **AF Nwf Ci Gg Kbb PK Sha Ys**
116. **Karanasa pamira (Staudinger,1887)** (Satyridae) Synonym(s): *pamira* Staudinger,1887 **Alay Küçükkartalı** *Satyrus pamirus* Staudinger,1887, Stettin ent. Ztg. 48: 61-62. Syntypes: [Tadjikistan]: Trans-Alai. **AF Anj Bd Bqu Hk Kbb Pm T-A TJ**
117. **Karanasa voighti (O.Bang-Haas,1927)** (Satyridae) Synonym(s): *voighti* O.Bang-Haas,1927 **Pagman Küçükkartalı** *Satyrus huebneri* ssp. *voighti* O.Bang-Haas,1927, Horae Macrolepid. 1: 50. Type ♀: Afghanistan: Pagmann mt. 3000m, westl. Kabul. **AF Kab Pag**
118. **Lasiommata hindukushica (Wyatt & Omoto,1966)** (Satyridae) Synonym(s): *hindukushica* Wyatt & Omoto,1966 **Hindukuş Esmerboncuğu** *Pararge hindukushica* Wyatt & Omoto,1966, Entomops 5: 173-174, figs. Holotype ♂: Afghanistan: Hindu Kush, Bala Quran, Anjuman valley, 3400-3500m. **AF Anj Bd Bqu Hk**
119. **Lasiommata menava Moore,1865** (Satyridae) Synonym(s): *menava* Moore,1865. **Sooty Argus Türkistan Esmerboncuğu** *Lasiommata menava* Moore,1865, Proc. zool. Soc. Lond. 56: 499, Pl.30 fig.3. Syntypes: [India]: Kunawur, Pangl, Rarung (in BMHN). T-S AF BI Ch Ci Gg Hp IN IQ IR Ab Ak Elb Fa Ke Yz Knw Kp Ld PK TJ TM TR KK KG Ax Syr Tm
120. **Lethe sidonis (Hewitson,1863)** (Satyridae) Synonym(s): *sidonis* Hewitson,1863 **Debis sidonis** Hewitson,1863, Exot. Butts.: 77. Type(s): Darjeeling. **AF BT CN Djl IN Kgr Kma Kul MM Mpr Mus Nag PK Shn SI Sml Ti**
121. **Paralasa afghana (Goltz,1937)** (Satyridae) Synonym(s): *afghana* Goltz,1937; *#afghama* Goltz,1937 **Afgan Karakız** *Erebia kalinda afghana* Goltz,1937, Ent. Rdsch. 54(29): 361, figs.2a,2b. Type ♀: Afghanistan: Nordosthindukusch, Nuksan Pass, Nordseite, 3500-4000m (in coll. Goltz). **AF Hk**
122. **Paralasa chitralica (Evans,1923)** (Satyridae) Synonym(s): *chitralica* Evans,1923 **Kafir Karakız** *Erebia mani* ssp. *chitralica* Evans,1923, J. Bombay nat. Hist. Soc. 29: 783. Type(s): [Pakistan]: Chitral, 13000ft. **Ci Gg Nwf PK Ys TJ Pm Cls AF Anj Bd Bqu Hk**
123. **Paralasa danorum Clench & Shoumatoff,1956** (Satyridae) Synonym(s): *danorum* Clench & Shoumatoff,1956 **Paralasa danorum Clench & Shoumatoff,1956**, Vidensk. Medd. fra Dansk naturh. For. 118: 152-154. Holotype ♂: Afghanistan: Koh-i-Baba Mts.: Mt. Shah Fuladi, between Surtu and top, 5000m. **AF Kbb**
124. **Paralasa howarthi Sakai,1978** (Satyridae) Synonym(s): *howarthi* Sakai,1978 **Pagman Karakızı** *Paralasa howarthi* Sakai,1978, Atalanta 9(1): 114, figs. 43-46. Holotype ♀: Afghanistan: Paghman Mt. 3800m **AF Kab Pag**
125. **Paralasa icelos (Groum-Grshimailo,1890)** (Satyridae) Synonym(s): *icelos* Groum-Grshimailo,1890 **Hindukuş Karakızı** *Erebia mani icelos* Groum-Grshimailo,1890, [in] Romanoff, Mém. Lépid. 4: 452, Pl.13 figs. 4b,c. Type(s): Liagar Mourda, 11000ft. **AF Bqu Hk TJ Z-G**
126. **Paralasa kotzschae (Goltz,1937)** (Satyridae) Synonym(s): *kotzschae* Goltz,1937; *schugnana* J.L.Shchetkin,1971. **Nuksan Karakızı** *Erebia kotzschae* Goltz,1937, Ent. Rdsch. 54 (29): 363, Taf. 1a-d. Syntypes 3♂ 5♀: Afghanistan: Nordosthindukusch, Nuksan Pass, Nordseite, 3500-4000m (in coll. Goltz). **AF TJ Pm**
127. **Paralasa pagmanni (O.Bang-Haas,1927)** (Satyridae) Synonym(s): *pagmanni* O.Bang-Haas,1927 **Afgan Ringlet Kabul Karakızı** *Erebia kalinda* ssp. *pagmanni* O.Bang-Haas,1927, Horae Macrolepid. 1: 47. Syntypes 2♀: Afghanistan: Kabul, Pagman mont., 3000m. **AF Kab Pag**

- 128. Paralasa shakti Wyatt,1961** (Satyridae) *Synonym(s): shakti Wyatt,1961* **Anjuman Karakızı Paralasa shakti Wyatt,1961**, J. Lepidopterist's Soc. 15(1): 13, figs. Holotype ♂: Afghanistan: Hindu Kush, Bala Quran: Anjuman valley, 14000ft. **AF Anj Bd Bqu Hk**
- 129. Pseudochazara (Achazara) kanishka Aussem,1980** (Satyridae) *Synonym(s): kanishka Aussem,1980* **Aussem's Tawny Rockbrown Afgan Yalancıcadısı Pseudochazara kanishka Aussem, 1980**, Nota lepid. 3 (1/2): 8, figs. Holotype ♂: Afghanistan: Samangan Prov., Tang-e-Tashqurghan, 500m. **AF**
- 130. Pseudochazara (Achazara) telephassa (Geyer,[1827])** (Satyridae) *Synonym(s): telephassa Geyer,[1827]* **Telephassa Grayling, Turanian Tawny Rockbrown Turan Yalancıcadısı Eumenis telephassa Geyer,[1827]**, [in] Hübner, Samml. exot. Schmett. 2: Taf.[85] figs. 1-4. Type(s): unknown. **AF Cc AZ Bl Gg Hyb Nwf IL Pa Hf IQ IR Ab Ak Ahw Ar Ara B-A Bk Brz Bu By Dzf Es Fa Gh Gor Ha Hz Il Kaz Kd Kh Km Kz Lo Ma Mz Qz Se Ss Th Yz Zj JO LB PK SY TM TR**
- 131. Pseudochazara (s.str.) droshica (Tytler,1926)** (Satyridae) *Synonym(s): droshica Tytler,1926* **Tytler's Tawny Rockbrown Keşmir Yalancıcadısı Eumenis lehana ssp. droshica Tytler,1926**, J. Bombay nat. Hist. Soc. 31: 256. Syntypes: [Pakistan]: Drosh, Shandur Pass. **AF Bd Bt Dro Ci Gg KK Nwf PK Sha Shv**
- 132. Pseudochazara (s.str.) panjshira (Wyatt & Omoto,1966)** (Satyridae) *Synonym(s): panjshira Wyatt & Omoto,1966* **Afgani Tawny Rockbrown Hindukuş Yalancıcadısı Satyrus (Pseudochazara) baldiva ssp. panjshira Wyatt & Omoto,1966**, Entomops 5: 160, figs. Holotype ♂: Afghanistan: [Hindu Kush], Dasht-i-Riwat, lower Panjshir valley, 2200m. **AF Anj Bd Bqu Hk**
- 133. Pseudochazara (s.str.) porphyritica Clench & Shoumatoff,1956** (Satyridae) *Synonym(s): porphyritica Clench & Shoumatoff,1956* **Kuhibaba Yalancıcadısı Pseudochazara porphyritica Clench & Shoumatoff,1956**, Vidensk. Medd. fra Dansk naturh. For. 118: 150-151. Holotype ♂: Afghanistan: Koh-i-Baba Mts.: Panjao, 2500m. **AF Kbb Pnj**
- 134. Pseudochazara (s.str.) sagina (Staudinger,[1894])** (Satyridae) *Synonym(s): sagina Staudinger,[1894]* **Saga Yalancıcadısı Satyrus lehana var. sagina Staudinger,[1894]**, [in] Rühl, Die palaearkt. Grossschmett. 1: 542. Type(s): Turkestan. **AF CN TJ Ui Z-G**
- 135. Pseudochazara (s.str.) turkeстана (Groum-Grshimailo,1893)** (Satyridae) *Synonym(s): turkeстана Groum-Grshimailo,1893* **Turkestan Tawny Rockbrown Türkistan Yalancıcadısı Satyrus lehana var. turkeстана Groum-Grshimailo,1893**, Horae Soc. ent. ross. 27: 384. Syntypes: [China: Uighur A.R.]: "in montibus Turkestan: Tian-shan orientali" [Tengri Tagh]. **CN KK T-S Ui Ku Au Kml KG Al AF Anj Bd Bqu Kbb Hk Sp Ket KuA T-I TrA Ax Sju**
- 136. Satyrus (s.str.(s.str.)) pimplus C.Felder & R.Felder,[1867]** (Satyridae) *Synonym(s): pimpla C.Felder & R.Felder,[1867]* **Himalaya Pirireisi Satyrus pimpla C.Felder & R.Felder,[1867]**, Reise Fregatte "Novara", Lep. Rhop. (3): 494-495, Tab.lxix figs. 10,11. Syntypes ♀: Himalaya occidental.: Ladak: Chulichang. **AF Kbb Bqu Bl Bt Ch Ci Nwf Gg Kab Ld PK Sha Bgr Bl Urk Zi TJ Pm**
- 137. Ypthima asterope (Klug,1832)** (Satyridae) *Synonym(s): asterope Klug,1832; marlenii Kattulas & Koutsafikis,1978.* **African Ringlet, Common Three-Ring Karagöz Hipparchia asterope Klug,1832**, [in] Ehrenberg, Symb. Phys. Ins. 3: pl.29 figs.11-14. Syntypes: Syrien, Arabien. **Ad Ae AF As CY Dh EG GR Hd Hj IL Pa Hf IN Ass MM May Shn Mpr IQ IR JO LB OM PK Rd SA SY TR UE YE ZA Tva Lpo Spb Mpu Brb Wca Kru K12 Wv Kaa Ly Suw Wri Wb NA AO VN Ann TH**
- 138. Ypthima bolanica Marschall,1882** (Satyridae) *Synonym(s): bolanica Marschall,1882* **Desert Four-ring Dört Halkalı Karagöz Ypthima bolanica Marschall,1882**, Proc. zool. Soc. London 52: 759. Type: [Pakistan]: at Mach in the Bolan Pass. **Bl Mac PK IR Ss Hz B-A Ch AF OM**

Danaidae

- 139. Danaus (Anosia) chrysippus (Linnaeus,1758)** (Danaidae) *Synonym(s): chrysippus Linnaeus,1758; aegyptius Schreber,1759* **Milkweed, Monarch, Plain Tiger Sultan Papilio chrysippus Linnaeus,1758**, Syst. Nat. (Ed.10) 1: 471. Syntypes: Aegyptio, America [S. China (Tolman,1997)]. **Ad AF AL AO As BF BH BI BJ CF CG CI CM Cr CY Dh DZ EG EH ER ES Mu ET GA GH GM GN GO Bio GR Rd GW Hd Hj ID IN IQ Dy IR IT JO KE KG KW LB LR LS LY MA ML MR Mu MZ Nj RW SA Sa SD SL SN SO ST SY SZ TM TN TR Ci Kz Ahw Hz Kru ZM Bl Si Cn KM MG Fa Kh BW BZ DJ GW MW MZ NA NE NG RW SC TD TG TZ UG ZA Nta Tva Cap Lpo Spb Mdk Ltr Hgl Ent NWe Mpu Fs Nca Ec ZR ZW Wca Kzu AL As Ptb Tug TH CMa Cm1 Cu0 Cu02 Cu05 Cu07 Cu09 Cu10 Nan Knc Sbu Npt Bnk Ci CN Cp Cr Cu Dh Hd Hj ID IL Pa Hf IN IT KH Kma Kre KW Lh LK MM MT MY Nf Nf Nj NP OM PK Mre Bl QA SA Sa Sd SI Si SY VN YE PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Lj Gau Pre Mv Est Pma Pf Agh Nia Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic Slo Wb Jh Wri Ire Wjk Ls Mlc Tim Tnm Bgd Ja Flo Sly Tan Kba Bng Tuk Bnr Sla Kbn Kgr Ben SI Cle Mhw Kma Mpr NI HK Lh Sd Cp Oi Chn Ton EGo7 Nst Ths Tnga Usa Ani Eth**
- 140. Parantica melaneus (Cramer,[1775])** (Danaidae) *Synonym(s): melaneus Cramer,[1775]; ephyre Hübner,[1816]; szechuana Fruhstorfer,1899* **Papilio melaneus Cramer,[1775]**, Uitl. Kapellen 1: pl.30 fig.D. **CN Hn Yu Kwa Sz ID MM Hn Yu Tvy MY TH CMa Chi Nna Rng Loe Yal Nst TW VN Ton Tda AF PK SI IN Ass Kma Mpr Msm Nag Up Slo BD**
- 141. Parantica sita (Kollar,[1844])** (Danaidae) *Synonym(s): sita Kollar,[1844]; #tira Fruhstorfer,1899; #pedonga Talbot,1943.* **Danais sita Kollar,[1844]**, [in] Hügel, Kaschmir und das Reich der Siek 4: 424, pl.vi. Type(s): Kashmir. **AF Ass Slo BT Ch Chn CN Ddu Hn Ti IN Up Kgr Kma Nag MM Tns Msm Mus NP PK SI TH CMa CDo Loe Pbu Rng VN Ton Tda Yu RU Vv JP TW PH Pal Bab Luz**

142. **Tirumala hamata (Macleay,1827)** (Danaiidae) Synonym(s): *hamata* Macleay,1827 **Dark Blue Tiger**
Mavikaplan *Euploea hamata* Macleay,1827, *Kings Austral.* 2: 451. AF Ass BT Chn CN Hn Hp ID IN Kgr Kma Kul
MM Msm Mus MY Nag NP Oi PK TH CMA TW Up VN Yu PH Jol Sga Stu Taw Ala Bab Bal Bat Bas Bil Boh Bon Bur
Bus CagSul Cal Cam CmL CmM Cat Ceb Din Dum Gui Hom Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao PG
AU SB NH NC FJ Pol Rom Sam Sar Sia Sib Siq Sis Tab Tic Cuy Cts Sbt Nia TO WS Sgk Hya Tnc
143. **Tirumala limniace (Cramer,[1775])** (Danaiidae) Synonym(s): *limniace* Cramer,[1775] **Papilio**
limniace Cramer,[1775], *Uitl. Kapellen* 1: pl.59 figs. D,E. AF CN TW Hn LK MM PK Bl ID VN Nk Adm Ass Chn Ci Cle
Cp Kgr Kma Lh Mpr Mus Nag Nk Oi Pj Pln SI Tn Up PH Luz Mar Mas Mdo Neg Pan Mno Sar MY TH Bnk CMA Cuo
Cuo1 Cuo3 Cuo5 Cuo9 Cui2 Dst Qs Chb Nkh LK IN Clb Sly Tan Kla Sla Ja Bli Kgn Baw Snd Mhw Knr Nl Ton Tda
144. **Tirumala septentrionis (Butler,1874)** (Danaiidae) Synonym(s): *septentrionis* Butler,1874 **Danaüs**
septentrionis Butler,1874, *Entomologist's mon. Mag.* 11: 163. Syntypes: Nepal. PH Luz Bal Pal Pan Mno Lkw MY SG
TH Chy Nna Chp Pht CMA Cuo Cuo5 Cui2 Nst Chw LK ID Clb Bor Sla Tal Ja Bli Baw Snd AF Ass BT Chn CN Hn Hp
ID IN Kgr Kma Kul MM Msm Mus MY Nag NP Oi PK TW Up VN Ton Tda Yu Nl Mlb Pln

Libytheidae

145. **Libythea (s.str.) myrrha Godart,[1819]** (Libytheidae) Synonym(s): *myrrha* Godart,[1819]
Libythea myrrha Godart,[1819], [in] Latreille & Godart, *Ency. Méth. [Zool.]* 9: 171, nr.4. Ld AF PH Pal ID Ja Bli Lb
Sbw Sum Bor LK SI IN Ass MM TH CMA Chy Nna Kao Tak Cbi Phi Phe Nst Yal Loc Pbu MY CN

Riodinidae

146. **Abisara bifasciata Moore,1877** (Riodinidae) Synonym(s): *bifasciata* Moore,1877; *jhana* Fruhstorfer,1914
Abisara bifasciata Moore,1877, *Proc. zool. Soc. Lond.* 47: 587. AF BT SI MM Tns IN NP Nk Adm CN Yu TH CMA Loc
Nrt
147. **Polycaena tamerlana Staudinger,1886** (Riodinidae) Synonym(s): *tamerlana* Staudinger,1886
Timurlenk *Polycaena tamerlana* Staudinger,1886, *Stettin ent. Ztg.* 47: 227. Syntypes: [Kirgizistan]: Osch;
[Usbekistan]: Alai, Namangan. AF CN KG KK Ku PK TJ Tk T-S Ui UZ Tyk TeA TrA KuA Ax

Lycaenidae

148. **Acytolepis puspa (Horsfield,[1828])** (Lycaenidae) Synonym(s): *puspa* Horsfield,[1828]; *sania*
Fruhstorfer,1910; *contilia* Fruhstorfer,1910. **Common Hedge Blue** *Polyommatus puspa* Horsfield,[1828], *Descr.*
Cat. Lepid. Ins. Mus. East India Coy (1): 67. AF IN Bba Nk Nag NP SI BT LK MM Krh Vp MY Bor P-T Lkw SG TH Nst
Rng Sat CMA Chy Chb Nna Rat TW ID Ja Sum Nia Nat Dm Wt Tim Clb Bng Baw Kng Sla Mw Sip Pgi Sbt Kai LA KH
CN Yu Hnn VN PH Bas CmM Jol Ley Mno Sam Taw Luz Mdo Pal HK Adm BD Kwa Mrg Log JP Kyu Cuo Cui0 CDo
CD2 Sgk Hya Tnc
149. **Azanus (s.str.) uranus Butler,1886** (Lycaenidae) Synonym(s): *uranus* Butler,1886 **Dull Babul**
Blue Mat Babulmavisi *Azanus uranus* Butler,1886, *Proc. zool. Soc. London* 56: 366, nr.40, pl.xxxv fig.1. PK Pj Cp
Ci AF IN MM
150. **Callophrys naderii Ten Hagen,2008** (Lycaenidae) Synonym(s): *naderii* Ten Hagen,2008 **Naderi's**
Green Hairstreak *Callophrys naderii* Ten Hagen,2008, *Nachr. ent. Ver. Apollo (N.F.)* 29 (1/2): 9-12, figs. Holotype
♂: Iran: Kerman, Qohrod Mts., Gardaneh Khaeneh, Sorkh 2400m, 3.vi.2005, leg. J.Klir (SMF). IR Fa Ke Bl Qu PJ AF
Kab
151. **Celastrina argiolus (Linnaeus,1758)** (Lycaenidae) Synonym(s): *argiolus* Linnaeus,1758; *cleobis*
Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783;
acis Fabricius,1787 nec Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919.
Holly Blue **Kutsalmavi** *Papilio argiolus* Linnaeus,1758, *Syst. Nat. (Edn.10)* 1: 483. Type ♀: Europa (Linnean coll.
London) [gen.vern.]. He IL Ae AL AM Ao At AT AZ Ba BE BG BY CH CN Co Cr CY CZ DE DK DZ EE ES FI FR GB GG
GR HU IE IQ IR IT KG KK Ku LT LU LV MA MK MT NL NO PL PT Rd RO RU Sa SE Si SK Sm So Sr TM TN TR UA
Ui Uk V1 YU Cw Dv Smt H-W Sur Ssx Ken SY Kuz Sli DsA TrA KuA Ax Sau Ta JP MN KP KR TW Yu PH Luz Vv Sh
Buc Mrk US CA MX PA LB Sj AF Als Ssk Mnt Mon We Nfl Ti Btn Ats BCo Cf Ut Ne NMx PA GT Us Mc Bry Ok SCa
Tx Ge Lou Kan Aks Mss Alb Bn T-S Ab Ak Elb Th Ha Fa Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs
Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl
Ter Tol Trg Val Vcl Zg Zm MX Arz Cf Cnt Col Dw Fl Id Idp Iln Knt Mai Mch Mis Mns Mon Mrl Msc NCa NDk NMx
Ne Neb Nh Nje Ny Oh Org Pns RDi SDk Tnn Ut Vi Vr WVi We Ws Wy Nsr TH CMA CDo MM NP IN Cle SI Slo Ass
VN Ann Cc
152. **Celastrina kollari (Westwood,[1852])** (Lycaenidae) Synonym(s): *coelestina* Kollar,1848 nec Evers.,1843;
kollari Westwood,[1852]; *kasmira* Moore,1865; *trita* Swinhoe,1919. **Indian Holly Blue** **Hint Çobanpüskülümavisi**
Lycaena kollari Westwood,[1852], [in] Doubleday, *Gen. diurn. Lep.*: 491, nr. 69 (nomen novum pro *coelestina*
Kollar,1848 nec Eversmann,1843). Syntypes: Kashmir. IN PK Pj Ch AF Ci Mre Nwf Kma TH MM Ass VN NP SI CN Ti
153. **Celatoxia carna (De Nicéville,1895)** (Lycaenidae) Synonym(s): *carna* De Nicéville,1895 **Cyaniris**
carna De Nicéville,1895, *J. Bomb. nat. Hist. Soc.* 9: 274. IN MY ID AF

154. **Chaetoprocta odata (Hewitson,[1865])** (Lycaenidae) Synonym(s): *odata* Hewitson,[1865] **Dipsas**
odata Hewitson,[1865], Ill. diurn. Lepid. Lycaenidae 1 (text): 66, 2 (plates): pl.30 figs. 13,14. **AF PK Nwf Ci IN Kma SI**
155. **Chilades (Freyeria) trochylus (Freyer,[1843])** (Lycaenidae) Synonym(s): *trochylus* Freyer,[1843];
#*trochilus* Herrich-Schäffer,[1845]; *parva* Murray,1874; *persa* Bytinski-Salz & Brandt,1937; #*supraradiata* Wagner,1931
Jewel Blue Mücehverkelebeği *Lycaena trochylus* Freyer,[1843], Neuere Beitr. Schmett. 5(74): 98-99, Taf.440
fig.1. Syntypes: europäische Türkei. Ad AE AF AO As BF BH BI BJ BW CF CG Chi CI CM Cr Dh DJ DZ EG EH ER ET
GA GH GM GN Bio GR GW Hd Hj IL IN IQ IR JO KE KW LB LR LS LY MA ML MM MR Mu MW MZ NA NE Nf NG
Nj OM PK QA Rd RW SA SD SL Sms SN SO ST SY SZ TD TG TN TR ZA Gau Ptc Lpo Tva Spb Mdk Ent TM TZ UG YE
ZM ZR ZW AU MY PG PH Luz VN Pa Hf He Ci Elb Th Kp Fa Ss Kru Pma Cc CY
156. **Chilades (Lachides) galba (Lederer,1855)** (Lycaenidae) Synonym(s): *galba* Lederer,1855 **Small**
Desert Blue Akdeniz Mücehverkelebeği *Lycaena galba* Lederer,1855, Verh. zool.-bot. Ver. Wien 5: 190, pl.1 fig.4.
Syntypes: [Libanon]: Beirut. **AF BH CY IL IQ Agh Bag Su Cc AZ IR Fa Km Lo JO KW LB Bei Nf Nj QA SA SA78 SY**
TR UE PK Wa Bl Pm TJ
157. **Chilades (s.str.) parrhasius (Fabricius,1793)** (Lycaenidae) Synonym(s): *parrhasius* Fabricius,1793;
contracta Butler,1880; *ella* Butler,1881; *lempkei* Blom,1979. **Hesperia parrhasius** Fabricius,1793, Ent. Syst. 3(1): 289.
Type(s): Java. Ad AE BH Dh Hd KW OM QA YE SA AF Ca IN LK PH Boh Cts Ley Luz Mno PK Sd Krc Pj Nwf Bl Pes
IR Fa Hz Ss
158. **Chrysozephyrus sylvus (Kollar,[1844])** (Lycaenidae) Synonym(s): *syla* Kollar,[1844] **Thecla syla**
Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 414, Taf.4, figs.7,8. Type(s): Kaschmir. **Ass AF Ch IN**
Hp PK SI Nwf Ci Sfk Kma
159. **Cigaritis acamas (Klug,1834)** (Lycaenidae) Synonym(s): *acamas* Klug,1834; *obscurata* Staudinger,1901;
#*düldüli* Pfeiffer,1932; *dueldueli* Pfeiffer,1932 **Lebanese Silver-line, Levantine Leopard Butterfly Seytancık**
Lycaena acamas Klug,1834, [in] Ehrenberg, Symb. Phys. Ins. 4: pl.40 figs. 7-9. Lectotype ♀: Syria, designated by
Olivier & Nekrutenko,2000. Ad AF As BH CY Dh EG Hd IL Pa Hf JO KW LB OM PK QA SA SD SO SY TR UE Ci Nwf
Cp Sd Krc Bl Chm IR Elb Fa Ke TM Kp
160. **Cigaritis epargyros (Eversmann,1854)** (Lycaenidae) Synonym(s): *epargyros* Eversmann,1854
Turanian Leopard Butterfly Türkistan Seytancı *Polyommatus epargyros* Eversmann,1854, Bull. Soc. imp. Nat.
Moscou 27: 178-180, f.1,2. Syntypes: Südl. Kirghisensteppen, Aralsee, Sir-Darja. **T-S AF Aq CN Db IQ Su IR Lo Km**
Ab Ak KG KK Kp Ky PK Bl Tk TM Ui UZ Ii
161. **Glaucopsyche (s.str.) alexis (Poda,1761)** (Lycaenidae) Synonym(s): *alexis* Poda,1761; *damaetas* [Denis &
Schiffermüller,1775; #*sublugens* Strand,1909; #*insulicola* Turati & Fiori,1930; *mironi* Coutsis,1976. **Green-underside**
Blue Karagözmavisi *Papilio alexis* Poda,1761, Insecta Musei Graecensis...:77. Type(s): [Austria]: Steiermark. **AF AL**
AM AT At Bn Cc AZ Ba BE BG BY CH Co CZ DE DK DZ EE ES Mu Mui8 FI FR GG GR Rd HU Ii IT KG Ku LT LU LV
MK NO PL PT RO RU SE Si SK Sm So Sr TM TR LB IQ UA Uk VI YU He IL Pa Hf
162. **Glaucopsyche (s.str.) seminigra Howarth & Povolny,1976** (Lycaenidae) Synonym(s): *seminigra*
Howarth & Povolny,1976 **Afghani Green-underside Blue Yarsiyah Karagözmavisi** *Glaucopsyche seminigra*
Howarth & Povolny,1976, Cas. morav. Mus. Brne 61: 144. Holotype ♂: Afghanistan: Central Afghanistan: Kabul,
Sarobi 1000m (in coll. Povolny). **AF Bm Kab TM Kp IR Ha Elb Th**
163. **Heliophorus (Nesa) sena (Kollar,[1844])** (Lycaenidae) Synonym(s): *sena* Kollar,[1844]
Polyommatus sena Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 415, pl.5 figs.3,4. Syntypes:
Kashmir. **AF Ch IN Nu PK Ci Mre Abb**
164. **Jamides celeno (Cramer,[1775])** (Lycaenidae) Synonym(s): *celeno* Cramer,[1775]; *alexis* Stoll,1790 *nec*
Poda,1761; *aelianus* Fabricius,1793; *zethus* Hübner,[1819]. **Common Cerulean** *Papilio celeno* Cramer,[1775], Utitl.
Kapellen 1: 51. **CN Hn NH AF PK VN NP IN Ass MM PH Jol Luz Mdo Mno Pal TH Chi Cma Cuo Cuo5 Cuo7 Cuo9**
Cu12 Dst CDo Nrt Pgg Phu Tng Bnk Sgk Hya Tnc MY Lkw
165. **Lampides boeticus (Linnaeus,1767)** (Lycaenidae) Synonym(s): *boeticus* Linnaeus,1767; *damoetes*
Fabricius,1775; *coluteae* Fuessly,1775; *pisorum* Fourcroy,1785; *boedicus* Borkhausen,1788; #*baeticus* Latreille,1809; *armeniensis*
Gerhard,1886; *bagus* Distant,1886 **Long-tailed Blue, Pea Blue Lampides** *Papilio boeticus* Linnaeus,1767, Syst.
Nat. (Edn.12) 1(2): 789. Type(s): *Barbaria* [Algeria]. **Ae AF AL AM AZ Ba BE BG BH BI BY CH CN Co Cr CY DE**
DK DZ EG ES FR GG GR HU IL IN IQ IR IT Jo Kab Kbb KG KK KW LB Ld LY MA MB Mh MT NL OM Pa Ck PK Pnj
PT QA Rd RO RU SA Sa Si SK Sm So Sr SW SY TJ TM TN TR UA UE UZ YE YU Cw Dv Smt H-W Sur Ssx Ken Cy Ao
Mui8 Ci He Ket DsA Tls TrA Cp T-S Ab Ak B-A Bk Brz Bu By Es Fa Gh Gor Ha Hz Il Kaz Kd Kh Km Kz Lo Ma Mz Qz
Se Ss Th Yz Zj Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRE Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv
Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm PG Vu Dmp PH
Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley
Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab ZA Tva Lpo Spb Lj Mdk
Kru Pma Pf Nta Kzu Ptb Fre Gau Pre Jh Brn Mpu US Pa Hf TH Cma Cuo Cuo7 Cu12 Lmp Sgk Hya PSu Nst Chw
Ths Sya Bnk Kci MY Lkw IN Ass MM VN Hw SD SD91 SD119 Bgd Cc
166. **Lycaena (Hyrceanana) caspius (Lederer,1869)** (Lycaenidae) Synonym(s): *caspius* Lederer,1869
Caspian Copper Hazerbakırgüzeli *Polyommatus caspius* Lederer,1869, Horae Soc. ent. ross. 6: 76-77. Type ♂:
[Iran]: Persien: Astrabad. **IR Gor AF Pag Bm PK Bl TJ**
167. **Lycaena (Margelycaena) margelanica (Staudinger,1881)** (Lycaenidae) Synonym(s): *margelanica*
Staudinger,1881 **Margelan Copper Margelanbakırgüzeli** *Polyommatus phoenicurus* var. *margelanica*
Staudinger,1881, Stettin ent. Ztg. 42: 282-283. Syntypes: [Usbekistan]: Margelan. **T-S KK Man UZ AF TJ TrA Syr Tls**
Ax Tm KG Aa
168. **Lycaena (Phoenicurusia) athamantis (Eversmann,1854)** (Lycaenidae) Synonym(s): *athamantis*
Eversmann,1854 **Aral Yalancıbakırgüzeli** *Polyommatus athamantis* Eversmann,1854, Bull. Soc. imp. Nat.
Moscou 27: 180-181, figs.3,4. Syntypes: Südl. Kirghisen-Steppen; Aralsee. **T-S Aq CN Ii KG Ku Ui AF Bm PK Bl DsA**

169. **Lycaena (Thersamolycaena) aeolus (Wyatt,1961)** (Lycaenidae) Synonym(s): *aeolus* Wyatt,1961
Hindukush Cooper Afgan Bakırgüzeli *Lycaena aeolus* Wyatt,1961, J. Lepidopterist's Soc. 15(1): 17, figs. Holotype ♀: Afghanistan: Bala Quran, Anjuman valley, Hindukush Mts., 14300ft. **AF Anj Bd Bqu Hk**
170. **Lycaena (Thersamonia) aditya (Moore,1874)** (Lycaenidae) Synonym(s): *aditya* Moore,1874
Dras Copper *Chrysophanus aditya* Moore,1874, Proc. zool. Soc. Lond. 1874: 571-572. Syntypes: "Dras Valley (between Tashgam and Korkitchoor), Ladak (Capt. H.B.Hellard)". **Ld AF Bd PK Ci Nwf TJ Pm**
171. **Lycaena (Thersamonia) alaica (Groum-Grshimailo,1888)** (Lycaenidae) Synonym(s): *alaica* Groum-Grshimailo,1888
Alai Copper *Polyommatus thersamon* var. *alaica* Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 305-306. Type(s): [Kirgizistan]: Alai [Malyi Karamyk river, near Daraut-Kurgan]. **TJ AI AF Bd KK Gis**
172. **Lycaena (Thersamonia) eberti (Forster,1972)** (Lycaenidae) Synonym(s): *eberti* Forster,1972
Ebert's Copper *Lycaena lampon* ssp. *eberti* Forster,1972, Ent. Z., Frankf.a.M. 82(20):225-226, fig.5. Holotype ♂: Afghanistan: Band-i-Amir 2900-3100m. **AF**
173. **Lycaena (Thersamonia) thersamon (Esper,[1784])** (Lycaenidae) Synonym(s): *hyllus* Cramer,[1775]; *thersamon* Esper,[1784]; *omphale* Klug,1834; *persica* Bienenr,1870; *militaris* Graves,1925. **Lesser Fiery Copper Küçükatesgüzeli** *Papilio thersamon* Esper,[1784], Die Schmett. 1 (Bd.2) Forts. Tagschmett.: 176, pl.89, fig.6 Type(s): [Russia]: Sarepta. **At Bn Ao He Kos AF AL AT Ba BG BY CN Ui CY CZ GR EG Sn HU Ii IL Pa Hf IR Kh IT JO KG KK MK PL Rd RO RU SK Sm Sr Tk TR T-S UA Uk Vi YU SY Buc Nym SAT Sau Tar Mrk DsA TrA Aa Tk Rk Aq Syr Tm Cc**
174. **Lycaena (s.str.) kiyokoae Sakai,1978** (Lycaenidae) Synonym(s): *kiyokoae* Sakai,1978 **Shahfuladi Copper Afgan Ateşgüzeli** *Lycaena kiyokoae* Sakai,1978, Atalanta 9(1): 115, figs.11,12. Holotype: Afghanistan: Mt. Shahfuladi, 4000-4500m. **AF Kbb**
175. **Lycaena (s.str.) phlaeas (Linnaeus,1761)** (Lycaenidae) Synonym(s): *phlaeas* Linnaeus,1761; *virgaureae* Fourcroy,1785 nec Linn.,1758; *eleus* Fabricius,1798; *aestivus* Zeller,1850; *schmidtii* Gerhard,1853 **Small Copper, American Copper. Benekli Bakırgüzeli** *Papilio phlaeas* Linnaeus,1761, Fauna Suecica (2): 285. Type(s): Sweden, Westermannia. **Ad Ae AF AL AM Ao As At AT Aty AZ Ba BE BG BY CH Cm CN Co Cr CY CZ DE DK EE ES FI FR GB GG GR HU IE IL IN IQ IR IT JO KG Kgs KK Kmt Ku LB Ld LT LU LV MK MN MT NL NO PK PL PT Rd RO RU SA Sa SE Si SK Sm Sv Sr SY Ti Tj Tk TM TR UA Ui Uk Vi YE YU Cw Dv Smt Mu18 Bn Cy LY H-W Sur Ssx Ken MA Dk TN Pm Bik Ci Bl Sau Tar DsA Ax TrA KuA TeA Ket T-S Pes Mre Mus Krl JP US Cf UG ZR ET Md Mon Abt CA Msc Ab Ak B-A Bk Brz Bu By Es Fa Gh Gor Ha Hz Il Kaz Kd Kh Km Kz Lo Ma Mz Qz Se Ss Th Yz Zj Prj Us Pa Hf Sml Act Alc Alv Alm Atv Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rjo San Seg Sma Sor Svl Ter Tol Trg Val Vel Zg Zm US Aks Cf Cnt Col Dw Ge Id Idp Iln Io Kan Knt Mai Mch Mis Mns Mon Mrl Msc NCa NDk NMx Neb Nh Nje Ny Oh Ok Org Pns RDi Sdk Tnn Ut Vi Vr WVi Wc Wy Um Adu Bgd Cc**
176. **Micropsyche ariana Mattoni,1981** (Lycaenidae) Synonym(s): *ariana* Mattoni,1981 **Arian Small Blue Aryan Küçükmavisi** *Micropsyche ariana* Mattoni,1981, J. Res. Lepid. 18 (4): 256. Holotype: Afghanistan. **AF**
177. **Plebejus (Alpherakya) bellonus (Groum-Grshimailo,1888)** (Lycaenidae) Synonym(s): *bellonus* Groum-Grshimailo,1888 **Roschan Blue** *Lycaena bellona* Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 306. Syntypes ♂♂: Afghanistan: Roschan. Lectotype ♂: Koudara, designated by Balint,1999, Neue ent. Nachr. 46: 19 (BMNH). **AF**
178. **Plebejus (Alpherakya) devanicus (Moore,1874)** (Lycaenidae) Synonym(s): *devanicus* Moore,1874
Ladak Blue *Polyommatus devanica* Moore,1874, Proc. zool. Soc. Lond. 1874: 573, pl.lxvi fig. 4. Syntypes: Ladak, Dras valley. **AF Dra Kab Kbb Ci Nwf Ch Ld Pag PK Pm Pnj Swa TJ**
179. **Plebejus (Kretania) iranica (Forster,1938)** (Lycaenidae) Synonym(s): *iranica* Forster,1938
Persian Brown Argus İranlı Esmergöz *Lycaena (Plebeius) eurytilus* ssp. *iranica* Forster,1938, Ent. Rdsch. 55: 216-217, figs. Holotype ♂: [Iran]: Persia sept., Elburs m. sept. Tacht i Suleiman, Vandarban-Tal 1900-2200m (ZSSM). **AF IR Ak Ab Elb Ke Kp TM TR IQ**
180. **Plebejus (Lycaeides) christophi (Staudinger,1874)** (Lycaenidae) Synonym(s): *christophi* Staudinger,1874; *argivus* Staudinger,1886. **Christoph's Blue Christoph'un Esmergözü** *Lycaena christophi* Staudinger,1874, Stettin ent. Ztg. 35(1/3): 87-90. Syntypes: [Iran]: Schahrud; [Turkmenistan]: Krasnowodsk; Lectotype ♂: Iran: Schahrud (designated by Olivier, et al., 1998, Phegea 26 (3): 91) (ZMHB). **Aa AF Aq Ci CN Fe Gg Gn IR Ab Ak Elb Kp Fa Ss KG KK Ky PK Pm T-A TJ Tk TM TR Ui UZ Krn Ii T-S Cc**
181. **Plebejus (ardis-gr) eversmanni (Lang,1884)** (Lycaenidae) Synonym(s): *eversmanni* Lang,1884; *eversmanni* Staudinger,1886 (hom.); *grumi* Staudinger,1901; *ardis* Balint & Johnson,1997. **Eversmann's Blue Eversmann'in Esmergözü** *Lycaena eversmanni* Lang,1884, Rhop. Europae 1: 370. Lectotype ♂: [Uzbekistan: W. Ghissar]: "Samarkand" designated by Balint,1999. **T-S KK Osh UZ TM Kp Pm TJ AF**
182. **Plebejus (ardis-gr) firuskuhi Forster,1940** (Lycaenidae) Synonym(s): *firuskuhi* Forster,1940
Firuskuh Blue **AF**
183. **Polyommatus (Agriades (s.str.)) pheretiades (Eversmann,1843)** (Lycaenidae) Synonym(s): *pheretiades* Eversmann,1843 **Saisan Blue Çokgözlü Tanrıdağı Dorukmavisi** *Lycaena pheretiades* Eversmann,1843, Bull. Soc. imp. Nat. Moscou 16(3): 537, pl.7 figs.3a,b. Syntypes: [Kasachstan]: Noor-Saisan. **TJ Pm Adr Hk Nmg Ax Tls AF CN Ju Ga Cho KK Sda Tek T-S Ui KG DsA Tar Sau Ssn TrA KuA TeA Tu**
184. **Polyommatus (Agriades (s.str.)) walterforsteri Koçak,1996** (Lycaenidae) Synonym(s): *forsteri* Sakai,1978 nec Pff.,1938; *walterforsteri* Koçak,1996 **Walterforster Blue** *Polyommatus (Agriades) walterforsteri* Koçak,1996, Cent. ent. Stud., Misc. Pap. 30/33: 15-16 (nomen novum pro *Agriades pheretiades* ssp. *forsteri* Sakai,1978 nec Pfeiffer,1938 (secondary homonym)). Holotype ♂: Afghanistan: Paghman Mt., 3300-3800m. **AF Kab Kbb Pag**

- 185. Polyommatus (Albulina (Pamiria)) chrysopis (Groum-Grshimailo,1888)** (Lycaenidae) Synonym(s): *chrysopis* Groum-Grshimailo,1888; *gilgitica* Tytler,1926. *Lycaena chrysopis* Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 306. Syntypes ♂♂: [Pakistan]: Hindukusch orient. [Hunza]. Lectotype ♂: Beik, designated by Balint,1993 [in] d'Abrera,1993: 498 (BMNH). **AF Ci Ld PK Pm TJ**
- 186. Polyommatus (Albulina (Pamiria)) issus (Zhdanko,1995)** (Lycaenidae) Synonym(s): *issa* Zhdanko,1995 **Pamir Blue** *Pamiria issus* Zhdanko,1995, Zool. Zh. 74 (10): 123, figs. Holotype ♂: Southern Pamir, Hindukush. "Tura". **Hk Pm TJ AF**
- 187. Polyommatus (Albulina (Pamiria)) selma Koçak,1996** (Lycaenidae) Synonym(s): *chitralensis* Tytler,1926 nec Swinh.,1910; *selma* Koçak,1996 **Selma Blue** *Polyommatus (Albulina) selma* Koçak,1996, Cent. ent. Stud., Misc. Pap. 30/33: 16 (nomen novum pro *chitralensis* Tytler,1926 nec Swinhoe,1910). **AF Ci Nwf PK**
- 188. Polyommatus (Albulina (Plebejidea)) loewii (Zeller,1847)** (Lycaenidae) Synonym(s): *loewii* Zeller,1847; *empyrea* Gerhard,[1851]; *gigas* Staudinger,1871; *#robusta* Turati & Fiori,1930; *germaniciae* Pfeiffer,1932; *dzhegamati* Sheljuzhko,1934. **Loew's Blue Çokgözlü Gümüşmavi** *Lycaena loewii* Zeller,1847, Isis 1847: 9-10. Syntypes ♂♂: [Türkei]: Makri [Fethiye]. **Nwf Ci Bl Chm Bm Kab AF Cc AM AZ EG GG Smt Akh GR IL IQ IR Zj By Fa Elb Th JO Kc KG KK LB Nf Nj OM PK Rd RU SA SY TJ TM TR Ld**
- 189. Polyommatus (Albulina (Vacciniina)) omotoi (Forster,1972)** (Lycaenidae) Synonym(s): *omotoi* Forster,1972 **Panjao Blue Afgan Çokgözlüsü** *Vacciniina omotoi* Forster,1972, Ent. Z., Frankf. a. M. 82 (20): 231-232, Abb. 6-7. Holotype ♂: Afghanistan: Koh-i-Baba Mts., Panjao, 2700-3000m **AF Kbb Pnj**
- 190. Polyommatus (Aricia (s.str.)) artaxerxes (Fabricius,1793)** (Lycaenidae) Synonym(s): *artaxerxes* Fabricius,1793. **Mountain Argus Çokgözlü Ormanesmeri** *Hesperia artaxerxes* Fabricius,1793, Ent. Syst. 3(1): 297, nr.129 Taf.63, fig.2. Type(s): England: Scotland. **AT Bn At Kts Ba BG CH CZ DE DK DZ EE ES Mu FI FR GB GR HU IT LT LV KG KK MK NO RO RU Kc Teb SE Si SK So Sr TR IR Ab YU Sli Kuz Nat Tk DsA Lps Ket TrA Ax TeA KuA T-S CN Ui Kml AF AM Cc AZ Kir GG Bku Bjo Smt**
- 191. Polyommatus (s.str. (Agrodiaetus (Juldus))) afghanicus (Forster,1973)** (Lycaenidae) Synonym(s): *afghanicus* Forster,1973 **Afghani Blue Çokgözlü Afganmavisi** *Agrodiaetus afghanica* Forster,1973, Ent. Z., Frankf.a.M. 83(18): 209-211, figs. Holotype ♂: Afghanistan: Val Panjshir sup., 2800-3400m. leg. K.Omoto (ZSM). **AF Pjr**
- 192. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) bogra Evans,1932** (Lycaenidae) Synonym(s): *bogra* Evans,1932 **Baluchi Meadow Blue Çokgözlü Buğramavisi** *Polyommatus actis bogra* Evans,1932, Identification Indian Butterflies (2): 231. Syntypes ♂♂: [Pakistan]: Baluchistan, >7000ft. Lectotype ♂, designated by Balint,1999, Neue ent. Nachr. 46: 19 (BMNH). **Bl PK IR Ss Kh AF Kab Pag Slg Kbb Pjr Gbh**
- 193. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) erschoffii (Lederer,1869)** (Lycaenidae) Synonym(s): *erschoffii* Lederer,1869 *Lycaena erschoffii* Lederer,1869, Horae Soc. ent. ross. 6: 80, Taf.4 figs. 4-5. Syntypes ♂♂: [Iran: Elburs Mts.]: "Hadschyabad und Schaku". **IR AF Kp TM**
- 194. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) frauwartianae Balint,1997** (Lycaenidae) Synonym(s): *frauwartianae* Balint,1997 **Frauwartian's Blue** *Polyommatus frauwartianae* Balint,1997, Neue ent. Nachr. 40: 49, Pls. Holotype ♂: Afghanistan: Band-i Amir, 3000m. (in NHMW). **AF**
- 195. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) nadirus (Moore,1884)** (Lycaenidae) Synonym(s): *nadirus* Moore,1884 **Nadir's Blue** *Lycaena nadira* Moore, 1884, J. asiat. Soc. Beng. 53 (2): 24. Type ♀: Afghanistan: Kabul. **AF Kab**
- 196. Polyommatus (s.str. (Sublysandra)) adulterinus Heydemann,1954** (Lycaenidae) Synonym(s): *adulterinus* Heydemann,1954 *Polyommatus adulterinus* Heydemann,1954, Z. Wien. ent. Ges. 39: 425-426. Holotype ♂: Afghanistan: Kabul. **AF Kab**
- 197. Polyommatus (s.str. (Sublysandra)) cornelius (Freyer,[1850])** (Lycaenidae) Synonym(s): *cornelius* Freyer,[1850]; *cornelia* Gerhard,[1851]; *candalus* Herrich-Schäffer,[1851]; *zuleikae* Pfeiffer,1932; *eberti* Koçak,1979; *subtilis* Pages & Charmeux,1992. **Small Anatolian Blue Çokgözlü Küçük Turanmavisi** *Lycaena cornelia* Freyer,[1850], Neuere Beitr. Schmett. 6: 145, Taf. 572, fig.1. Type(s): Türkei, Amasia. **TM TR AF**
- 198. Polyommatus (s.str. (Sublysandra)) muingi (Balint,1992)** (Lycaenidae) Synonym(s): *muingi* Balint,1992 **Müting's Blue Çokgözlü Mütingmavisi** *Agrodiaetus muingi* Balint,1992, Linneana Belg. 13 (8): 405-407, figs.8,9. Holotype ♂: Afghanistan: Vicinity of Kabul, 2500m (HNHM). **AF Kab**
- 199. Polyommatus (s.str. (Sublysandra)) nuksani (Forster,1937)** (Lycaenidae) Synonym(s): *nuksani* Forster,1937 **Nuksan Blue Çokgözlü Nuksanmavisi** *Lycaena candalus* ssp. *nuksani* Forster,1937, Mitt. münch. ent. Ges. 27: 62-63, Abb.1-3. Holotype ♂: Afghanistan: Nordost-Hindukusch, Nuksan Pass Nordseite, 3500-4000m. **AF Hk**
- 200. Polyommatus (s.str.) eros (Ochsenheimer,1808)** (Lycaenidae) Synonym(s): *tithonus* Hübner,[1804] nec Linn.,1771; *eros* Ochsenheimer,1808 **Eros Blue Çokgözlü Eros Papilio eros** Ochsenheimer,1808, Schmett. Eur. 1(2): 42. Syntypes: Tyroler und Schweizer Alpen. **Ak AT CH DE ES FR GR IR IT YU KG DsA Ket TeA KuA TrA AF Hk PK Bl Wa Zh Qu Zi Ci Nwf Hyb IN Kma Up Bph Mil T-S RU Kr Cc Tai TR BY UA PL**
- 201. Polyommatus (s.str.) icarus (Rottemburg,1775)** (Lycaenidae) Synonym(s): *argus* Poda,1761 nec Linn.,1758; *alexis* Scopoli,1763 nec Pda,1761; *thetis* Esper,1777 nec Dru.,1773; *icarus* Rottemburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779; *candaon* Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fusciolus* Fourcroy,1785; *icarinus* Scriba,1795; *pusillus* Gerhard,1851; *neglectus* Stradomsky & Arzanov,1999 **Common Blue Çokgözlü Mavi Papilio icarus** Rottemburg,1775, Naturforscher 6: 21. Type(s): Saxonia. **Ae AF AL Ao AT Ba BE BG B-H BY CH CN Co Cr CY CZ DE DK DZ EE ES FI FR GB GR HU HV IE İİ IL IQ IR IT JO KG KK Ku LB LT LU LV MA MK MN MT NL NO PK PL PT**

Rd RO RU Sa SE Si SK Sm So Sr SS SY TJ TM TN TR T-S Tv UA Ui Uk Us UZ VI YU Cw Dv Smt H-W Sur Ssx Ken
Mu Mu18 Bn At Kts Sau Tar Buc Bkb Mrk Ssn Ktm Nym Sb DsA TrA KuA TeA Ax Ii Kuz Sli Bl Ci Nwf Kmt Sju Prj
Pa Hf Cc Kc Pe Ir Irk Bc

- 202. Polyommatus (s.str.) omotoi Forster,1972** (Lycaenidae) Synonym(s): *omotoi* Forster,1972
Omoto's Blue Afgan Çokgözlü Mavisi Polyommatus candalus ssp. omotoi Forster,1972, Ent. Z., Frankf. a. M.
82(20): 228, 229-230, Abb. 3-4. Holotype ♂: Afghanistan: Badakhshan: Bela Kuran, 3200-3500m. **AF Bqu**
- 203. Polyommatus (s.str.) persicus (Bienert,1870)** (Lycaenidae) Synonym(s): *persica* Bienert,1870;
bienerti Balint,[1993]. Persian Common Blue Çokgözlü Acemmavisi Lycaena icarus var. persica Bienert,1870,
Lepid. Ergebn. Reise in Persien: 29: Syntypes: [Iran]: Khorasan: Nishapur, Saebzevar, Meschhet. Lectotype ♂:
"Persia", designated by Nekrutenko,1988 (ZMHU). **AF Hr IQ IR Yz PK Ci TR TM Kp TJ Gis Pm CN KK Ti? Ui Um Yk**
Ga RU Tv T-S KG Drw TJ At DsA TrA KuA Sau Tar
- 204. Polyommatus (s.str.) venus (Staudinger,1886)** (Lycaenidae) Synonym(s): *venus* Staudinger,1886
Venus Blue Çokgözlü Venüsmavisi Lycaena venus Staudinger,1886, Stettin ent. Ztg. 47: 211. Syntypes 10♂ 6♀:
Südl. Alai. Lectotype ♂: "Alai", designated by Lukhtanov,1994, Herbiopoliana 3: 272 (ZMHUB). **T-S Al AF Amd Bqu**
CN Ui KK Tat Ti TM Ts UZ
- 205. Praephilotes violacea Howarth & Povolny,1976** (Lycaenidae) Synonym(s): *violacea* Howarth &
Povolny,1976 Nangrahar Blue Praephilotes violacea Howarth & Povolny,1976, Cas. morav. Mus. Brne 61: 143.
Holotype ♂: Afghanistan: East Afghanistan: Nangrahar, Tor-Khama (in coll. Povolny). **AF**
- 206. Pseudophilotes vicrama (Moore,1865)** (Lycaenidae) Synonym(s): *vicrama* Moore,1865 Lesser
Chequered Blue; Eastern Baton Blue Himalayamavisi Polyommatus vicrama Moore,1865, Proc. zool. Soc.
London 35: 505, pl.31, fig.6. Syntypes: Tibet: Shipkee; [India]: Middle Kunawur: Cheeni. **AF AL At Bn AT Ba BG BY**
CY Ch Ci CN Cr CZ DE EE FI GR HU Ii IN IR Elb Fa Kp IL Pa JO IQ IT KG Ld LT LV PK PL RO RU SK Sm So Sr Ti
TM TR Cc GG Smt Akh UA Ui VI YU Uk Kt Ka Sp Sau Tar DsA TrA Db Syr Tm Ku T-S
- 207. Satyrium (Strymonidia) spini (Fabricius,1787)** (Lycaenidae) Synonym(s): *#spini* [Denis &
Schiffermüller],1775; *lynceus* Esper,[1779] nec Drury,1773; *spini* Fabricius,1787; *cerasi* Herbst,1804 nec Fabricius,1787;
#albosparsa Oberthür,1910; *anatolicus* De Lattin,1950. Blue-spot Hairsreak Güzel Sevbeni Papilio spini
Fabricius,1787, Mant. Ins. 2: 68. Syntypes: Germania. **AF AL AM AT AZ Ba BE BG BY CH CZ DE ES FR GG GR HU**
IQ IR Ab Ak Elb IT KG Kp LB Le LT LU PL PT RO RU SK Sm So Sr TM TR UA Uk Vi Act Alc Alv Alm Atu Av Bad Bar
Bgs C-L C-M CRE Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple
Rio San Seg Sma Sor Svl Ter Trg Val Tel Zg Zm
- 208. Satyrium (Superflua) hyrcanicum (Riley,1939)** (Lycaenidae) Synonym(s): *hyrcanicum* Riley,1939
Hyrcanian Black Hairstreak Büyük Benekli Sevbeni Strymon ledereri ssp. hyrcanica Riley,1939, Novit. zool. 41:
360. Holotype ♂: [Iran]: N.E.Persia: Hyrcania. **AF Cc AM AZ GG IR Zj Elb Mz TJ TR**
- 209. Satyrium (Superflua) khowari Charmeux,2004** (Lycaenidae) Synonym(s): *khowari* Charmeux,2004
Bumburet Hairstreak Satyrium (Superflua) khowari Charmeux,2004, Phegea 32 (1): 9-10, figs. Holotype ♂:
Pakistan: Chitral, vallee du Bumburet, 2600m, 9.viii.1996, J.Pages leg. (MNHNP). **PK Ci Nwf AF Pag**
- 210. Satyrium (Superflua) sassanides (Kollar,[1849])** (Lycaenidae) Synonym(s): *sassanides*
Kollar,[1849] Persian Black Hairstreak İranlı Sevbeni Thecla sassanides Kollar,[1849], Dekschr. Akad. Wiss.
Wien 1: 51. Type(s): [Iran]: Farsistan [=Shiraz]. **AF IR Kbb Kp Ld PK TM TJ KK Bl Ci Kma IN IR Fa Ke Kh Ss**
- 211. Tarucus (s.str.) balkanicus (Freyer,[1843])** (Lycaenidae) Synonym(s): *balkanicus* Freyer,[1843]
Little Tiger Blue Balkan kaplani Lycaena balkanica Freyer,[1843], Neuere Beitr. Schmett. 5(71): 63, Taf. 421 figs.
1,2. Type(s): Türkei. **AE AF AL Cc AM AZ BG BH Cr CY Dh DZ EG EH GG GR Hd IL IN IQ Nsr Agh Bgd IR JO KK**
KW LB LY LY MA MK MR NE Nf NG Nj OM PK QA SA SD SI SY TJ TM TN TR UG UZ YE Bl Bol Nwf Pes Elb Th Kp
- 212. Tarucus (s.str.) nara (Kollar,[1844])** (Lycaenidae) Synonym(s): *nara* Kollar,[1844] Lycaena nara
Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 421. Type(s): Kaschmir. **Ch PK Pj Cp AF IN SI LK Sd**
Mus
- 213. Tarucus (s.str.) rosaceus (Austaut,1885)** (Lycaenidae) Synonym(s): *rosacea* Austaut,1885;
mediterraneae Bethune-Baker,1918. Mediterranean Tiger Blue Akdenizkaplani Lycaena theophrastus var.
rosacea Austaut,1885, Naturaliste 7 (18): 141. Syntypes: Alderia: entre El-Arricha et le Maroc. **MA DZ EG EH ET IQ**
Nsr Agh Mg Bgd IR Fa Ke Hz JO KE LB LY MA MR OM QA SA SD SN SO TD TN UG YE Bl AF PK
- 214. Turanana anisophtalma (Kollar,[1849])** (Lycaenidae) Synonym(s): *anisophtalma* Kollar,[1849]
Iranian Odd-spot Blue Şirazlı Turanmavisi Lycaena anisophtalma Kollar,[1849], Dekschr. Akad. Wiss. Wien 1:
51-52. Type ♀: [Iran]: Farsistan [=Shiraz]. **AF Hr IR Fa Elb Th**
- 215. Turanana grumi (Forster,1937)** (Lycaenidae) Synonym(s): *grumi* Forster,1937; *kotzschiorum*
Tshikolovets,1996. Nuksan Odd-spot Blue Afgan Turanmavisi Glaucopsyche grumi Forster,1937, Mitt.
münch. ent. Ges. 27: 58-59 (nom. nov. pro alaica Groum-Grshimailo nec Staudinger). Lectotype ♂: Afghanistan:
Nuksan Pass, figured by Forster (1937, Taf.4 fig.30), designated by Zhdanko,1997, Zoosyst. Ross. 5(2):312. **AF Bd Hk**
- 216. Turanana laspura (Evans,1932)** (Lycaenidae) Synonym(s): *laspura* Evans,1932 Chitral Odd-spot
Blue Hindukuş Turanmavisi Polyommatus cytis laspura Evans,1932, Identification of Indian Butterflies (2): 227.
Syntypes: [Pakistan]: Chitral. **AF KK PK Ci Nwf TJ UZ**
- 217. Udara (Penudara) albocaerulea (Moore,1879)** (Lycaenidae) Synonym(s): *albocaeruleus* Moore,1879;
amadis Fruhstorfer,1910; *sauteri* Fruhstorfer,1917. Polyommatus albocaeruleus Moore,1879, Proc. zool. Soc.
London 1879: 139. Syntypes ♂♀: Nepal, Deyra Doon. Lectotype ♂: India, designated by Eliot & Kawazoe,1983, Blue
Butts Lycaenopsis Group: 153 (BNMH). **NP IN Nag AF ID TW JP CN MM**
- 218. Zizeeria (s.str.) karsandra (Moore,1865)** (Lycaenidae) Synonym(s): *karsandra* Moore,1865
Indian Grass Blue Karsandra Polyommatus karsandra Moore,1865, Proc. zool. Soc. London 35: 505, pl.31, fig.7.

Type: [India]: NW.India: from Oudh to the Punjab. AF AU BH Cr CY DZ ID IL Pa Hf IN IQ Diw IR Elb Th Fa JO KW LB MM Nf Nj OM PK Ci Cp Mre QA SA Si SY TH Nrt Rat CMA Cnz Cuo Cuo1 Nst Chw MY Lkw TN TR UE VN YE PH Jol Luz Mno Pal

Hesperiidae

- 219. Badamia exclamationis (Fabricius,1775)** (Hesperiidae) Synonym(s): *exclamationis Fabricius,1775; ladan Cramer,[1780]; ericus Fabricius,1798 nec Fabricius,1793; forulus Hübner,[1819]; thymbron Felder,1860.* **Brown**
Awl Papilio exclamationis Fabricius,1775, Syst. Ent.: 530. Type(s): India. AF AU QAU CN FJ ID Amb IN Ass Slo Adm Ja Bli Tim Bor Hm Crm Aru NBr JP Isg Iri KH LK MM MY NC NH NP PG PK Ci SI TH CMA Cuo Cuo1 Cuo10 Cu12 Dst Dsk Hpt Cbi Knc Rng Chy Nna Rat Nst Ths Nrt TO TW VN WS Yu PH Bas Hom Ley Luz Mar Mdo Mno Neg Pal Pol Sam Stu Taw Tic
- 220. Carcharodus (Lavatheria) stauderi Reverdin,1913** (Hesperiidae) Synonym(s): *stauderi Reverdin,1913.* **Stauder's Skipper** **Cezayir Zipzıp** Carcharodus stauderi Reverdin,1913, Bull. Soc. lépid. Geneve 2(4): 225-230, Pl.21 figs.5,12. Syntypes: Algérie: Constantine (El Kantara, El Kroubs, Djebel Aures, Sebdou). **MA AF DZ EG Sn GG Cc GR IL Js IR JO LB Bei Pa RU Sn SY TR LY Cy**
- 221. Carcharodus (Reverdinus) dravira (Moore,1874)** (Hesperiidae) Synonym(s): *dravira Moore,1874; balucha Evans,1932; dentatus Alberti,1940.* **Pyrgus dravira Moore, 1874, Proc. zool. Soc. Lond. 44: 576, pl.xvii fig.5. Type ♀: Cashmere (Capt. H.B.Hellard).** **AF Bd Bl Ca Ch Ci Nwf Pag PK TJ TM IR Pm**
- 222. Carcharodus (s.str.) alceae (Esper,[1780])** (Hesperiidae) Synonym(s): *alceae Esper,[1780]; malvae Hufnagel,1766 nec Linn.,1758; malvarum Hoffmannsegg,1804; magnaustalis Verity,1924; corsicus Picard,1948.* **Mallow Skipper** **Hatmi Zipzıp** Papilio alceae Esper,[1780], Die Schmett. 1(2): 4, pl.51, fig.1. Type(s): Süddeutschland: Erlangen. **AF AL AM Ao AT AZ Ba BE BG BY Ch Ci CN Co Cr CZ DE ES FR Gg GG GR Rd Gs Hd Hp HU IN IQ IR IT Kab KG Kr Ku LB Ld LU MA Mre Mus NL Pag PK PL PT RO RU Sa Si SK Sm Sml So Sr TM TN TR UA Ui Uk Up VI YE YU Mt Ko MK SS At Mn Sp Tk Aa Tm Sau Tar DsA Ax Tls TrA T-S Mu CH HV B-H DZ Bn CY IL Pa Hf Cc**
- 223. Carcharodus (s.str.) swinhoei E.Y.Watson,1893** (Hesperiidae) Synonym(s): *swinhoei E.Y.Watson,1893* **Swinhoe's Skipper** **Swinhoe Zipzıp** Carcharodus swinhoei Watson,1893, Proc. zool. Soc. Lond. 1893: 65-67. Syntypes 6♂♂: [Pakistan]: "Biluchistan"; Afghanistan; [Pakistan]: "Thundiani, N.W.India" (BMNH). **IR Bl PK Pj Qu AF**
- 224. Erynnis (Hesperopegasus) marloyi (Boisduval,[1834])** (Hesperiidae) Synonym(s): *marloyi Boisduval,[1834]; sericea Freyer,1838; rustan Kollar,[1849].* **Inky Skipper, Oriental Jet Skipper** **Kara Zipzıp** Thanaos marloyi Boisduval,[1834], Icon. hist. Lépid. Europe 1: 241, pl.47 figs.6,7. Type ♂: Greece (BMNH). **AF AL BG GR IQ Rvw Shq IR Kp Fa Shr LB MK RU TM TR Cc**
- 225. Gegendes nostrodamus (Fabricius,1793)** (Hesperiidae) Synonym(s): *nostrodamus Fabricius,1793; proclea Walker,1870; karsana Moore,1874; pumiliominima Verity,1931; megalegyna Verity,1940.* **Mediterranean Skipper, Peaty Skipper** **Nostradamus** Hesperia nostrodamus Fabricius,1793, Ent. syst. 3(1): 328-329. Type(s): **Barbaria.** Ad AF AL As Ben BH Bl Br Ci Cr Cu Dh DJ EG ET ER ES Mu Mu18 GR Rd Hj HV IN IT IQ Bgd Nsr JO KW LB IL Pa Hf MK Nwf OM Pj PK PT QA Rjp SA Sd Si SO SY TM TR Up UZ YE YU HV B-H Mt DZ MA TN Cp Rw Nwf Ksl SD
- 226. Hesperia comma (Linnaeus,1758)** (Hesperiidae) Synonym(s): *comma Linnaeus,1758; virgula Retzius,1783; alpina Bath,1896; galliaemeridiei Verity,1928; alpapennina Verity,1928; alpiumflava Verity,1928; macrocomma Verity,1928; superalpina Verity,1928; atralpina Verity,1928.* **Silver-Spotted Skipper** **Gümüş Benekli Zipzıp** Papilio comma Linnaeus,1758, Syst. Nat. (Edn.10) 1: 484. Type(s): Europe. **AF AL KK At Kts AT Ba BE BG Bqu Btn BY B-H CH Ci CN CZ DE DK EE ES FI FR GB GR HU HV IN IT Ju Kbb Ku Ld Lho LT LU LV MK NL No NO PK PL PT RO RU SE Sha Si SK Sm So Sr Sz TR Ts T-S T-T SS UA Ui Up VI Yu YU Sur Ssx Mt Ko MA DZ TN KG Uk Rk Pw Om Mn Sp Or Bs Mu Bn Amd Kg Ur Sb Tt TJ Pm Al DsA KuA TrA Tls Ax Ket IQ LB Cc GG Smt Bjo Kak Lag US MX Arz Cf Col Id Mai Mch Mns Mon Ndk NMx Ne Neb Nh Org SDk Ut Wc Ws Wy**
- 227. Muschampia antonia (Speyer,1879)** (Hesperiidae) Synonym(s): *antonia Speyer,1879* **Türkistan Zipzıp** Pyrgus antonia Speyer,1879, Stettin ent. Ztg. 40: 342-344. Syntypes 4♂ 2♀: [Kazakhstan]: Saisan noor, See im Quellgebiet des Irtysh. **T-S AF Ssn KG At Ti CN Ui Al T-A KK TeA Tar Sau TrA Aa Bkb Mrk Ike**
- 228. Muschampia musta Evans,1949** (Hesperiidae) Synonym(s): *musta Evans,1949* **Muschampia staudingeri ssp. musta Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 186. Type ♂: Afghanistan: [Kabul]: Paghman Mts., 8000ft. (BMNH).** **AF Bl Kab Kbb? Pag PK Pnj?**
- 229. Muschampia proteus (Staudinger,1886)** (Hesperiidae) Synonym(s): *proteus Staudinger,1886* **Pyrgus (Syrichthus) proteus Staudinger,1886, Stettin ent. Ztg. 47: 253-254. Syntypes: [Uzbekistan]: Margelan, Namangan, Samarkand; [Kirgizistan]: Alai, Osch.** **IR AF Al His TJ T-S Al Fe KK Osh UZ Ax TM At RU Ash Smk Na**
- 230. Pseudocoladenia dan (Fabricius,1787)** (Hesperiidae) Synonym(s): *dan Fabricius,1787* **Papilio dan Fabricius,1787, Mant. Ins. 2: 88, nr. 798. Type(s): Tranquebariae.** **MY Meg Khs AF Ch PK Kgr Hp Mus NP ID Sum Bor KBa Ja Lb Clb Flo Sba Sbw CN Sz T-T Mou IN Ass Tkg Fkn Hn KwT BT SI BT MM Shn Nag Mpr Mrg Sz T-T Yu Krl TH Chy CMA Cuo Cuo1 Cuo5 Cuo10 Cuo12 CDo CD2 Nst Rng Yal Cbi Rat Tng Lam Ths Cw Lsa Sgk Hya Tnc**
- 231. Pyrgus alpinus (Erschoff,1874)** (Hesperiidae) Synonym(s): *alpinus Erschoff,1874* **Tanrıdağı Zipzıp** Syrichthus alveus var. alpina Erschoff,1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepidoptera): 24, Pl.2 fig.18. Type: [Uzbekistan: Fergana]: Ktchi Alai (Kokand). **Aa AF Al Am Au Ax Bd CN Fe Ga Gg H-S Hu Ik KG KK Kmt M-A Msg Na Pm RU Sb Smk T-A TJ Ui Prj Us UZ Wk Ya DsA TeA KuA TrA Tls T-S**

- 232. *Pyrgus badachschanus* (Alberti,1940)** (Hesperiidae) Synonym(s): *badachschanus* Alberti,1940
Afgan Zipzıpı *Hesperia badachschanus* Alberti, 1940, Mitt. münch. ent. Ges. 30: 239. AF Bd Kbb Pnj
- 233. *Pyrgus cashmirensis* Moore,1874** (Hesperiidae) Synonym(s): *cashmirensis* Moore,1874 Keşmir
Zipzıpı *Pyrgus cashmirensis* Moore,1874, Proc. zool. Soc. Lond. 1874: 274, Pl. 42 fig.7. Type ♂: Kashmir (BMNH).
AF Anj Asr Bbu Bd Bg Bqu Bt BT Ch Chr Ci Cls Gg His Hk Hp Hu IN Kma Kul Ld Lho Ngr PK Pm Shv Si TJ Wk Ys
- 234. *Pyrgus darwazicus* Groum-Grshimailo,1890** (Hesperiidae) Synonym(s): *darwazicus* Groum-Grshimailo,1890; *submurina* Reverdin,1933. Pamir Zipzıpı *Pyrgus alpina* var. *darwazica* Groum-Grshimailo,1890,
[in] Romanoff, Mém. Lépid. 4: 502, Pl.21 fig.5. Type ♂: [Tadikistan]: Tuptschek (Darwaz mts) (BMNH). Adr AF Anj
Bd Bqu Chr Drw His Hk Pm Pnj Shv TJ
- 235. *Spialia* (Neospialia) *orbifer* (Hübner,[1823])** (Hesperiidae) Synonym(s): *orbifer* Hübner,[1823];
tesselloides Herrich-Schäffer,[1845]. Red Underwing Skipper Kızıl Zipzıpı *Papilio orbifer* Hübner,[1823],
Samml. eur. Schmett. 1: pl.161 figs. 803-806. Syntypes: Europa. AF AL At Kts Ba BG BY CN GR HU HV JO IQ IR LB
KG KK Kr MK RO RU Si SK Sm Sr SS TR AM UA Ui VI YU Mt Ko Mn Sp Tk Aa Syr Tm Sau Mrk Tar TrA DsA Ax
TeA Bl Ci Gg Kab Nwf Pag PK Sju Qu Urk Zi Shs Sng She Gor Mrw Man Nmg Br Smk Bsa Bei Aiz Zah Js Shq Dk
Krd Km Amm Hal Dms Bld UA Cm Th T-S IL Pa Hf Rd Cc
- 236. *Spialia* (s.str.) *geron* (E.Y.Watson,1893)** (Hesperiidae) Synonym(s): *geron* E.Y.Watson,1893
Baluchi Grizzled Skipper Beluci Zipzıpı *Hesperia geron* Watson,1893, Proc. zool. Soc. Lond. 1893: 65-67.
Syntypes 6♂♂: [Pakistan]: "Quetta, Biluchistan" (leg. Watson in June) (BMNH). PK Bl Qu Bol Urk IR Ahz Elb Srd
Shr AF Kab
- 237. *Spialia* (s.str.) *osthelderi* (Pfeiffer,1932)** (Hesperiidae) Synonym(s): *osthelderi* Pfeiffer,1932
Osthelder's Grizzled Skipper Maraş Zipzıpı *Hesperia* (Powellia) *osthelderi* Pfeiffer,1932, Mitt. münch. ent. Ges.
22 (2): 50. Syntypes ♂♂: [Turkey]: türkisch Nordsyrien: Marasch, 1000m. AF IQ Su Dy TM TR Kp LB Bsa IR Shr Ke
Fa Kdj Se Msh Kh KK SY T-S Sus
- 238. *Thymelicus alaicus* (Filipjev,1931)** (Hesperiidae) Synonym(s): *alaicus* Filipjev,1931. Abh. Pamir-
Exped. (Lepidoptera) 8: 149, Abb.1. Syntypes: [W. Ghissar and Alai]: "Fuss des Berges Ulu-Kan; Dzhiptyk- SaryTash;
Kshtut; Samarkandgebiet; Chamardan; Alai". T-S UZ TJ AF Pm Al KK
- 239. *Thymelicus lineolus* (Ochsenheimer,1808)** (Hesperiidae) Synonym(s): *lineolus* Ochsenheimer,1808;
virgula Hübner,1813 nec Retz.,1783; *ludoviciae* Mabilie,1883; *pallida* Tutt,1896; *clara* Tutt,1905; *hemmingi* Romei,1927; *melissus*
Zerny,1932; *formax* Hemming,1934 Essex Skipper Siyah Antenli Zipzıpı *Papilio lineola* Ochsenheimer,1808,
Schmett. Eur. 1(2):230-231. Type(s): Germania. At Kts AF AL Ao AT Ax Ba BG B-H BL BY CH CN Co CZ DE DK EE
ES FI FR GB GR HU HV IL IR IT JO KG KK LB LT LU LV MA MK NL NO Pa PL PT RO RU SE Si SK Sm So Sr SS TM
TR T-S UA Ui Uk VI YU Sur Ssx Ken Mt Ko DZ TN Or Bs Tt Cb Kg Ty Kt Rk Pw Ka Sp Mn No Tk Aa Mu Aq Bn Tm
Kuz Sli Sau Tar DsA Ax Tls TrA T-S GG AZ Nv Ord Smt Bjo Cc IQ Mos US Cnt Col Dw Id Idp Iln Io Knt Mai Mch
Mis Mns Mon Mrl Msc NCa NDk Neb Nh Nje Ny Oh Pns RDi Tnn Vi Vr WVi Wc Wy

M o t h s

Totally 1436 species of moths in Afghanistan have been recorded. These are listed below alphabetically under 42 families.

Aganaidae (1 species)

- 240. *Asota ficus* (Fabricius,1775)** (Aganaidae) Synonym(s): *ficus* Fabricius,1775 Noctua *ficus*
Fabricius,1775, Syst. Ent.: 595. Type(s): India orientalis, on *Ficus racemosa*. AF PK LK IN Bba Clc Djl SI Kma Pj BD
MM NP TH CMA Dst Cuo Cuo4 Cmz Cz10 CDo Int TW LA VN Ton ID Sum CN Yu JP

Arctiidae (27 species)

- 241. *Aloa lactinea* (Cramer,[1777])** (Arctiidae) Synonym(s): *lactinea* Cramer,[1777]; *sanguinolenta*
Fabricius,1793; *marginata* Moore,1883 nec Don.,1805; *frederici* Kirby,1892; *negritus* Hampson,1894 Phalaena *lactinea*
Cramer,[1777], Uitl. Kapellen 2: 58, 149, pl.133 fig.D. Type(s): [Indonesia]: Batavia [Jakarta]. AF Nu ID Ja Lb Flo Alo
Sum VN Ann MM Krh TH CMA IN Mys Ass Khs Clc Nl Klu SI LK NP PH Luz TW JP
- 242. *Arctia* (s.str.) *caja* (Linnaeus,1758)** (Arctiidae) Synonym(s): *caja* Linnaeus,1758; *erinacea* Retzius,1783;
phantasma Niepelt,1905; *lusitanica* Spuler,1906; *confluens* Rebel,1910 nec Rom.,1884; *rebeli* Wnukowsky,1929. Garden
Tiger Aygüvesi Phalaena *caja* Linnaeus,1758, Syst. Nat. (Edn.10)1: 500-501. Syntypes: [Europa]. PT ES FR Co IT
IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT MD UA Cm BY GG Cc AZ Nv AM
KG Ssn CN Ui Kml Hph Tek Kty KK TJ Pm Fe UZ AF PK Ch Snn IN Up Alh Khs IR Elb Mz Ar MN RU Sb Kmt Am
Vv To Mgd Ya Sj Ir Irk Ur Kr KP KR JP Hkk CA US Als Ut
- 243. *Arctia* (s.str.) *intercalaris* (Eversmann,1843)** (Arctiidae) Synonym(s): *intercalaris* Eversmann,1843;
boettcheri O.Bang-Haas,1927. Euprepia *intercalaris* Eversmann,1843, Bull. Soc. Imp. Nat. Moscou 16 (3): 544,
Pl.10 figs. 1a,b. KG DsA KK UZ Al Pm TJ AF Kab Bd CN Ui Ju Ti PK Nwf Ci Gg IN Hp Kul Ch

- 244. Axiopoea maura (Eichwald,1830)** (Arctiidae) Synonym(s): *maura* Eichwald,1830; *fluviatilis* Swinhoe,1885. *Bombyx maura* Eichwald,1830, *Zoologia specialis* 2: 196. Syntypes: [Turkmenistan]: Krasnowodsk. **Cc AZ Nv Ord TM Kp Krn IR Ss Bu AF Ku Kab PK Bl Qu**
- 245. Carcinopyga gurkoi Kautt & Saldaitis,1997** (Arctiidae) Synonym(s): *gurkoi* Kautt & Saldaitis,1997 **TJ Pm AF**
- 246. Carcinopyga lichenigera C.Felder & R.Felder,1874** (Arctiidae) Synonym(s): *lichenigera* C.Felder & R.Felder,1874 **IN Ld Ch PK AF**
- 247. Carcinopyga proserpina (Staudinger,1887)** (Arctiidae) Synonym(s): *proserpina* Staudinger,1887 **TJ Pm UZ Smk AF Pag**
- 248. Creatonotos transiens (Walker,1855)** (Arctiidae) Synonym(s): *transiens* Walker,1855; *isabellina* Walker,1855; *ananthakrishanani* Kirti & Kaleka,1999 *Spilosoma transiens* Walker,1855, *List Specimens lepid. Insects Colln Br. Mus.* 3: 675. Lectotype designated by Dubatolov & Holloway (2006): "North India, Almorah". **AF Srb Bm PK IN Up Ass Klu Kma Clc Hp Djl SI Shn MM BT CN Sz Hn TH CMA Cuo Cu01 Cu07 Cnz Cz10 CDo CD2 Dst Dso9 Pap Mro Nrt Sbu Bnk ID KD SG TW Bor KBa MY Swk Ja Sum Nia Ann Ton VN Clb Lb Bli Sbt JP**
- 249. Ebertarctia afghanicola (Ebert,1974)** (Arctiidae) Synonym(s): *afghanicola* Ebert,1974 **AF Slg**
- 250. Ebertarctia solitaria (Ebert,1974)** (Arctiidae) Synonym(s): *solitaria* Ebert,1974 **AF**
- 251. Eilema palliatella (Scopoli,1763)** (Arctiidae) Synonym(s): *palliatella* Scopoli,1763; *unita* [Denis & Schiffermüller],1775; *palleola* Hübner,[1808]; *gilveola* Ochsenheimer,1810; *vitellina* Treitschke,1834; *flaveola* Rambur,1866. *Soluk Likengüvesi* Phalaena *palliatella* Scopoli,1763, *Entomologia Carniolica*: 248. Type(s): [Slovenien]: Carniolia [Krain]. **ES FR Sa Si IT BE DE CH AT PL CZ SK HU RO YU AL BG GR TR IR Elb IQ Brs LT RU MD UA BY KG Lps AF Nu**
- 252. Eucallimorpha principalis (Kollar,[1844])** (Arctiidae) Synonym(s): *principalis* Kollar,[1844]; *flavicolor* Moore,1879 **Ch Ld AF Nu Bd TJ Pm PK IN NP MM CN Sz Yu Ti Kig Kgs Hpe Hun Tkg**
- 253. Eudiaphora turensis (Erschoff,1874)** (Arctiidae) Synonym(s): *turensis* Erschoff,1874; *maracandica* Seitz,1910; *afghanistanensis* Daniel,1966. **IR Se Kh TM Kp UZ Fe AF KG Ssn Tk Dj Ii CN Ui Ket TJ Pm AF Kbb Pnj Hr**
- 254. Lacydes incurvata Ebert,1973** (Arctiidae) Synonym(s): *incurvata* Ebert,1973 **AF**
- 255. Lacydes spectabilis (Tauscher,1806)** (Arctiidae) Synonym(s): *spectabilis* Tauscher,1806; *intercissa* Freyer,1842. *Rus Ayigüvesi* *Noctua spectabilis* Tauscher,1806, *Mém. Soc. nat. Univ. imp. Moscou* 1: 212 fig. Type(s): Russia. **RU KG Ssn Uk T-S Sb TM AF Bd CN Ui Kml MN IR Elb Th Kp IQ TR Cc AM KK**
- 256. Nebrarctia guttata (Erschoff,1874)** (Arctiidae) Synonym(s): *guttata* Erschoff,1874 **UZ TJ AF**
- 257. Nebrarctia transversa (Moore,1879)** (Arctiidae) Synonym(s): *transversa* Moore,1879 **AF Nu Bsg Asm TJ Pm PK Nwf**
- 258. Ocnogyna (s.str.) armena Staudinger,1871** (Arctiidae) Synonym(s): *armena* Staudinger,1871 **TR Cc AM AZ RU Da IQ? TM Kp UZ TJ AF IR**
- 259. Ocnogyna (s.str.) loewii (Zeller,1846)** (Arctiidae) Synonym(s): *loewii* Zeller,1846; *clathrata* Lederer,1855; *andresi* Draudt,1931. *Akdeniz Ayigüvesi* *Trichosoma loewii* Zeller,1846, *Stettin ent. Ztg.* 7:9. Type(s): [Türkei]: Kleinasien: Tal südlich Istenas. **GR Rd TR LB Bei IL Pa Hf EG LY Cy IR Ak Tbz Ke AF IQ**
- 260. Paidia (Conjuncta) conjuncta (Staudinger,1892)** (Arctiidae) Synonym(s): *conjuncta* Staudinger,1892 *Nudaria murina* var. *conjuncta* Staudinger,1892, *Dt. ent. Z., Iris* 4: 249-250. Syntypes 10♂ 1♀: [Türkei]: Mardin. **Cc TR AF Pag Slg PK Gg Ch IR Elb Th Fa IQ Dk**
- 261. Paelearctia ferghana (Staudinger,1887)** (Arctiidae) Synonym(s): *ferghana* Staudinger,1887 **KK UZ Fe Man CN Ui Ju AF Anj Bd**
- 262. Philenora brunneata Daniel,1965** (Arctiidae) Synonym(s): *brunneata* Daniel,1965 **AF Nu**
- 263. Phragmatobia fuliginosa (Linnaeus,1758)** (Arctiidae) Synonym(s): *fuliginosa* Linnaeus,1758; *fervida* Staudinger,1871 *nec* Walk.,1855; *lurida* Rothschild,1910; *monticola* Daniel,1970 *nec* Reiss.,1934 **Ruby Tiger Tarçın Ayigüvesi** *Phalaena fuliginosa* Linnaeus,1758, *Syst. Nat. (Edn.10)*1: 509. Syntypes: [Europa]. **DZ MA TN PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IR Elb Th Mz Kdj GG AZ Kir AM LB Bei JO IL Hf DK NO SE FI EE LV LT RU Sr MD UA BY AF Bark TJ KK KG Ssn CN Ui Ku Ts Kno Gn UZ Fe Ti CA Bd Hr Gbh Fz Srb Pli Dwe US Cc IQ SY Sc On Mai Wc BCo Nca Mnt Ssk Vc Yuk Ts B-B**
- 264. Phragmatobia placida (Frivaldsky,1835)** (Arctiidae) Synonym(s): *placida* Frivaldsky,1835 *Euprepia placida* Frivaldsky,1835, *Köslések a balkany vidékén tett termés. utazasrol.* 2: 271, pl.7 f.5. Type(s): [Bulgaria]: Philippopolis. **YU AL BG GR TR RU UA Cm Cc AM AF TM LB Ale Bsa IQ IR Elb Th Kdj Mz Ab IL Pa**
- 265. Spilarctia melanostigma (Erschoff,1872)** (Arctiidae) Synonym(s): *melanostigma* Erschoff,1872; *karakorumica* Daniel,1961. **UZ KK Al KK TJ Pm AF Nu PK IN Hp SI Ass CN Ts**
- 266. Spilarctia obliqua (Walker,1855)** (Arctiidae) Synonym(s): *obliqua* Walker,1855; *suffusa* Walker,1855; *dentilinea* Moore,1872; *confusa* Butler,1875; *howra* Moore,1879; *assamensis* Rothschild,1910 **IN Pj Djl SI Ass Clc BD Dak AF Srb PK Mre Ci Rw NP Kdu MM TH Tha Hp Bhi Ari Alh Mad Bba Bel De Bi Up Poo Mys Tez**
- 267. Utetheisa (s.str.) lotrix (Cramer,[1777])** (Arctiidae) Synonym(s): *lotrix* Cramer,[1777]; *indica* Roepke,1941 **Sk RE SA Sk YE ZA IN SC LK JP PG AU Qau NZ NC LO NH FJ SB WS TO CN Sz Yu Fkn TW NP MM TH PH PK AF IR**
- 268. Utetheisa (s.str.) pulchella (Linnaeus,1758)** (Arctiidae) Synonym(s): *pulchella* Linnaeus,1758; *pulchra* [Denis & Schiffermüller],1775; *thyer* Butler,1877; *shyama* Bhattacharjee & Gupta,1969; *menoni* Bhattacharjee & Gupta,1969. *Beautiful Utetheisa* Güzel Benekli *Ayigüvesi* *Phalaena pulchella* Linnaeus,1758, *Syst. Nat. (Edn.10)* 1: 534. Syntypes: Europa, Mauritania. **CV Az PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Rd Cr TR DK LV LT RU MD UA BY IL Pa Hf IR Kz Ss Kd Ke CY GG AZ Len Cc AM KG ZR ZA Ec Nta Kzu Gau Pre Spb Mdk Ent Tva Lpo AF Ca Kab Asm Nu Bsg CN Ui GP IQ Agh TH CMA Knc Sbu SO IN Cn Md ID Ja VN LK AU**

Autostichidae (2 species)

- 269. Heringita amselina (Gozmany,1967)** (Autostichidae) Synonym(s): *amseli* Gozmany,1963 *nec* Gozm.,1954; *amselina* Gozmany,1967. **SA IR Fa Lo Ss AF**
270. Hieronala huri Gozmany,1963 (Autostichidae) Synonym(s): *huri* Gozmany,1963 **AF**

Batrachedridae (1 species)

- 271. Batrachedra kabulella (Kasy,1969)** (Batrachedridae) Synonym(s): *kabulella* Kasy,1969 **AF Kab Pic KK**

Bombycidae (1 species)

- 272. Ocina lactea Hutton,1865** (Bombycidae) Synonym(s): *lactea* Hutton,1865 **IN AF Srb**

Brachodidae (2 species)

- 273. Brachodes rhagensis (Lederer,1869)** (Brachodidae) Synonym(s): *rhagensis* Lederer,1869 **IR Fa Kz Com AF Pag**
274. Phycodes radiata (Ochsenheimer,1808) (Brachodidae) Synonym(s): *radiata* Ochsenheimer,1808; *hirudinicornis* Guenée,1852; *hyblaeella* Walker,1866; *#superbella* Rebel,1910; *tertiana* Diakonoff,1978 **Chimaera radiata** Ochsenheimer,1808, Schmett. Eur. 2: 5. Type(s): [sic!] Austria, Vienna; recte India (cf. Diakonoff,1986: 219). **AF Nu NP IN LK TR**

Carposinidae (1 species)

- 275. Carposina tetratoma Diakonoff,1989** (Carposinidae) Synonym(s): *tetratoma* Diakonoff,1989 **AF Pag**

Choeutidae (5 species)

- 276. Choreutis chionocosma Diakonoff,1978** (Choreutidae) Synonym(s): *chionocosma* Diakonoff,1978 **AF**
277. Prochoreutis atrox (Diakonoff,1978) (Choreutidae) Synonym(s): *atrox* Diakonoff,1978 **AF Hk Sfk**
278. Prochoreutis chionocosma (Diakonoff,1978) (Choreutidae) Synonym(s): *chionocosma* Diakonoff,1978 **AF Pag Bm**
279. Prochoreutis radians (Diakonoff,1978) (Choreutidae) Synonym(s): *radians* Diakonoff,1978 **AF Pag Bm**
280. Tebenna micalis (Mann,1857) (Choreutidae) Synonym(s): *micalis* Mann,1857; *isshikii* Matsumura,1931; *bradleyi* Clarke,1971; *hypocroca* Diakonoff,1978 **Cn Md MA DZ TN Gf PT ES FR Sa IT MT IE GB SK HU YU MK AL HV GR TR Cc AZ IR Fa Ha AF Srb Dwe Pag Blh Gbh NP Kdu CN Tkg JP Hkk Ri SA As YE Sk RE ID Ja AU NZ**

Coleophoridae (78 species)

- 281. Coleophora acanthophyllii (Falkovitsh,1989)** (Coleophoridae) Synonym(s): *acanthophyllii* Falkovitsh,1989 **AF IR TM**
282. Coleophora adjunctella Hodgkinson,1882 (Coleophoridae) Synonym(s): *adjunctella* Hodgkinson,1882; *paludicola* Stainton,1885; *aratorensis* Barasch,1934 **FR IT IE GB BE NL DE AT PL CZ SK HU DK NO SE FI EE LV RU MD UA BY RO TR IR AF**
283. Coleophora aequalella Christoph,1872 (Coleophoridae) Synonym(s): *aequalella* Christoph,1872 **RU Ur UZ AF IR KG Uk**
284. Coleophora afghana Toll & Amsel,1967 (Coleophoridae) Synonym(s): *afghana* Toll & Amsel,1967 **AF UZ**
285. Coleophora albiochrella Toll & Amsel,1967 (Coleophoridae) Synonym(s): *albichrella* Toll & Amsel,1967 **AF IR TR**
286. Coleophora alcyonipennella (Kollar,1832) (Coleophoridae) Synonym(s): *alcyonipennella* Kollar,1832; *cuprariella* Zeller,1847; *praticolella* Zeller,1849; *cuprifulgella* Toll,1962 **MA PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc LB IQ IR AF PK DK NO SE FI EE LV LT RU MD UA BY JP NZ AU CN Ui Ku**
287. Coleophora amasiella Stainton,1867 (Coleophoridae) Synonym(s): *amasiella* Stainton,1867 **TR IL Pa SY JO IR IQ AF**
288. Coleophora amentastra Falkovitsh,1972 (Coleophoridae) Synonym(s): *amentastra* Falkovitsh,1972 **TR AF TM UZ**

289. *Coleophora ammophora* (Falkovitsh,1989) (Coleophoridae) Synonym(s): *ammophora* Falkovitsh,1989 **TR IR AF TM**
290. *Coleophora amseliella* Toll & Amsel,1967 (Coleophoridae) Synonym(s): *amseliella* Toll & Amsel,1967 **AF IR**
291. *Coleophora arachnias* Meyrick,1922 (Coleophoridae) Synonym(s): *arachnias* Meyrick,1922; *hederella* Toll,1942; *shadeganensis* Toll,1959. **IR Kz SA TM IL Pa Jt AF**
292. *Coleophora arachosiae* Baldizzone,1994 (Coleophoridae) Synonym(s): *arachosiae* Baldizzone,1994 **AF IR**
293. *Coleophora argyrella* Herrich-Schäffer,1861 (Coleophoridae) Synonym(s): *argyrella* Herrich-Schäffer,1861 *Coleophora argyrella* Herrich-Schäffer,1861, Neue Schmett. 3: 31, fig.157. Syntypes 1♂ 2♀: [Russia]: Sarepta. **TR RU Sr SY AF**
294. *Coleophora attalicella* Zeller,1871 (Coleophoridae) Synonym(s): *attalicella* Zeller,1871 **AF RU Ur**
295. *Coleophora bactrianae* Baldizzone,1994 (Coleophoridae) Synonym(s): *bactrianae* Baldizzone,1994 **AF**
296. *Coleophora bandiamirella* Baldizzone,1994 (Coleophoridae) Synonym(s): *bandiamirella* Baldizzone,1994 **AF**
297. *Coleophora botaurella* Herrich-Schäffer,1861 (Coleophoridae) Synonym(s): *botaurella* Herrich-Schäffer,1861 **TR RU TM Ur IR AF KG Uk CN Ui Ku**
298. *Coleophora caelebipennella* Zeller,1839 (Coleophoridae) Synonym(s): *caelebipennella* Zeller,1839; *bifurcella* Turati,1930 **ES FR Co IT NL DE CH AT PL CZ SK HU RO TR AF PK DK NO SE FI EE LV LT RU**
299. *Coleophora cartilaginella* Christoph,1872 (Coleophoridae) Synonym(s): *cartilaginella* Christoph,1872; *dubiosa* Toll,1952; *paraspumosella* Toll,1957; *medicagivora* Toll,1961. **ES PT YU RU MD UA TM TR IR AF HU MK**
300. *Coleophora changaica* Reznik,1975 (Coleophoridae) Synonym(s): *changaica* Reznik,1975 **ES RU MD UA JO AF CN**
301. *Coleophora cyrta* Falkovitsh,1976 (Coleophoridae) Synonym(s): *cyrta* Falkovitsh,1976 **TM UZ AF**
302. *Coleophora daeva* Baldizzone,1994 (Coleophoridae) Synonym(s): *daeva* Baldizzone,1994 **IR AF**
303. *Coleophora delicatella* Toll & Amsel,1967 (Coleophoridae) Synonym(s): *delicatella* Toll & Amsel,1967 **IR AF**
304. *Coleophora denigrella* Gerasimov,1930 (Coleophoridae) Synonym(s): *denigrella* Gerasimov,1930 **AF UZ TM TR**
305. *Coleophora dentatella* Toll & Amsel,1967 (Coleophoridae) Synonym(s): *dentatella* Toll & Amsel,1967 **TM IR AF RU**
306. *Coleophora dilabens* (Falkovitsh,1982) (Coleophoridae) Synonym(s): *dilabens* Falkovitsh,1982 **AF UZ TM RU**
307. *Coleophora discomaculella* Toll & Amsel,1967 (Coleophoridae) Synonym(s): *discomaculella* Toll & Amsel,1967 **IR AF TM**
308. *Coleophora dracontea* Baldizzone,1994 (Coleophoridae) Synonym(s): *dracontea* Baldizzone,1994 **AF IR**
309. *Coleophora drangianae* Baldizzone,1994 (Coleophoridae) Synonym(s): *drangianae* Baldizzone,1994 **AF**
310. *Coleophora dubiella* Baker,1888 (Coleophoridae) Synonym(s): *dubiella* Baker,1888; *reisseri* Rebel,1926; *eucera* Toll,1952; *microeucera* Toll,1960; *leucostrigella* Toll,1960 **DZ ES FR TR Cc JO IQ IR AF RU**
311. *Coleophora erratella* Toll & Amsel,1967 (Coleophoridae) Synonym(s): *erratella* Toll & Amsel,1967 **TM IR AF RU**
312. *Coleophora eucoleos* Falkovitsh,1973 (Coleophoridae) Synonym(s): *eucoleos* Falkovitsh,1973 **AF TM UZ**
313. *Coleophora exalbida* Baldizzone,1994 (Coleophoridae) Synonym(s): *exalbida* Baldizzone,1994 **AF**
314. *Coleophora flammea* Baldizzone,1994 (Coleophoridae) Synonym(s): *flammea* Baldizzone,1994 **IR AF**
315. *Coleophora frischella* (Linnaeus,1758) (Coleophoridae) Synonym(s): *frischella* Linnaeus,1758; *dannehli* Toll,1952; *auronitella* Toll,1962 *Phalaena Tinea frischella* Linnaeus,1758, Syst. Nat. 10 (1): 541. Type(s): "Habitat in Europa". **MA ES FR IT IE GB BE LU DE CH AT CZ SK HU GR TR IL AF DK NO SE FI EE LV LT RU RO KG Uk**
316. *Coleophora fulgidella* Toll & Amsel,1967 (Coleophoridae) Synonym(s): *fulgidella* Toll & Amsel,1967 **IR AF**
317. *Coleophora gazella* Toll,1952 (Coleophoridae) Synonym(s): *gazella* Toll,1952 **TR IQ IR AF TM**
318. *Coleophora glareosella* Baldizzone,1989 (Coleophoridae) Synonym(s): *glareosella* Baldizzone,1989 **AF**
319. *Coleophora heringi* Toll,1952 (Coleophoridae) Synonym(s): *heringi* Toll,1952 **TR AF**
320. *Coleophora hospitiella* Chrétien,1915 (Coleophoridae) Synonym(s): *hospitiella* Chrétien,1915; *eupepla* Gozmany,1954; *fuscostraminella* Toll,1956; *richteri* Toll,1959 **Cn DZ Bsk LY TN SA ES FR HU GR IR Kz AF**
321. *Coleophora inequidentella* Toll & Amsel,1967 (Coleophoridae) Synonym(s): *inequidentella* Toll & Amsel,1967 **IR AF**
322. *Coleophora iranella* Toll,1959 (Coleophoridae) Synonym(s): *iranella* Toll,1959 **IR AF**
323. *Coleophora kabulensis* Baldizzone,1994 (Coleophoridae) Synonym(s): *kabulensis* Baldizzone,1994 **AF PK Qu AF**
324. *Coleophora kashkaella* Toll & Amsel,1967 (Coleophoridae) Synonym(s): *kashkaella* Toll & Amsel,1967 **AF TM**

325. *Coleophora laevipennis* Toll & Amsel,1967 (Coleophoridae) Synonym(s): *laevipennis* Toll & Amsel,1967 **AF TM**
326. *Coleophora leucostoma* Gerasimov,1930 (Coleophoridae) Synonym(s): *leucostoma* Gerasimov,1930 **TM AF UZ**
327. *Coleophora limacella* Baldizzone,1994 (Coleophoridae) Synonym(s): *limacella* Baldizzone,1994 **AF**
328. *Coleophora luteolella* Staudinger,1880 (Coleophoridae) Synonym(s): *luteolella* Staudinger,1880; *mendosella* Toll,1960 *Coleophora luteolella* Staudinger,1880, Horae Soc. ent. ross. 15: 380. Syntypes ♂♀: [Türkei]: Amasia. **MA PT ES FR Sa Si IT MT GR Cr TR IR AF CY**
329. *Coleophora magnatella* Toll,1959 (Coleophoridae) Synonym(s): *magnatella* Toll,1959 **TM IR AF**
330. *Coleophora marcella* (Capuse,1972) (Coleophoridae) Synonym(s): *marcella* Capuse,1972 **AF UZ**
331. *Coleophora microtitae* Toll & Amsel,1967 (Coleophoridae) Synonym(s): *microtitae* Toll & Amsel,1967 **AF TM**
332. *Coleophora nepetae* Baldizzone,1994 (Coleophoridae) Synonym(s): *nepetae* Baldizzone,1994 **AF**
333. *Coleophora nigrosparsella* Toll & Amsel,1967 (Coleophoridae) Synonym(s): *nigrosparsella* Toll & Amsel,1967 **AF**
334. *Coleophora nitidipennella* Toll & Amsel,1967 (Coleophoridae) Synonym(s): *nitidipennella* Toll & Amsel,1967 **TR IR AF**
335. *Coleophora pallidata* Toll,1959 (Coleophoridae) Synonym(s): *pallidata* Toll,1959 **IR AF**
336. *Coleophora paracousinia* Baldizzone,1994 (Coleophoridae) Synonym(s): *paracousinia* Baldizzone,1994 **AF**
337. *Coleophora paraptarmica* Toll & Amsel,1967 (Coleophoridae) Synonym(s): *paraptarmica* Toll & Amsel,1967 **TR SY IR AF PK TM**
338. *Coleophora pathana* Baldizzone,1994 (Coleophoridae) Synonym(s): *pathana* Baldizzone,1994 **AF**
339. *Coleophora polichomriensis* Toll & Amsel,1967 (Coleophoridae) Synonym(s): *polichomriensis* Toll & Amsel,1967 **AF PK Qu**
340. *Coleophora praeclara* Baldizzone,1994 (Coleophoridae) Synonym(s): *praeclara* Baldizzone,1994 **AF**
341. *Coleophora raptans* Baldizzone,1989 (Coleophoridae) Synonym(s): *raptans* Baldizzone,1989 **AF**
342. *Coleophora roridella* Toll & Amsel,1967 (Coleophoridae) Synonym(s): *roridella* Toll & Amsel,1967 **AF**
343. *Coleophora salviella* Chrétien,1917 (Coleophoridae) Synonym(s): *salviella* Chrétien,1917 **Cn DZ**
344. *Coleophora sarobiensis* Toll & Amsel,1967 (Coleophoridae) Synonym(s): *sarobiensis* Toll & Amsel,1967 **AF IR PK TM**
345. *Coleophora sogdianae* Baldizzone,1994 (Coleophoridae) Synonym(s): *sogdianae* Baldizzone,1994 **AF PK IR**
346. *Coleophora stachydis* Baldizzone,1994 (Coleophoridae) Synonym(s): *stachydis* Baldizzone,1994 **AF**
347. *Coleophora subparcella* Toll & Amsel,1967 (Coleophoridae) Synonym(s): *subparcella* Toll & Amsel,1967 **IR AF TM**
348. *Coleophora swatensis* Baldizzone,1994 (Coleophoridae) Synonym(s): *swatensis* Baldizzone,1994 **PK AF IR**
349. *Coleophora tamesis* Waters,1929 (Coleophoridae) Synonym(s): *tamesis* Waters,1929 **ES FR IT IE**
350. *Coleophora testudo* Falkovitsh,1973 (Coleophoridae) Synonym(s): *testudo* Falkovitsh,1973 **TR IR**
351. *Coleophora tollamseliella* Oudejans,1971 (Coleophoridae) Synonym(s): *tollamseliella* Oudejans,1971 **PK IR AF TM TR**
352. *Coleophora treskaensis* Toll & Amsel,1967 (Coleophoridae) Synonym(s): *treskaensis* Toll & Amsel,1967; *sciurella* Baldizzone,1987 **ES FR IT MK YU TR IR AF TM**
353. *Coleophora trifolii* (Curtis,1832) (Coleophoridae) Synonym(s): *trifolii* Curtis,1832; *chalybaella* Costa,[1836]; *melilotella* Scott,1861. **ES FR Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR IR Elb**
354. *Coleophora tripeniella* Baldizzone,1994 (Coleophoridae) Synonym(s): *tripeniella* Baldizzone,1994 **AF IR TR**
355. *Coleophora univittella* Staudinger,1880 (Coleophoridae) Synonym(s): *univittella* Staudinger,1880 *Coleophora univittella* Staudinger,1880, Horae Soc. ent. ross. 15: 368. Syntypes 2 ex: [Türkei]: Bosz-Dagh. **GG Cc TR**
356. *Coleophora uralensis* Toll,1961 (Coleophoridae) Synonym(s): *uralensis* Toll,1961 **ES FR YU HU**
357. *Coleophora versurella* Zeller,1849 (Coleophoridae) Synonym(s): *versurella* Zeller,1849; *tardipennella* Zeller,1849; *miserella* Staudinger,1880; *agricolella* Fuchs,1886; *atlanticella* Rebel,1896; *pallorella* Benander,1939; *thalassella* McDunnough,1940; *constanti* Hering,1942; *pisella* Amsel,1953; *saccharella* Amsel,1953; *amaranthivora* Oku,1965 **LY MA PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IL IR AF DK NO SE**
358. *Coleophora vestianella* (Linnaeus,1758) (Coleophoridae) Synonym(s): *vestianella* Linnaeus,1758; *laripennella* Zetterstedt,1839; *galbulipennella* Duponchel,1843; *annulatella* Tengström,1848; *tengstroemella* Doubleday,1859;

subtractella Caradja,1920 *Phalaena Tinea vestianella* Linnaeus,1758, Syst. Nat. 10 (1): 536. Type(s): "Habitat in Vestimentis". ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU BG TR Cc AM AF IR CN JP DK NO SE FI EE LV LT RU MD UA BY

359. **Coleophora vulpecula Zeller,1849** (Coleophoridae) Synonym(s): *vulpecula* Zeller,1849; *vulpeculoides* Toll,1952 ES FR IT DE AT CZ SK HU YU BG TR IR AF

Cosmopterigidae (12 species)

360. **Ascalenia acaciella Chrétien,1915** (Cosmopterigidae) Synonym(s): *acaciella* Chrétien,1915; *tergipunctella* Turati,1924; *maculatella* Lucas,1937 nec Chrétien,1915; *noviciata* Gozmany,1960. Cn DZ TN LY Cy IR B-A AF Kab PK Bl Qu LB Bei EG
361. **Ascalenia echidnias (Meyrick,1891)** (Cosmopterigidae) Synonym(s): *echidnias* Meyrick,1891; *signatella* Chrétien,1915; *oranella* Lucas,1939; *satellita* Gozmany,1960. Md DZ TN TR IR B-A AF PK IN
362. **Ascalenia signatella Chrétien,1915** (Cosmopterigidae) Synonym(s): *signatella* Chrétien,1915; *oranella* Lucas,1939; *satellita* Gozmany,1960. *Ascalenia acaciella* var. *signatella* Chrétien,1915, Annls Soc. ent. Fr. 84: 352. Lectotype ♂: Tunis: Gafsa, designated by Kasy,1969:368 (MNHNP). DZ TN Gf EG SA SA63 IR Ss AF Hr Ca PK Bl Qu IN Bba
363. **Ascalenia unifasciella Kasy,1969** (Cosmopterigidae) Synonym(s): *unifasciella* Kasy,1969 AF Kab Gbh
364. **Ascalenia vanelloides Gerasimov,1930** (Cosmopterigidae) Synonym(s): *vanelloides* Gerasimov,1930; *#eremella* Amsel,1933; *eremella* Amsel,1935. Si TR Cc AZ SA IL Jer Pa IQ Bgd IR Elb Th AF UZ Br TJ TM Mgab Mrw Kp K-K BdZ SA SA63
365. **Ascalenia viviparella Kasy,1969** (Cosmopterigidae) Synonym(s): *viviparella* Kasy,1969 TR UA Cm IR Kh Msh SbZ AF Arh Ca Hr RU VI Mrw Mgab Da Cc AM Eri TM K-K Kp BdZ Rpt UZ Br MN KG
366. **Ascalenia kabulella Kasy,1969** (Cosmopterigidae) Synonym(s): *kabulella* Kasy,1969 AF Kab KK Na
367. **Calycobathra pakistanella Kasy,1968** (Cosmopterigidae) Synonym(s): *pakistanella* Kasy,1968 AF PK Bl Qu
368. **Eteobalea sumptuosella (Lederer,1855)** (Cosmopterigidae) Synonym(s): *sumptuosella* Lederer,1855; *cinereocapitella* Caradja,1920 *Elachista sumptuosella* Lederer,1855, Verh. zool.- bot. Ges. Wien 5: 234. Type: Libanon: Beirut. MA TN ES FR Co IT YU HV MK AL BG GR TR RU Cc MD UA BY LB Bei CY IL Js SY Hal TM AF Pag Kab KG Uk
369. **Hodgesiella quagella (Christoph,1877)** (Cosmopterigidae) Synonym(s): *quagella* Christoph,1877; *fruticosa* Falkovitch,1986 TM Krn UZ AF Slg
370. **Anatrachyntis rileyi (Walsingham,1882)** (Cosmopterigidae) Synonym(s): *rileyi* Walsingham,1882; *stigmatophora* Walsingham,1882 US Hw AU PH ID IN ZA IQ AF TR
371. **Vulcaniella kabulensis Koster,2008** (Cosmopterigidae) Synonym(s): *kabulensis* Koster,2008 *Vulcaniella kabulensis* Koster,2008, Zool. Meded. 82 (1): 97-99, figs.8-10. Holotype ♂: Afghanistan, 10km NW v. Kabul 1900m Kasy & Vartian (NHMW). AF Kab

Cossidae (38 species)

372. **Azygophleps regia (Staudinger,1892)** (Cossidae) Synonym(s): *regia* Staudinger,1892 *Zeuzera* (?) *regia* Staudinger,1892, Dt. ent. Z., Iris 4: 253-254, Taf.iii fig.6. Syntypes: [Türkei]: Hadjin [=Saimbeyli] (J.J.Manissadjian leg.). Cc TR IQ IR AF
373. **Catopta agilis (Christoph,1884)** (Cossidae) Synonym(s): *agilis* Christoph,1884 TM Kp Mrw Krn AF Bd CN Ui Au UZ Br Fe Nmg
374. **Catopta cashmirensis (Moore,1879)** (Cossidae) Synonym(s): *cashmirensis* Moore,1879 PK Hu Ch CN Yu AF
375. **Catopta clathratus (Christoph,1884)** (Cossidae) Synonym(s): *clathratus* Christoph,1884 TM Kp K-A UZ AF Srb
376. **Catopta eberti Daniel,1964** (Cossidae) Synonym(s): *eberti* Daniel,1964 AF Kbb
377. **Catopta kendevenensis Daniel,1937** (Cossidae) Synonym(s): *kendevenensis* Daniel,1937 AF IR Elb Th Mz Kh
378. **Catopta monticola (Groum-Grshimailo,1890)** (Cossidae) Synonym(s): *monticola* Groum-Grshimailo,1890 UZ TJ AF Bd
379. **Catopta rocharvus Sheljuzhko,1943** (Cossidae) Synonym(s): *rocharvus* Sheljuzhko,1943 AF Bd TJ Pm
380. **Cossulus herzi (Alpheraky,1893)** (Cossidae) Synonym(s): *herzi* Alpheraky,1893 IR Elb Shh Kh UZ Smk Fe AF KK
381. **Cossulus intractatus Staudinger,1887** (Cossidae) Synonym(s): *intractatus* Staudinger,1887; *sericeus* Grum-Grshimailo,1890 TJ AF UZ Smk
382. **Cossulus kabulense Daniel,1965** (Cossidae) Synonym(s): *kabulense* Daniel,1965 AF Kab Pag
383. **Cossulus stertzi (Püngeler,1899)** (Cossidae) Synonym(s): *stertzi* Püngeler,1899; *strigillata* Rothschild,1912 *Cossus stertzi* Püngeler,1899, Dt. ent. Z., Iris 12: 288, 8 fig.3. Type: Tadjikistan: Kuliab. AF TM Mrw
384. **Cossulus turcomanicus (Christoph,1893)** (Cossidae) Synonym(s): *turcomanicus* Christoph,1893 Cc TR? AF Hr IR TM Kp

- 385. Cossus cossus (Linnaeus,1758)** (Cossidae) Synonym(s): *cossus* Linnaeus,1758; *unguiculatus* Fabricius,1794; *ligniperda* Fabricius,1794 **Goat Moth Keçigüvesi Phalaena cossus** Linnaeus,1758, Syst. Nat. (Edn.10) 1: 504. Type(s): [Europa]. PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR IQ Hjo Shq DK NO SE FI EE LV LT RU Ur Sb Am Daur MD UA BY Cc GG Tbl Bjo Mng Lag Kir Len Aj Akh Btm Smg Sok Abk AZ LB Bsa IR Elb Th AF KG UK CN Ui Ki Yu Mc KP KR JP MN
- 386. Deserticossus arenicola (Staudinger,1879)** (Cossidae) Synonym(s): *arenicola* Staudinger,1879 **RU Cc AM Dar TM Mrw Rpt CN Ui Ga Yk Ku Au Ln Ln IR Ss KK Ax Ik KG Tk Dj AF Ca MN**
- 387. Dyspessa curta Rothschild,1912** (Cossidae) Synonym(s): *curta* Rothschild,1912 **AF**
- 388. Dyspessa nigrifula (Staudinger,1887)** (Cossidae) Synonym(s): *nigrifula* Staudinger,1887 **AF Ca**
Bd T-A TJ
- 389. Dyspessa tristis A.Bang-Haas,1912** (Cossidae) Synonym(s): *tristis* A.Bang-Haas,1912; *affinis* Rothschild,1912; *pallida* Rothschild,1912. *Dyspessa tristis* A.Bang-Haas,1912, Dt. ent. Z., Iris 26: 110, Tab.vi fig.4. Syntypes ♂: [Kirgizistan]: Karagai-tau. **AF Hr KG Dj Tk Ii KK Na CN Ui Au**
- 390. Holcocerus gloriosus (Erschoff,1874)** (Cossidae) Synonym(s): *gloriosus* Erschoff,1874 **SA OM YE**
AE LY Cy IQ Kbl Amr Bsr Mnd kut BH IR Ss Ahz IL Jer Js Pa SA UZ TJ Pm TM Kp AF Srb
- 391. Holcocerus holosericeus (Staudinger,1884)** (Cossidae) Synonym(s): *holosericeus* Staudinger,1884; *persicus* Austaut,1897. **DZ TN LY Cy EG IL Pa UZ Fe Man IR Kh TM Kp Mrw AF Kab**
- 392. Holcocerus mongolicus (Erschoff,1882)** (Cossidae) Synonym(s): *mongolicus* Erschoff,1882 *Cossus mongolicus* Erschoff,1882, Horae Soc. ent. ross. 17: 33, Taf.1 fig.34. Type ♂: [China: Uighur A.R.]: Kuldja. **CN**
Ui Ku AF Bd
- 393. Cossulus mucosus (Christoph,1884)** (Cossidae) Synonym(s): *mucosus* Christoph,1884 **TM Kp KG**
Aa UZ Fe T-S IR Fa Es Th AF
- 394. Holcocerus nobilis (Staudinger,1884)** (Cossidae) Synonym(s): *nobilis* Staudinger,1884; *strigatus* Austaut,1897. **IR TM Kp Rpt Mrw RU Ur UZ Fe Man CN Ui Ln Kml AF**
- 395. Vartiania senganensis (Daniel,1949)** (Cossidae) Synonym(s): *senganensis* Daniel,1949 **IR Ss AF**
- 396. Holcocerus strigillatus Rothschild,1912** (Cossidae) Synonym(s): *strigillata* Rothschild,1912 **AF**
- 397. Cossulus strioliger (Alpheraky,1893)** (Cossidae) Synonym(s): *strioliger* Alpheraky,1893; *confusa* Rothschild,1912. **IR Elb Th AF Kab TJ UZ Smk KK Ik**
- 398. Holcocerus tancrei Püngeler,1898** (Cossidae) Synonym(s): *tancrei* Püngeler,1898 **IR Kh TM Mrw**
AF
- 399. Kotchevnik tapinus (Püngeler,1898)** (Cossidae) Synonym(s): *tapinus* Püngeler,1898 **TM Kp Mrw**
AF Srb IR Se TJ
- 400. Parahypopta putridum (Christoph,1887)** (Cossidae) Synonym(s): *putridum* Christoph,1887 **AF**
TM Kp
- 401. Phragmacossia albida (Erschoff,1874)** (Cossidae) Synonym(s): *albida* Erschoff,1874 **GR TR Cc**
TM Kp AF
- 402. Phragmacossia paghmana Daniel,1963** (Cossidae) Synonym(s): *paghmana* Daniel,1963 **AF Bm**
Kab Pag
- 403. Phragmacossia reticulata (Püngeler,1900)** (Cossidae) Synonym(s): *reticulata* Püngeler,1900 **AF**
- 404. Phragmacossia vartianae Daniel,1963** (Cossidae) Synonym(s): *vartianae* Daniel,1963 **AF**
- 405. Phragmataecia territa Staudinger,1878** (Cossidae) Synonym(s): *territa* Staudinger,1878 **TR IQ**
Bsy LB Bsa Cc AM TM Rpt UZ Smk IR Elb Dam AF
- 406. Semagystia pushtunica Yakovlev,2007** (Cossidae) Synonym(s): *pushtunica* Yakovlev,2007 **AF**
- 407. Semagystia wernerithomasi Yakovlev,2007** (Cossidae) Synonym(s): *wernerithomasi* Yakovlev,2007 **AF**
- 408. Semagystia witti Yakovlev,2007** (Cossidae) Synonym(s): *witti* Yakovlev,2007 **AF**
- 409. Zeuzera nuristanensis Daniel,1964** (Cossidae) Synonym(s): *nuristanensis* Daniel,1964 **Afghan**
Leopard Moth Afgan Leopargüvesi AF

Ctenuchidae (4 species)

- 410. Amata caspia (Staudinger,1877)** (Ctenuchidae) Synonym(s): *caspia* Staudinger,1877; *#caspica* Romanoff,1884; *minuta* A.Bang-Haas,1910 *nec* Bsd.,1833; *martinierici* Bryk,1941; *banghaasi* Obratzsov,1966; *minutissima* Obratzsov,1966; *schachtli* De Freina,1994. **Uighurian Spring Black Uygur Baharkarasi Syntomis caspia** Staudinger,1877, Stettin ent. Ztg. 38: 176. Lectotype ♂: Astrachan, designated by Ignatyev & Zolotuhin,2005 (ZMHUB). **Cc AM Eri AZ Len TR Arr TM Kp Mrw KG Tk Ssn DsA Tk Dj Ii UZ Fe T-S Aa Tk KK Ik MN CN Ui Um Au Gn Ts Kno RU Ao Ur Pja Da Der Sb IQ AF**
- 411. Amata flaviguttata (Hampson,1900)** (Ctenuchidae) Synonym(s): *flaviguttata* Hampson,1900 *Syntomis flaviguttata* Hampson,1900, J. Bomb. nat. Hist. Soc. 13: 50, Pl.B fig.2. Type: [Pakistan]: N.W.Himalaya: Chitral. **AF Nu PK Nwf Ci**
- 412. Amata maracandina (Erschoff,1874)** (Ctenuchidae) Synonym(s): *maracandina* Erschoff,1874 **TM**
UZ TJ Pm AF
- 413. Dysauxes (s.str.) kaschmiriensis Rothschild,1910** (Ctenuchidae) Synonym(s): *kaschmiriensis* Rothschild,1910; *#kaschmirensis* Friese,1959; *silvatica* Ebert,1969 **Ch AF PK IN**

Douglasiidae (2 species)

- 414. Klimeschia afghanica Gaedike,1974** (Douglasiidae) Synonym(s): *afghanica* Gaedike,1974
Klimeschia afghanica Gaedike,1974, Acta faun. ent. Mus. Nat. Pragae 15 (176): 96, figs. Holotype ♂: Afghanistan:
Paghman, 2200m leg. Kasy & Vartian (NHMW). **IR Kh AF Pag Kab RU Tv**
- 415. Klimeschia paghmanella Gaedike,1974** (Douglasiidae) Synonym(s): *paghmanella* Gaedike,1974.
Klimeschia paghmanella Gaedike,1974, Acta faun. ent. Mus. Nat. Pragae 15 (176): 98, figs. Holotype ♂: Afghanistan:
Paghman, 2100m leg. Kasy & Vartian (NHMW). **AF Pag Kab Kbb Pli Pnj**

Drepanidae (2 species)

- 416. Cilix asiatica A.Bang-Haas,1907** (Drepanidae) Synonym(s): *asiatica* A.Bang-Haas,1907; *depalpata*
Strand,1913 *Cilix glaucata* var. *asiatica* A.Bang-Haas,1907, Dt. ent. Z., Iris 20: 70. Syntypes: [Türkei]: "Klein-
Asien: Syrien: Mardin, Amasia". **GG Smt Akh Cc AM AZ Len UA Cm TR IL Hf Pa LB Bsa IR Elb IQ AF Srb Bsg**
- 417. Nordstromia simillima (Moore,1888)** (Drepanidae) Synonym(s): *simillima* Moore,1888 **Ch Pj IN**
AF Sfk

Epermeniidae (5 species)

- 418. Epermenia (Calotropis) strictella (Wocke,1867)** (Epermeniidae) Synonym(s): *strictella* Wocke,1867;
anthracoptila Meyrick,1931. **Cn ES FR Sa IT CH AT PL SK HU RO YU BG GR LV RU MD UA BY TR IR AF Kbb**
Pnj Bd Pag MN Cc
- 419. Epermenia (s.str.) afghanistanella (Gaedike,1971)** (Epermeniidae) Synonym(s): *afghanistanella*
Gaedike,1971 **AF Adr Pm**
- 420. Epermenia (s.str.) ochreomaculella (Millière,1854)** (Epermeniidae) Synonym(s): *ochreomaculella*
Millière,1854; *prohaskaella* Schawerda,1921; *afghanistanella* Gaedike,1971. **ES FR IT CH YU AL BG UA GR TR Cc LB**
Bsa MN AF
- 421. Epermenia (s.str.) orientalis Gaedike,1966** (Epermeniidae) Synonym(s): *orientalis* Gaedike,1966.
Epermenia orientalis Gaedike,1966, Reichenbachia 6(20): 151-154, 5 figs. Holotype ♂: Iraq: SW Iraq: O.v.Rutba. **TR**
IR Elb Kdj Th Fa Dam LB SA SA63 IQ Rba AF PK Bl Qu
- 422. Epermenia (s.str.) vartianae (Gaedike,1971)** (Epermeniidae) Synonym(s): *vartianae* Gaedike,1971
Cataplectica vartianae Gaedike,1971, Beitr. Ent. 11 (1/2): 43-45, figs. Holotype ♂: SO-Afghanistan: Safed Koh,
Südseite Kofkei, 2350m, leg. Vartian (coll. W. Glaser). **AF Sfk**

Ethmiidae (8 species)

- 423. Ethmia afghana Sattler,1967** (Ethmiidae) Synonym(s): *afghana* Sattler,1967 **AF Kab**
- 424. Ethmia albifrontella Sattler,1967** (Ethmiidae) Synonym(s): *albifrontella* Sattler,1967 **AF Nu Bkt**
PK Rw Pj
- 425. Ethmia distigmatella (Erschoff,1874)** (Ethmiidae) Synonym(s): *distigmatella* Erschoff,1874; *bipunctella*
Rebel,1936; *distichella* Rebel,1940. **TR GR Cr UZ Smk AF Bd Srb Pli Gbh Kab IR TM**
- 426. Ethmia kabulica Amsel,1969** (Ethmiidae) Synonym(s): *kabulica* Amsel,1969 **AF Kab**
- 427. Ethmia lecmima Sattler,1967** (Ethmiidae) Synonym(s): *lecmima* Sattler,1967 **Ethmia lecmima**
Sattler,1967, Microlepid Palaeart. 2: 60-61, Taf.2 fig.3. Holotype ♂: O-Afghanistan: Sarobi 1100m, leg. Ebert (LNK).
AF Kab Srb Hr Bkt Nu IR Elb Th Ss Fa
- 428. Ethmia pagiopa Meyrick,1918** (Ethmiidae) Synonym(s): *pagiopa* Meyrick,1918 **Ch AF Pag Kab Pnj**
Slg Kot Kbb Sfk PK Sha
- 429. Ethmia quadrinotella (Mann,1861)** (Ethmiidae) Synonym(s): *quadrinotella* Mann,1861; *atticella*
Caradja,1920; *galaxaea* Meyrick,1922. *Anesychia quadrinotella* Mann,1861, Wien. ent. Monatschr. 5: 191, Taf.3
fig.8. Lectotype ♂: [Türkei]: Amasia, designated by Sattler,1967: 53. **CV MA DZ EG SA SD LY Cy TN BH IQ Kbl AF Ca**
Hr PK Gg Ch GR TR Cc AM Eri SY IL Hf Pa Js IR Elb Kdj Th
- 430. Ethmia vittalbella (Christoph,1877)** (Ethmiidae) Synonym(s): *vittalbella* Christoph,1877; *radiatella*
Chrétien,1907; *tripolitanella* Turati,1929. *Psecadia vittalbella* Christoph,1877, Horae Soc. ent. ross. 12: 292, pl.8
fig.65. **MA DZ TN EG SA IL Jt Pa AZ Nv Ord Cc AM IR Kh TM Krn PK Gg Ch IQ KG AF Hr Srb Pli Ca Dwe CN Ui Ku**

Gelechiidae (48 species)

- 431. Anarsia (Ananarsia) eleagnella Kuznetsov,1957** (Gelechiidae) Synonym(s): *eleagnella*
Kuznetsov,1957 **RO RU At UA Cc GG KG TM AF**
- 432. Anarsia (Ananarsia) lineatella Zeller,1839** (Gelechiidae) Synonym(s): *lineatella* Zeller,1839; *heratella*
Amsel,1967; *tauricella* Amsel,1967. *Anarsia lineatella* Zeller,1839, Isis 1839: 190. Type(s): Europa. **MA DZ LY TN**
EG PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR LB SY DK SE FI LV LT RU
MD UA BY Cc AM KG TM TJ UZ IQ IR PK AF Hr IN Ch US CA AU

433. **Anarsia (Ananarsia) tortuosella Amsel,1967** (Gelechiidae) Synonym(s): *tortuosella* Amsel,1967
PK AF
434. **Anarsia (s.str.) eburnella (Christoph,1887)** (Gelechiidae) Synonym(s): *eburnella* Christoph,1887
TM Kp IR AF
435. **Anarsia (s.str.) halimodendri (Christoph,1877)** (Gelechiidae) Synonym(s): *halimodendri* Christoph,1877
TM IR AF
436. **Anarsia (s.str.) geminella Amsel,1967** (Gelechiidae) Synonym(s): *geminella* Amsel,1967 AF
437. **Anarsia (s.str.) nuristanella Amsel,1967** (Gelechiidae) Synonym(s): *nuristanella* Amsel,1967 AF
438. **Chionodes distinctella (Zeller,1839)** (Gelechiidae) Synonym(s): *distinctella* Zeller,1839; *striolatella* Heinemann,1870; *tristella* Teich,1889; *indistinctella* Rebel,1901; *latiorella* Amsel,1939; *unicolor* Toll,1948; *deserticola* Piskunov,1979. *Gelechia distinctella* Zeller,1839, Isis Leipzig 1839: 199. Lectotype ♂: Poland: Zielona Gora (Glogau), designated by Huemer & Sattler,1995, Beitr. Ent. 45: 42 (BMNH). MA DZ PT ES An FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU HV AL BG GR TR Cc SY DK NO SE FI EE LV LT RU MD UA BY KG Uk AF IR KK MN CN Ti
439. **Deltophora maculata (Staudinger,1879)** (Gelechiidae) Synonym(s): *maculata* Staudinger,1879
Teleia maculata Staudinger,1879, Horae Soc. ent. ross. 15: 314-316. Lectotype ♀: [Türkei]: Amasia (Kerasdere), selected by Sattler (1979: 283) (MNHU). GR Cr TR SY Hal LB Bei IL Js Pa JO Cc AM GG Bjo Tbl Len AZ YE IR Elb Th Kh AF Kab TM
440. **Deltophora fasciella Sattler,1979** (Gelechiidae) Synonym(s): *fasciella* Sattler,1979 SD IL Pa JO SA
IR Lo AF
441. **Ephysteris (Microcraspedus) deserticolella (Staudinger,1871)** (Gelechiidae) Synonym(s): *deserticolella* Staudinger,1871. TR RU Ur IR Elb Th Ab Oru CY UA Cm AF
442. **Ephysteris (Opacopsis) atalopis (Meyrick,1918)** (Gelechiidae) Synonym(s): *atalopis* Meyrick,1918
IN PK AF IR B-A
443. **Ephysteris (Opacopsis) confusa Povolny,1968** (Gelechiidae) Synonym(s): *confusa* Povolny,1968
AF
444. **Ephysteris (s.str.) promptella (Staudinger,1859)** (Gelechiidae) Synonym(s): *promptella* Staudinger,1859; *despectella* Walker,1863; *petiginella* Mann,1867; *parvula* Staudinger,1879; *cacomicra* Walsingham,1907; *chersaea* Meyrick,1908; *oschophora* Meyrick,1910; *fanatica* Meyrick,1921; *dispensata* Meyrick,1921; *xanthorhabda* Gozmany,1951 *australiae* Povolny,1977; #*promptella* Sattler,1978. *Gelechia promptella* Staudinger,1859, Stettin net. Ztg. 20: 241. Syntypes: Spanien: Chiclana. ZW Vf PT ES FR Si IT SK HU YU GR TR IL SA IR Elb Th AF ZA Wca Ec Fs Tva Mpu Lpo Gau Pre Nta Kzu EG IN LK PG AU QAU
445. **Agnippe haberlandi (Amsel,1961)** (Gelechiidae) Synonym(s): *haberlandi* Amsel,1961 Evippe
haberlandi Amsel,1961, Beitr. naturk. Forsch. SWDtl. 20 (2): 99-102, Abb.1-2. Holotype ♂: Afghanistan: Herat, 5.5.1956 (leg. & coll. Wiltshire). AF Blh Gbh Hr Blh IR Fa Shr Es
446. **Gnorimoschema antiquum Povolny,1966** (Gelechiidae) Synonym(s): *antiquum* Povolny,1966
Gnorimoschema antiquum Povolny,1966, Ark. Zool. (2) 18 (15): 400-402. Holotype ♂: SO.-Frankreich, Durance-Tal, St. Crépin, 900m (leg. coll. Amsel). ES Si? IT HU BG IQ TR IR Elb AF
447. **Metanarsia (s.str.) junctivittella Christoph,1885** (Gelechiidae) Synonym(s): *junctivittella* Christoph,1885
TM Kp KG UZ TJ AF PK
448. **Metzneria albiramosella (Christoph,1885)** (Gelechiidae) Synonym(s): *albiramosella* Christoph,1885
Parasia albiramosella Christoph,1885, [in] Romanoff, Mém. lépid. 2: 159. Lectotype ♂: Ashkabad (BMNH). TM Kp AF
449. **Metzneria aspretella (Lederer,1869)** (Gelechiidae) Synonym(s): *aspretella* Lederer,1869 *Parasia*
aspretella Lederer,1869, Horae Soc. ent. ross. 6: 92, t.5 fig.12. Lectotype ♂: [Iran]: Astrabad [Gorgan], designated by Englert,1974 (ZMB). IR Elb Kdv Mz Dam Plr Gor Shh AF
450. **Metzneria diamondi Amsel,1949** (Gelechiidae) Synonym(s): *diamondi* Amsel,1949 *Metzneria*
diamondi Amsel,1949, Bull. Soc. Fouad I Ent. 33: 321, t.9 fig.63. Lectotype ♂: Iraq: Kerbela Wüste, leg. Wiltshire (LNK). IQ Kbl SA IR Kz Sde AF
451. **Neofriseria sceptorphora (Meyrick,1926)** (Gelechiidae) Synonym(s): *sceptorphora* Meyrick,1926
Gelechia sceptorphora Meyrick,1926, Exot. Microlepid. 3: 276. Type ♀: [Turkey]: "Asia Minor: Kasikoparan (leg. Korb)". Cc TR AF
452. **Ornativulva afghana Sattler,1967** (Gelechiidae) Synonym(s): *afghana* Sattler,1967 AF MN
453. **Ornativulva grisea Sattler,1967** (Gelechiidae) Synonym(s): *grisea* Sattler,1967 AF
454. **Ornativulva heluanensis (Debski,1913)** (Gelechiidae) Synonym(s): *heluanensis* Debski,1913;
frankeniivorella Chrétien,1917; *oasicolella* Turati,1924; *siculella* Mariani,1937. *Teleia heluanensis* Debski,1913, Bull. Soc. ent. Egypte 1913: 111. Syntypes: Egypt: Heluan (NHMW). DZ MA TN LY Cy SD EG EG34 ES Mu Si MT HV RU IL Pa SY SA IQ TR IR AF PK UZ MN
455. **Ornativulva longiductella Sattler,1967** (Gelechiidae) Synonym(s): *longiductella* Sattler,1967
Ornativulva longiductella Sattler,1967, Beitr. naturk. Forsch. SWDtl. 26(3): 40, figs. Holotype ♂: Algerien: Hammam-es-Salahin (BMNH). DZ TN IQ AF SD MN
456. **Ornativulva mixolitha (Meyrick,1918)** (Gelechiidae) Synonym(s): *mixolitha* Meyrick,1918 DZ MA
TN TR RU IQ SD IN IR PK AF MN
457. **Ornativulva ochraceofusca Sattler,1967** (Gelechiidae) Synonym(s): *ochraceofusca* Sattler,1967
Ornativulva ochraceofusca Sattler,1967, Beitr. naturk. Forsch. SWDtl. 26(3): 77, pl.18 f.74. Holotype ♂: Afghanistan: Kabul: W. Charikar. TR AF

458. **Ornativulva ornatella Sattler,1967** (Gelechiidae) Synonym(s): *ornatella Sattler,1967* **Ornativulva ornatella Sattler,1967**, Beitr. naturk. Forsch. SWDTl. 26(3): 78, pls., figs. Holotype ♂: Afghanistan: Herat, 970m. **RO RU TR AF IR MN**
459. **Ornativulva plutelliformis (Staudinger,1859)** (Gelechiidae) Synonym(s): *plutelliformis Staudinger,1859; sinuatella Walsingham,1904* **Cn Md MA DZ Bsk TN LY PT ES An Hv FR Sa Si IT MT HU RO MK GR Cr TR RU MD UA BY KG Uk Sd Pa IL Pa Hf LB Bei SA IQ KW IR Bmp Ana Ke Kh AF PK CY**
460. **Ornativulva sieversi (Staudinger,1871)** (Gelechiidae) Synonym(s): *sieversi Staudinger,1871* **RU KG Uk IR AF TM**
461. **Ornativulva singula Sattler,1967** (Gelechiidae) Synonym(s): *singula Sattler,1967* **AF MN**
462. **Ornativulva triangulella Sattler,1967** (Gelechiidae) Synonym(s): *triangulella Sattler,1967* **DZ Bsk TN IQ AF KW IR**
463. **Platyedra subcinerea (Haworth,[1828])** (Gelechiidae) Synonym(s): *subcinerea Haworth,[1828]; vilella Zeller,1847.* **PT ES FR Co Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc LB Bei DK SE LV RU MD UA BY CN Ui Ku IL Pa Hf AF Hr**
464. **Scrobipalpa (Ilseopsis) acuminatella (Sircom,1850)** (Gelechiidae) Synonym(s): *acuminatella Sircom,1850* **Gelechia acuminatella Sircom,1850, Zoolog. App.: 72. ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY IR AF**
465. **Scrobipalpa (Ilseopsis) arogantella Povolny,1967** (Gelechiidae) Synonym(s): *arogantella Povolny,1967* **Scrobipalpa (Eusrobipalpa) arogantella Povolny,1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 213, figs. 7,8. Holotype ♂: NO.-Afghanistan: Khinch-e-Andarab, 3500-4000m leg. Ebert. AF**
466. **Scrobipalpa (Ilseopsis) ebertiana Povolny,1967** (Gelechiidae) Synonym(s): *ebertiana Povolny,1967. Scrobipalpa (Eusrobipalpa) ebertiana Povolny,1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 216, fig. 27. Holotype ♀: SW.-Afghanistan: Registan Wüste, Darweshan, 500m., leg. Ebert. AF*
467. **Scrobipalpa (Ilseopsis) ephysteroides Povolny,1967** (Gelechiidae) Synonym(s): *ephysteroides Povolny,1967* **Scrobipalpa (Eusrobipalpa) ephysteroides Povolny,1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 216-217, figs. 23,24. Holotype ♂: [Afghanistan]: Khurd-Kabul, leg. Kasy & Vartian. AF**
468. **Scrobipalpa (Ilseopsis) gregori Povolny,1967** (Gelechiidae) Synonym(s): *gregori Povolny,1967* **Scrobipalpa (Eusrobipalpa) gregori Povolny,1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 218, figs. 31,32. Holotype ♂: Afghanistan: Khurd-Kabul, 1900m, leg. Kasy & Vartian. IT AF**
469. **Scrobipalpa (Ilseopsis) grossa Povolny,1966** (Gelechiidae) Synonym(s): *grossa Povolny,1966* **TR IR Ab Oru RU IQ SY AF**
470. **Scrobipalpa (Ilseopsis) heratella Povolny,1967** (Gelechiidae) Synonym(s): *heratella Povolny,1967* **Scrobipalpa (Eusrobipalpa) heratella Povolny,1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 218-219, fig. 33. Holotype ♂: Afghanistan: Herat, 970m, leg. Amsel. AF Hr EG JO IR Ss**
471. **Scrobipalpa (Ilseopsis) klimeschi Povolny,1967** (Gelechiidae) Synonym(s): *klimeschi Povolny,1967* **Scrobipalpa (Eusrobipalpa) klimeschi Povolny,1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 220-221, figs. 37-39. Holotype ♂: [Austria]: Teriol sept., Innsbruck, leg. Burmann. AT AF**
472. **Scrobipalpa (Ilseopsis) nitentella (Fuchs,1902)** (Gelechiidae) Synonym(s): *nitentella Fuchs,1902* **TN ES FR IE GB NL DE AT CZ SK HU RO DK NO SE FI EE LV RU Ur Sb MD UA BY TR MN AF**
473. **Scrobipalpa (Ilseopsis) obsoletella (Fischer v. Röslerstamm,1841)** (Gelechiidae) Synonym(s): *obsoletella Fischer v. Röslerstamm,1841; miscitella Clarke,1932; calaritanella Amsel,1951.* **ZA DZ PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AF DK NO SE FI EE LV LT RU Ur Sb Cc MN MD UA BY**
474. **Scrobipalpa (Ilseopsis) pulchra Povolny,1967** (Gelechiidae) Synonym(s): *pulchra Povolny,1967* **Scrobipalpa (Eusrobipalpa) pulchra Povolny,1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 223-224, figs. 64-68. Holotype ♀: Afghanistan: Bamian, leg. Kasy & Vartian. TR SY IR Th Elb AF Bm IL Pa MN LT RU Ur UA MN CN**
475. **Scrobipalpa (s.str.) abai Povolny,1977** (Gelechiidae) Synonym(s): *abai Povolny,1977* **AF**
476. **Scrobipalpa (s.str.) bahai Povolny,1977** (Gelechiidae) Synonym(s): *bahai Povolny,1977* **AF**
477. **Scrobipalpa (s.str.) submagnificella Povolny,1977** (Gelechiidae) Synonym(s): *submagnificella Povolny,1977* **AF**
478. **Scrobipalpula psilella (Herrich-Schäffer,[1854])** (Gelechiidae) Synonym(s): *psilella Herrich-Schäffer,[1854]; cacuminum Frey,1870.* **ES FR Si? IT GB DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY IR Th Elb Ab Mak Oru AF**
479. **Vladimirea (s.str.) glebicorella (Erschoff,1874)** (Gelechiidae) Synonym(s): *glebicorella Erschoff,1874; submaculata Povolny,1967.* **Cc AM UZ TM AF IR Elb Th**

Geometridae (119 species)

480. **Acrobiston aestivalis Wiltshire,1967** (Geometridae) Synonym(s): *aestivalis Wiltshire,1967* **AF Bd Anj**
481. **Alcis andaraba (Wehrli,1938)** (Geometridae) Synonym(s): *andaraba Wehrli,1938* **AF Adr**
482. **Alcis evae Wiltshire,1966** (Geometridae) Synonym(s): *evae Wiltshire,1966* **AF Kab Pag Bm**
483. **Alcis granitaria (Moore,1888)** (Geometridae) Synonym(s): *granitaria Moore,1888* **AF Bm Kab Pag Ch**
484. **Alcis nuristana Wiltshire,1967** (Geometridae) Synonym(s): *nuristana Wiltshire,1967* **AF Ng Nu**

- 485. Alcis paghmana Wiltshire,1967** (Geometridae) Synonym(s): *paghmana* Wiltshire,1967 **AF Kab Pag Bm**
- 486. Alcis shivae Wiltshire,1967** (Geometridae) Synonym(s): *shivae* Wiltshire,1967 **AF Bd Shv**
- 487. Alcis trikotaria (R.Felder & Rogenhofer,1875)** (Geometridae) Synonym(s): *trikotaria* (R.Felder & Rogenhofer,1875) **PK Thu AF Nu Ng**
- 488. Aspitates stchurovskiy (Erschoff,1874)** (Geometridae) Synonym(s): *stchurovskiy* Erschoff,1874; *gonarcha* L.B.Prout,1928 **UZ AF**
- 489. Cabera leptographa Wehrli,1936** (Geometridae) Synonym(s): *leptographa* Wehrli,1936 **Cabera**
leptographa Wehrli,1936, Ent. Rdsch. 53 (40): 564. Syntypes 1♂ 1♀: Afghanistan: Southern Bucharas, Kuliab. **DE AT EE LV LT RU MD UA BY AF**
- 490. Cataclysmes riguada (Hübner,[1813])** (Geometridae) Synonym(s): *riguada* Hübner,[1813]; *subtilisparsata* Wehrli,1932. *Geometra riguada* Hübner,[1813], Samml. eur. Schmett. 5: pl.69, fig.358. Type: Europa. **PT ES FR Co Si IT BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ AM LT RU MD UA BY IR Elb Mz Th AF TM Kp TJ KK T-S KG Lps At Ur Am Cm CN Ui Ku Cc GG AZ AM**
- 491. Cataclysmes shirniensis Ebert,1965** (Geometridae) Synonym(s): *shirniensis* Ebert,1965 **AF Pm TJ**
- 492. Catarhoe arachne Wiltshire,1967** (Geometridae) Synonym(s): *arachne* Wiltshire,1967 **TJ AF Cc AM IR Elb TM Kp**
- 493. Chlorissa gelida (Butler,1889)** (Geometridae) Synonym(s): *gelida* Butler,1889; *anomala* W.Warren,1896 **IN Drm Hp Klu AF Pag Nu**
- 494. Chloroclysta miata (Linnaeus,1758)** (Geometridae) Synonym(s): *miata* Linnaeus,1758; *miaria* [Denis & Schiffermüller],1775; *viridifasciaria* Goeze,1781; *virgata* Fourcroy,1785 nec Hufn.,1767; *coraciata* Hübner,[1799]; *viridulata* Zetterstedt,1839; *coraciaria* La Harpe,1853 *Phalaena miata* Linnaeus,1758, Syst. Nat. (Edn.10): 526. Type(s): Europa. **PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG DK NO SE FI EE LV LT RU MD UA BY IR Fa Sse Elb Th AF TJ Pm**
- 495. Costaconvexa polygrammata (Borkhausen,1794)** (Geometridae) Synonym(s): *polygrammata* Borkhausen,1794; *polygrammaria* Haworth,1809; *conjunctaria* Lederer,1853; *#rosea* Wiltshire,1946 *Phalaena polygrammata* Borkhausen,1794, Natur. eur. Schmett. 5: 560. Syntypes: Europa. **PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc AZ GG AM LB IL Pa IQ IR Fa Shr AF DK SE FI LV LT RU Ur KK KG TJ UZ TM MD UA Cm BY CN Ui Ku**
- 496. Crocallis (s.str.) klapperichi Wiltshire,1961** (Geometridae) Synonym(s): *klapperichi* Wiltshire,1961 **AF Pag Bd**
- 497. Dyscia (Calodyscia) innocentaria (Christoph,1885)** (Geometridae) Synonym(s): *innocentaria* Christoph,1885; *sicanaria* Oberthür,1923; *sicula* Reisser,1940; *#innocentaria* Pugaev & Zolotuhin,2006 *Aspilates innocentaria* Christoph,1885, Mém. lepid. 2: 125, pl.6 fig.5. Lectotype ♂: Turkmenia, Achal Tekke, Nuchur, designated by Trusch & Erlacher (2002: 535) (ZISP). **Co Sa Si IT YU HV AL MK BG GR RU MD UA Cm TR IQ Ama IR TM JO IL Pa CY Cc Da GG Bjo Lag AZ Kir AM Eri AF KG**
- 498. Dyscia (Warneckeella) malatyana (Wehrli,1934)** (Geometridae) Synonym(s): *malatyana* Wehrli,1934 *Dyscia malatyana* Werli,1934, Int. ent. Z. 27: 535-536, fig.19. Syntypes 3♂: [Türkei]: Malatya: Tecde (ZFMK). **LY TR Cc AZ AM GG RU Ao Da IR Ss TM Kp KG Kmk Tk Dj UZ KK AF PK CN T-S Kno**
- 499. Ecliptopera postpallida (L.B.Prout,1938)** (Geometridae) Synonym(s): *postpallida* L.B.Prout,1938 **AF Nu CN Sz Ch**
- 500. Contropis tagana Wiltshire,1967** (Geometridae) Synonym(s): *tagana* Wiltshire,1967 **AF**
- 501. Eupithecia convallata Brandt,1938** (Geometridae) Synonym(s): *convallata* Brandt,1938 **IR Fa AF Kab**
- 502. Eupithecia convallata terricolor Vojnits,1988** (Geometridae) Synonym(s): *terricolor* Vojnits,1988 **AF Kab**
- 503. Eupithecia xanthomixta Vojnits,1988** (Geometridae) Synonym(s): *xanthomixta* Vojnits,1988 **AF IR Elb Th**
- 504. Geometra purissima Wiltshire,1966** (Geometridae) Synonym(s): *purissima* Wiltshire,1966 *Geometra purissima* Wiltshire,1966, Z. Wien. ent. Ges. 51 (1/2): 28, pl. 2 fig.1. Holotype ♂: Afghanistan: Nuristan: 25km NW Barikot, 1800m. **AF Nu Bkt PK Nwf**
- 505. Glossotrophia (Bicalcarella) terminata Wiltshire,1966** (Geometridae) Synonym(s): *terminata* Wiltshire,1966 *Glossotrophia terminata* Wiltshire,1966, Z. Wien. ent. Ges. 51 (9/11): 130, figs. Holotype ♀: Afghanistan: Nuristan, Barikot, 25km N. v. Barikot 1800m 12-17.vii.1963 leg. Kasy & Vartian (BMNH). **AF IR PK Ch Gg**
- 506. Glossotrophia (Libanonia) sacraria (A.Bang-Haas,1910)** (Geometridae) Synonym(s): *sacraria* A.Bang-Haas,1910 **GR Rd LB Bei TR CY JO IL Pa IQ AF Srb Kab Bm PK TJ Pm IR Shr Fa Sse Com Kz KG Uk**
- 507. Gnopharmia eberti Wiltshire,1967** (Geometridae) Synonym(s): *eberti* Wiltshire,1967 **AF Ca**
- 508. Gnopharmia inermis Wiltshire,1967** (Geometridae) Synonym(s): *inermis* Wiltshire,1967 **AF Hr IR Kh Msh**
- 509. Gnopharmia maculifera Staudinger,1892** (Geometridae) Synonym(s): *maculifera* Staudinger,1892 **AF Pli UZ Fe Smk**
- 510. Gnopharmia objectaria Staudinger,1892** (Geometridae) Synonym(s): *objectaria* Staudinger,1892 *Gnopharmia colchidaria* var. *objectaria* Staudinger,1892, Dt. ent. Z., Iris 5: 181-183. Syntypes : [Türkei]: Mardin; [Turkmenistan]: Achal-Tekke. **TR TM Kp IQ AF Nu**
- 511. Gnopharmia sarobiana Ebert,1965** (Geometridae) Synonym(s): *sarobiana* Ebert,1965 **AF Srb Bm**
- 512. Gnophos (Acrognophos) boarmioides Wiltshire,1967** (Geometridae) Synonym(s): *boarmioides* Wiltshire,1967 **AF Bd**

513. **Gnophos (Chelegnophos) badakhshanus Wiltshire,1967** (Geometridae) **Synonym(s):** *badakhshanus Wiltshire,1967* **AF Bd**
514. **Gnophos (Dysgnophos) difficillimus Wiltshire,1967** (Geometridae) **Synonym(s):** *difficillimus Wiltshire,1967; #difficillimus Scoble,1999* **AF Pag Kab**
515. **Gnophos (Euchrognophos) amseli Ebert,1965** (Geometridae) **Synonym(s):** *amseli Ebert,1965* **AF Srb Bm**
516. **Gnophos (Rhipignophos) maledictus Wiltshire,1967** (Geometridae) **Synonym(s):** *maledictus Wiltshire,1967* **AF Slg**
517. **Gnophos (Zystrognophos) nimbatu Alpheraky,1888** (Geometridae) **Synonym(s):** *nimbata Alpheraky,1888; alexandra Wehrli,1953.* **CN Ui Li Ga KK Ax Ik UZ Fe AF**
518. **Gnophos (s.str.) brachyphorus Wiltshire,1966** (Geometridae) **Synonym(s):** *brachyphora Wiltshire,1966* **AF Pag Kab**
519. **Gnophos (s.str.) klapperichi Wiltshire,1967** (Geometridae) **Synonym(s):** *klapperichi Wiltshire,1967* **AF Ng Nu**
520. **Gnophos pagranitus Wiltshire,1966** (Geometridae) **Synonym(s):** *pagranitus Wiltshire,1966* **AF Bm Pag**
521. **Gnophosema isometra (W.Warren,1888)** (Geometridae) **Synonym(s):** *isometra W.Warren,1888* **PK AF Bm Srb OM IR Ss Chh**
522. **Hemistola directa Wiltshire,1966** (Geometridae) **Synonym(s):** *directa Wiltshire,1966* **AF Nu Bkt**
523. **Hemistola fletcheri L.B.Prout,1934** (Geometridae) **Synonym(s):** *fletcheri L.B.Prout,1934; subcaerulea L.B.Prout,1934* **Ch AF Pag**
524. **Hemithea marina (Butler,1878)** (Geometridae) **Synonym(s):** *costipunctata Moore,[1867]; marina Butler,1878; simplex W.Warren,1897; pariciliata Fuchs,1902* **JP Hdo AF Nu Bkt LK ID Sum Ja TH**
525. **Herochroma farinosa (W.Warren,1893)** (Geometridae) **Synonym(s):** *farinosa W.Warren,1893* **IN Lho AF Pag**
526. **Heterobapta ejana Wiltshire,1961** (Geometridae) **Synonym(s):** *ejana Wiltshire,1961* **AF Slg**
527. **Hypomecis xenobia (Wiltshire,1966)** (Geometridae) **Synonym(s):** *xenobia Wiltshire,1966* **AF Pag**
528. **Idaea angustifrons (Wiltshire,1966)** (Geometridae) **Synonym(s):** *angustifrons Wiltshire,1966* **AF Pag Kab**
529. **Idaea arenophana (Wiltshire,1966)** (Geometridae) **Synonym(s):** *arenophana Wiltshire,1966* **AF Kab**
530. **Idaea barikotensis (Wiltshire,1966)** (Geometridae) **Synonym(s):** *barikotensis Wiltshire,1966* **AF Nu Bkt**
531. **Idaea benestrigata (L.B.Prout,1913)** (Geometridae) **Synonym(s):** *benestrigata L.B.Prout,1913* **AF**
532. **Idaea curtopedata (Ebert,1965)** (Geometridae) **Synonym(s):** *curtopedata Ebert,1965* **AF Bd Adr**
533. **Idaea fittkaui Hausmann,1992** (Geometridae) **Synonym(s):** *fittkaui Hausmann,1992* **Idaea fittkaui**
Hausmann,1992, NachrBl. bayer. Ent. 41 (2): 48-49, figs. Holotype ♂: O.-Afghanistan: Sarobi 1100m 6 viii-27 ix 1961 leg. G.Ebert (ZSM). **AF Bm Srb**
534. **Idaea forsteri (Wiltshire,1966)** (Geometridae) **Synonym(s):** *forsteri Wiltshire,1966* **AF Nu Pag**
535. **Idaea hathor (Wiltshire,1949)** (Geometridae) **Synonym(s):** *hathor Wiltshire,1949* **EG Sn SA AF IN**
536. **Idaea macropaga (Wiltshire,1966)** (Geometridae) **Synonym(s):** *macropaga Wiltshire,1966* **AF Kab Pag**
537. **Idaea maskina (Wiltshire,1966)** (Geometridae) **Synonym(s):** *maskina Wiltshire,1966* **AF Pag Kab**
538. **Idaea microphaga (Wiltshire,1966)** (Geometridae) **Synonym(s):** *microphaga Wiltshire,1966* **AF Kab**
539. **Idaea nigrella (Wiltshire,1966)** (Geometridae) **Synonym(s):** *nigrella Wiltshire,1966* **AF Bkt Nu**
540. **Idaea rufaria (Hübner,[1799])** (Geometridae) **Synonym(s):** *rufaria Hübner,[1799]; ochridana Silbernagel,1944* **Geometra rufaria Hübner,[1799], Samml. eur. Schmett. 5: pl.21, fig.112. Type: Europa. MA PT ES Mu FR Co Si IT BE DE CH AT PL CZ SK HU RO YU B-H MK HV AL BG Vrn GR Rd TR Cc GG AZ AM Ksp IQ RU MD UA BY IR Fa Com Kz Kh AF Pag Kab MN**
541. **Idaea rusticata ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *rusticata [Denis & Schiffermüller],1775; mustelata Rambur,1866.* **Geometra rusticata [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 113. Type(s): [Austria]: Vienna district. DZ FR Co Sa Si IT MT GB BE NL DE CH AT CZ SK HU RO YU AL BG GR Cr TR Cc GG AZ AM Nv RU MD UA Cm IL Pa IR AF MN TM KK**
542. **Idaea straminata (Borkhausen,1794)** (Geometridae) **Synonym(s):** *straminata Borkhausen,1794; inornata Haworth,1809; suffusaria Boisduval,1840; inornaria Doubleday,1849; agrostemmatata Guenée,[1858]* **MA DZ TN PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc AZ DK NO SE FI EE LV LT RU MD UA BY LB Bsa IR AF Sb At MN CN KP KR Sh Krl**
543. **Idaea tornipunctaria (Wiltshire,1967)** (Geometridae) **Synonym(s):** *tornipunctaria Wiltshire,1967* **AF Srb Bm**
544. **Idaea vartianae (Wiltshire,1966)** (Geometridae) **Synonym(s):** *vartianae Wiltshire,1966* **AF Nu Bkt**
545. **Lithostege amseli Wiltshire,1967** (Geometridae) **Synonym(s):** *amseli Wiltshire,1967* **AF Hr**
546. **Microloxia indecretata (Walker,[1863])** (Geometridae) **Synonym(s):** *indecretata Walker,[1863]; pruinosa Butler,1880; aperta Swinhoe,1886.* **IN Bba PK Krc AF Pag**
547. **Nebula triciliata (Wiltshire,1967)** (Geometridae) **Synonym(s):** *triciliata Wiltshire,1967* **AF Slg**
548. **Neromia simplex Brandt,1938** (Geometridae) **Synonym(s):** *simplexa Brandt,1938* **IR Fa IQ Agh Bgd OM AF**
549. **Nychiodes princeps Wiltshire,1966** (Geometridae) **Synonym(s):** *princeps Wiltshire,1966* **AF**

550. **Ochodontia adustaria Fischer de Waldheim,1840** (Geometridae) Synonym(s): *adustaria* Fischer de Waldheim,1840; *sareptanaria* Freyer,1841; *#sareptaria* Eversmann,1844 **Ennomos adustaria** Fischer de Waldheim,1840, Bull. Soc. imp. Nat. Moscou 1840 (1): 88. Syntypes ♂♀: Russia: lower Volga. **RU Sr TR IR Ab Elb AM Cc AZ Nv AF MN CN Ui Ki Kk Ik**
551. **Orthonama obstipata (Fabricius,1794)** (Geometridae) Synonym(s): *obstipata* Fabricius,1794; *fluviata* Hübner,[1799]; *gemmata* Hübner,1799; *albicinctata* Haworth,1809; *angustata* Haworth,1809; *quaerendaria* Costa,1850; *baccata* Guenée,[1858]; *lapillata* Guenée,[1858]; *contrariata* Walker,1862; *exagitata* Walker,1862; *intrusata* Walker,1862; *peracutata* Walker,1862; *signataria* Walker,1863; *obruptata* Walker,1863; *pigrata* Walker,1866; *plemyrata* R.Felder & Rogenhofer,1875; *inconspicua* Warren,1896; *brunneipennis* Hulst,1896; *discata* Warren,1905 **PT ES Mu FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR IQ Agh GG AM Cc AZ IR Sse Fa AF DK NO SE FI EE LV RU Ur Sb Am Sh MD UA Cm BY KG KK UZ TJ TM CN MN KP KR JP ZA ZA10 ZA12 Kzu Nta IL Pa Jf Mtl LB Bsa MY Bor Sbh KBa CY**
552. **Peratophyga hyalinata (Kollar,[1844])** (Geometridae) Synonym(s): *hyalinata* Kollar,[1844]; *aerata* Moore,1868; *ionephela* Wiltshire,1966 *Idea hyalinata* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4 (2): 491. Type: India, Massuri [Mussooree]. **IN Mus SI Djl AF Nu Bkt**
553. **Phaselia erika Ebert,1965** (Geometridae) Synonym(s): *erika* Ebert,1965 **AF Srb**
554. **Phaselia kasyi Wiltshire,1966** (Geometridae) Synonym(s): *kasyi* Wiltshire,1966 **AF**
555. **Prometopidia arenosa Wiltshire,1961** (Geometridae) Synonym(s): *arenosa* Wiltshire,1961 **AF Nu Bsg**
556. **Rhometra sacraria (Linnaeus,1767)** (Geometridae) Synonym(s): *sacraria* Linnaeus,1767; *labda* Cramer,1777; *sacralis* Thunberg,1784; *fulvaria* Fabricius,1794; *sanguinaria* Esper,1801; *minervae* Gistl,1856; *labdaria* Guenée,[1858]; *Phalaena sacraria* Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 863. Syntypes: [Algeria]: *Barbaria* (LSL). **MA DZ TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT CZ SK HU RO YU AL BG GR Cr Rd TR IL Pa Car Jf Js Hf LB Bsa CY IQ Agh TH IR Shr Fa Sse Ahz DK NO SE EE LV RU MD UA BY AF Ca PK Bl Qu ZA ZA04 ZA05 ZA06 ZA27 Kzu Nta Lpo Tva Spb Mdk SH MG MN CN Cn Md Az IN AZ Nv AM IR Cm**
557. **Rhodostrophia abscisaria Brandt,1941** (Geometridae) Synonym(s): *abscisaria* Brandt,1941 **AF IR**
558. **Rhodostrophia anjumana Wiltshire,1967** (Geometridae) Synonym(s): *anjumana* Wiltshire,1967 **AF Bd Anj**
559. **Rhodostrophia cuprinaria (Christoph,1876)** (Geometridae) Synonym(s): *cuprinaria* Christoph,1876; *phaenicearia* Hampson,1907. *Eusarca cuprinaria* Christoph,1876, Horae Soc. ent. ross. 12: 261, pl.7 fig.33. Syntypes ♂♀: [Iran]: Persia: Schahrud. **TR IR Elb Cc Fa AZ Nv AF**
560. **Rhodostrophia dissoluta L.B.Prout,1938** (Geometridae) Synonym(s): *dissoluta* L.B.Prout,1938 **AF Bd Nks**
561. **Rhodostrophia froitzheimi Wiltshire,1966** (Geometridae) Synonym(s): *froitzeimi* Wiltshire,1966 **AF Anj Bd Slg**
562. **Rhodostrophia inconspicua (Butler,1886)** (Geometridae) Synonym(s): *inconspicua* Butler,1886 **AF Ch Gs PK Nwf Ci Mre Pj**
563. **Rhodostrophia kabulensis Wiltshire,1970** (Geometridae) Synonym(s): *kabulensis* Wiltshire,1970 **AF Bm Kab**
564. **Rhodostrophia lenis Wiltshire,1966** (Geometridae) Synonym(s): *lenis* Wiltshire,1966 **AF Bm Kab**
565. **Rhodostrophia linguata Wiltshire,1966** (Geometridae) Synonym(s): *linguata* Wiltshire,1966 **AF Pag Bm**
566. **Rhodostrophia meonaria (Guenée,[1858])** (Geometridae) Synonym(s): *meonaria* Guenée,[1858] **AF Kab Bm PK IN**
567. **Rhodostrophia nubifera Brandt,1941** (Geometridae) Synonym(s): *nubifera* Brandt,1941 *Rhodostrophia nubifera* Brandt,1941, Mitt. münch. ent. Ges. 31: 866, fig.1. Holotype ♂: Iran: Khorassan: Binaloud-Gebirge bei Meched, 1800m 18. Aug. 1938 coll. Brandt; Paratypes: Sengan (Kouh i Taftan-Gebiet) (NRM). **IR Kh KuB Msh Ss Kuh AF Bm Kab**
568. **Rhodostrophia olivopallens Wiltshire,1966** (Geometridae) Synonym(s): *olivopallens* Wiltshire,1966 **AF BdA**
569. **Rhodostrophia oxyntis L.B.Prout,1935** (Geometridae) Synonym(s): *oxyntis* L.B.Prout,1935 **AF Log**
570. **Rhodostrophia pleonasma Wiltshire,1967** (Geometridae) Synonym(s): *pleonasma* Wiltshire,1967 **AF Bd**
571. **Rhodostrophia poliaria Hampson,1903** (Geometridae) Synonym(s): *poliaria* Hampson,1903 **Ch Gs AF Hk Bd Nks**
572. **Rhodostrophia praecisaria (Staudinger,1892)** (Geometridae) Synonym(s): *praecisaria* Staudinger,1892 **AF Bd Adr UZ Fe Kk Ik**
573. **Rhodostrophia vartianae Wiltshire,1966** (Geometridae) Synonym(s): *vartianae* Wiltshire,1966 **AF BdA**
574. **Rhodostrophia xesta L.B.Prout,1935** (Geometridae) Synonym(s): *xesta* L.B.Prout,1935 **AF Log RU**
575. **Scodiomima afghana Wiltshire,1961** (Geometridae) Synonym(s): *afghana* Wiltshire,1961 **AF Pag**
576. **Scopula actuaria (Walker,1861)** (Geometridae) Synonym(s): *actuaria* Walker,1861 **AF Nu LK IN TW ID Wt Tim Ja**
577. **Scopula afghana Ebert,1965** (Geometridae) Synonym(s): *afghana* Ebert,1965 **AF Bd Adr**

578. **Scopula ansulata (Lederer,1871)** (Geometridae) Synonym(s): *ansulata* Lederer,1871 **CN Ui Tlk Ku**
UZ TM IR Elb Gor AF Srb KG TJ
579. **Scopula froitzheimi Wiltshire,1967** (Geometridae) Synonym(s): *froitzheimi* Wiltshire,1967 **AF Bd**
580. **Scopula minorata (Boisduval,1833)** (Geometridae) Synonym(s): *minorata* Boisduval,1833; *#ochroleucata* Herrich-Schäffer,1844; *ochroleucaria* Herrich-Schäffer,[1847]; *luculata* Guenée,[1858]; *mauritiata* Guenée,[1858]; *consentanea* Walker,1861; *holobapharia* Mabille,1900; *mombasae* W.Warren,1904; *dresnayi* D.Lucas,1937. *Geometra minorata* Boisduval,1833, *Nouv. Ann. Mus. Hist. nat. Paris* 2: 263. Syntypes: Mauritius. **ET KE Mb MG RE MU MA PT Cn ES Mu FR Sa Si IT MT AL BG GR Cr TR IQ Mos Bgd Ktz ZA Ksi Kzu ZA16 Mpu ZA21 Tva Lpo IL Pa Js CY SA MG CV AF PK ID Sum**
581. **Scopula nigrociliata Ebert,1965** (Geometridae) Synonym(s): *nigrociliata* Ebert,1965 **AF Bd Adr**
582. **Scopula ornata (Scopoli,1763)** (Geometridae) Synonym(s): *ornata* Scopoli,1763; *instilata* Hufnagel,1767; *paludata* Linnaeus,1767; *institata* Rottemburg,1777; *interrupta* Goeze,1781; *intersecta* Fourcroy,1785. **Lace Border**
Phalaena ornata Scopoli,1763, *Entomologia Carniolica*: 219. Type(s): [Slovenien]: Carniolia [Krain]. **MA DZ TN PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR Cc GG AZ AM Nv IQ DK SE FI EE LV LT RU MD UA BY CN Ui Kun AF Ca PK BI Qu**
583. **Scopula pseudoafghana Ebert,1965** (Geometridae) Synonym(s): *pseudoafghana* Ebert,1965 **AF Bm**
584. **Scopula transcaspica L.B.Prout,1935** (Geometridae) Synonym(s): *transcaspica* L.B.Prout,1935
Scopula submutata ssp.? *transcaspica* L.B.Prout,1935, [in] Seitz, Gross-Schmett. *Erde* 3 (suppl.): 40 (5a). Syntypes 2♀: [Turkmenistan]: Ashkhabad. **Cc GG AM AZ Nv TR TM Kp Fyz Ger IR Fa Sse Com Kz Shr Lo AF PK**
585. **Scopuloides origalis (Brandt,1941)** (Geometridae) Synonym(s): *origalis* Brandt,1941 **IR Ss AF Nu TJ Pm**
586. **Scopuloides origalis danieli (Wiltshire,1966)** (Geometridae) Synonym(s): *danieli* Wiltshire,1966 **AF Nu**
587. **Scopuloides origalis safida (Wiltshire,1966)** (Geometridae) Synonym(s): *safida* Wiltshire,1966 **AF Nu**
588. **Scotopteryx junctata (Staudinger,1882)** (Geometridae) Synonym(s): *junctata* Staudinger,1882 **KK KG DsA CN Ui Ju Ga Kl AF TJ Pm Drw Ch**
589. **Scotopteryx sinuosa (Wiltshire,1970)** (Geometridae) Synonym(s): *sinuosa* Wiltshire,1970 **AF**
590. **Stegania mesonephele (Wiltshire,1967)** (Geometridae) Synonym(s): *mesonephele* Wiltshire,1967 **AF Nu Bsg UZ**
591. **Stegania wiltshirei (Ebert,1965)** (Geometridae) Synonym(s): *wiltshirei* Ebert,1965 **AF Bd Fz**
592. **Synopsidia phasidaria (Rogenhofer,1873)** (Geometridae) Synonym(s): *phasidaria* Rogenhofer,1873 **Cc GG Smt Akh AF Kab IR Ha Fa Com Kz Shr Elb Th Dam TM Noc AZ Nv Ord TR?**
593. **Thetidia albosagittata (Ebert,1965)** (Geometridae) Synonym(s): *albosagittata* Ebert,1965 **AF Ca**
594. **Thetidia hammeri (Ebert,1965)** (Geometridae) Synonym(s): *hammeri* Ebert,1965 **AF Srb Bm**
595. **Thetidia hazara (Ebert,1965)** (Geometridae) Synonym(s): *hazara* Ebert,1965 **AF Hzr**
596. **Thetidia radiata Walker,[1863]** (Geometridae) Synonym(s): *radiata* Walker,[1863] **Thetidea ?**
radiata Walker,[1863], *List Specimens lepid. Insects Colln Br. Mus.* 26: 1567. Type ♂: [India]: North Hindostan (BMNH). **AF Kab Pag IN PK**
597. **Venusia kasyata Wiltshire,1966** (Geometridae) Synonym(s): *kasyata* Wiltshire,1966 **AF Bm Kab Pag**
598. **Xanthorhoe bigeminata (Christoph,1885)** (Geometridae) Synonym(s): *bigeminata* Christoph,1885 **TM Kp GG AM AZ Cc AF**
599. **Xenochlorodes gilvescens Wiltshire,1966** (Geometridae) Synonym(s): *gilvescens* Wiltshire,1966 **AF Gz**

Gracillariidae (8 species)

600. **Aspilapteryx (s.str.) tringipennella (Zeller,1839)** (Gracillariidae) Synonym(s): *tringipennella* Zeller,1839; *fringilella* Duponchel,1843. **PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV LT RU MD UA BY GG Cc IL Pa UZ TJ TM Kp AF IR Elb Mz Kdv**
601. **Caloptilia (s.str.) flava (Staudinger,1871)** (Gracillariidae) Synonym(s): *flava* Staudinger,1871; *inquinatella* Christoph,1872; *impictipennella* Gerasimov,1930; *glycyrrhizae* Deschka,1979 **GR Rd RU Sr KG UZ AF TJ TM**
602. **Macarostola miniella (R.Felder & Rogenhofer,[1875])** (Gracillariidae) Synonym(s): *miniella* R.Felder & Rogenhofer,[1875]; *ethela* Meyrick,1880 **NZ AF FR SC**
603. **Parornix compressa Triberti,1990** (Gracillariidae) Synonym(s): *compressa* Triberti,1990 **AF Kab PK BI Qu**
604. **Parornix hastata Triberti,1990** (Gracillariidae) Synonym(s): *hastata* Triberti,1990 **Parornix hastata**
Triberti,1990, *Z. ArbGem. öst. Ent.* 41: 65-66, figs. Holotype ♂: O-Afghanistan, Salang Pass N-Seite (Khinjan) 2100m, 5-11.vii.1966, Amsel leg. (LNK). **AF Pag Kab Hr Slg**
605. **Phyllocnistis citrella Stainton,1856** (Gracillariidae) Synonym(s): *citrella* Stainton,1856; *minutella* Van Deventer,1904; *citricola* Shiraki,1913 **Citrus Leafminer Turuncgil Yaprak Galerigüvesi Phyllocnistis citrella**
Stainton,1856, *Trans. ent. Soc. Lond. (n.s.)* (2) 3(8): 302-303. Syntypes: India: Calcutta (BMNH). **Az Cn DZ MA TN EG PT FR ES Co Sa Si IT NL MT B-H HV GR Cr CY AF CN ER ET TR IR IQ IL Pa JO LB LY TN SY AE YE SA TM Md US Tx BR CO CU CR EC GY PA GT MX VE CI MZ NG RE TZ SD ZA IN Adm BD KH LA TH MM Bor BN Sbh Swk NP PK SG CN LK PH VN TW AU GU WS PG SB Ri JP ID Sum Ja Clb Ij Clc Fl**

606. **Phyllonorycter infirma** Deschka, 1975 (Gracillariidae) Synonym(s): *infirma* Deschka, 1975 **AF Nu**
607. **Polymitia eximipalpella** (Gerasimov, 1930) (Gracillariidae) Synonym(s): *eximipalpella* Gerasimov, 1930; *telaviiviella* Amsel, 1935 **TM UZ AF Blh Ca Hr Pli Srb Bm SA SA63 CY TR SY Dms JO Amm IR Elb Th Km Fa Snj IQ Bgd TJ IL Pa**

Lasiocampidae (14 species)

608. **Dendrolimus klapperichi** Wiltshire, 1958 (Lasiocampidae) Synonym(s): *klapperichi* Wiltshire, 1958 **AF Nu Bsg**
609. **Eriogaster pfeifferi** Daniel, 1932 (Lasiocampidae) Synonym(s): *pfeifferi* Daniel, 1932; *amygdali* Wiltshire, 1941 *Eriogaster pfeifferi* Daniel, 1932, Mitt. münch. ent. Ges. 22: 15-16. Syntypes ♂♂: [Türkei]: "Marasch in Nordsyrien" (ZSM). **TR IR Fa LB Beq IQ Ama AF Kab**
610. **Eriogaster reshoefti** Schulte & Witt, 1975 (Lasiocampidae) Synonym(s): *reshoefti* Schulte & Witt, 1975 **AF Kab**
611. **Gastropacha (s.str.) eberti** De Lajonquière, 1967 (Lasiocampidae) Synonym(s): *eberti* De Lajonquière, 1967 **AF Sfk IN Kma Up Bhi PK Swa**
612. **Lasiocampa eversmanni** (Kindermann, 1843) (Lasiocampidae) Synonym(s): *eversmanni* Kindermann, 1843; *eversmanni* Freyer, 1844; *attrita* Stshetkin, 1960. *Gastropacha eversmanni* Kindermann, 1843, [in] Eversmann, Bull. Mosc. 1843 (3): 542, Pl. 10 figs. 2a-c. **BG TR AF Srb Sfk IR Kh TM Kp UZ TJ KK Ik KG TrA Aa DsA Tar IQ Brs Dia Ry Rwz GG AZ AM Cc**
613. **Malacosoma primum** (Staudinger, 1887) (Lasiocampidae) Synonym(s): *primum* Staudinger, 1887; *vulpes* Hampson, 1900 **PK Nwf Ci N-G Haz UZ KK Ax AF Pjr**
614. **Malacosoma castrensis** (Linnaeus, 1758) (Lasiocampidae) Synonym(s): *castrensis* Linnaeus, 1758; *ksiezopolskii* Sheljuzhko, 1943 *Phalaena Bombyx castrensis* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 500. Syntypes: Habitat in Salicibus, Pilosella, Jacea, Alchemilla, Euphorbia. **PT ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA Cm BY LB Bsa KK Ik UZ TJ KK KG TrA DsA KuA TeA Ik Ssn Lps Tar GG AZ AM Cc TM Kp IR AF MN CN Ti**
615. **Malacosoma franconicum** ([Denis & Schiffermüller], 1775) / **prima** Staudinger, 1887 (Lasiocampidae) Synonym(s): *#franconica* [Denis & Schiffermüller], 1775; *grandiella* Boisduval, 1840 *Bombyx franconica* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 57. Type(s): [Austria]: Vienna district. **PT ES FR Co Sa Si IT DE CH? AT PL RO YU BG GR RU MD UA BY KG Kt AF Bd Cc GG AM AZ**
616. **Malacosoma paralellum** Staudinger, 1887 (Lasiocampidae) Synonym(s): *paralellum* Staudinger, 1887 *Malacosoma neustria* var. *paralella* Staudinger, 1887, Stettin ent. Ztg. 48: 98. **TR IR Elb Mz TM Kp UZ TJ KK Ik T-S CN Ui Kml TeA KuA KG Aa TrA DsA Tk Ssn Tar AF Nu GG AZ AM Cc**
617. **Sena sikarama** (Ebert, 1969) (Lasiocampidae) Synonym(s): *sikarama* Ebert, 1969 **AF Sfk**
618. **Sena sordida** (Erschoff, 1874) (Lasiocampidae) Synonym(s): *sordida* Erschoff, 1874; *cinerascens* Oberthür, 1916 *Lasiocampa sordida* Erschoff, 1874, [in] Fedtschenko's Reise, Lepid. Turkestan 2: 36, t. 2 fig. 33, t. 6 fig. 95. **Cc TR IR Ss Fa Shr Ke KG RU AF Pic Kab Jla Srb UZ Br**
619. **Streblote alpherakyi** (Christoph, 1885) (Lasiocampidae) Synonym(s): *alpherakyi* Christoph, 1885 **IR AF Sfk**
620. **Streblote repanda** (Hübner, [1808]) (Lasiocampidae) Synonym(s): *repanda* Hübner, [1808] **DZ EG IR Fa AF Bsg**
621. **Streblote siva** (Lefèbvre, 1827) (Lasiocampidae) Synonym(s): *siva* Lefèbvre, 1827 **IR Fa Kz Ss IQ Agh AF Bsg Asm**

Lecithoceridae (7 species)

622. **Carodista afghana** Gozmany, 1978 (Lecithoceridae) Synonym(s): *afghana* Gozmany, 1978 **AF Kab Nu Bkt**
623. **Catacreagra gracilis** Gozmany, 1978 (Lecithoceridae) Synonym(s): *gracilis* Gozmany, 1978 **AF Pli**
624. **Eridachtha kasyella** Gozmany, 1978 (Lecithoceridae) Synonym(s): *kasyella* Gozmany, 1978 **AF Pag Slg Pnj Nu Bkt Kbb**
625. **Homaloxestis xylotripta** Meyrick, 1918 (Lecithoceridae) Synonym(s): *xylotripta* Meyrick, 1918 **PK AF NP CN TH CMA Int Dst Loc**
626. **Lecithocera echinata** Gozmany, 1978 (Lecithoceridae) Synonym(s): *echinata* Gozmany, 1978 **PK AF Pag Kab Arh Pic**
627. **Lecithocera syntropha** Meyrick, 1918 (Lecithoceridae) Synonym(s): *syntropha* Meyrick, 1918 **PK Bl Qu AF Kab Pag Bkt**
628. **Nephelographa panni** Gozmany, 1978 (Lecithoceridae) Synonym(s): *panni* Gozmany, 1978 **AF Nu Bkt**

Lemoniidae (4 species)

629. **Lemonia peilei** Rothschild, 1921 (Lemoniidae) Synonym(s): *peilei* Rothschild, 1921 *Lemonia peilei* Rothschild, 1921, J. Bombay nat. Hist. Soc. 28: 174. **TR IQ Mj Dy SY IR Fa AF**

- 630. Altha nivea Walker,1862** (Limaecodidae) Synonym(s): *nivea* Walker,1862 **Altha nivea Walker,1862, J. linn. Soc. Lond. (Zool.) 6: 173. Type: Sarawak. AF Nu Bsg IN Hp Kul Sml SI LK MY Bor Swk BN Sbh KBa ID Sum Ja**
- 631. Altha nuristana Daniel,1965** (Limaecodidae) Synonym(s): *nuristana* Daniel,1965 **AF Bsg Nu**
- 632. Thosea cana (Walker,1865)** (Limaecodidae) Synonym(s): *cana* Walker,1865; *transversata* Walker,1865; *basifusca* Kawada,1930; *barikoti* Daniel,1965 **AF Nu Bsg PK Pj Mre Swa Klm IN Hp Dlh Kul Poo NI LK TW**

Lymantriidae (20 species)

- 633. Calliteara muelleri (Ebert,1968)** (Lymantriidae) Synonym(s): *#mülleri* Ebert,1968; *muelleri* Ebert,1968 **AF Sfk**
- 634. Calliteara pudibunda (Linnaeus,1758)** (Lymantriidae) Synonym(s): *pudibunda* Linnaeus,1758; *scopularia* Linnaeus,1758; *jutica* Müller,1764; *porrectaalba* Retzius,1783; *grandi* Lorkovic,1930 **ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc AF Sfk DK SE FI EE LV LT RU MD UA BY**
- 635. Dasychira varia Walker,1855** (Lymantriidae) Synonym(s): *varia* Walker,1855; *maruta* Moore,1859 **CN Yu Lik SI IN Djl Dlh AF Nu**
- 636. Dicallopera fascelina (Linnaeus,1758)** (Lymantriidae) Synonym(s): *fascelina* Linnaeus,1758; *medicaginis* Hübner,[1803]; *danieli* De Freina,1979. **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc DK NO SE FI EE LV LT RU MD UA BY KG Ssn AF Slg**
- 637. Dicallopera pashtuna (Ebert,1968)** (Lymantriidae) Synonym(s): *pashtuna* Ebert,1968 **AF Sfk**
- 638. Euproctis flavosulphurea (Erschoff,1872)** (Lymantriidae) Synonym(s): *flavosulphurea* Erschoff,1872; *cretacea* Staudinger,1901; *froitzei* Wiltshire,1958 **UZ Fe TJ Z-G KK Ik AF Nu Khi Sfk Pic Slg Pnj**
- 639. Euproctis karghalica Moore,1878** (Lymantriidae) Synonym(s): *karghalica* Moore,1878; *#karghalica* Grum-Grshimailo,1886; *flavosulphurea* Grum-Grshimailo,1886; *#karghalica* Strand,1910; *#deornata* Ebert,1968 **CN Ui Yk Kgk Kml AF Sfk Bd Shv Slg KK Ik RU Am At TJ Pm IR**
- 640. Euproctis signata (Blanchard,1844)** (Lymantriidae) Synonym(s): *signata* Blanchard,1844 **AF Bd Ch**
- 641. Euproctis similis (Fuessly,1775)** (Lymantriidae) Synonym(s): *similis* Fuessly,1775; *auriflua* [Denis & Schiffermüller],1775; *cygnea* Thunberg,1788; *rebeli* Haberhauer,1902. **Phalaena similis Fuessly,1775, Verz. Schweiz. Ins.: 35. Type(s): Schweiz. PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR GG Cc DK NO SE FI EE LV LT RU MD UA BY IR AF JP**
- 642. Euproctis varians (Walker,1855)** (Lymantriidae) Synonym(s): *variens* Walker,1855; *pygmaea* Moore,1879; *pusilla* Moore,1883 **Artaxa varians Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 4: 796. LK IN AF Srb VN Tda TH Srr Cbu Phr TW CN MY**
- 643. Lachana ladakensis Moore,1888** (Lymantriidae) Synonym(s): *ladakensis* Moore,1888 **Lachana ladakensis Moore,1888, Proc. zool. Soc. London 1888: 398. Type ♂: Ladak (BMNH). AF Bd Ld**
- 644. Laelia exclamatoris (Kollar,1844)** (Lymantriidae) Synonym(s): *exclamatoris* Kollar,1844; *cervina* Walker,1855; *rotundata* Walker,1855; *rubida* Walker,1864; *disjuncta* Walker,1865; *horishanella* Matsumura,1931 **IN LK SI AF Srb**
- 645. Laelia litura (Walker,1855)** (Lymantriidae) Synonym(s): *litura* Walker,1855 **IN Hp Kgr Sml Ddu Ass Khs Meg Kul NP AF Sfk MM Tns**
- 646. Laelia umbrina (Moore,1888)** (Lymantriidae) Synonym(s): *umbrina* Moore,1888 **Ch IN Hp Kul AF**
- 647. Lymantria concolor Walker,1855** (Lymantriidae) Synonym(s): *concolor* Walker,1855 **SI IN Hp Drm Kgr TH CMa Fn VN Ton TW CN Sz T-T AF Sfk**
- 648. Lymantria obfuscata Walker,1865** (Lymantriidae) Synonym(s): *obfuscata* Walker,1865 **AF Nu Bsg Kab Srb Ch IN Pj Hp Kul Kgr MY SG VN Ton**
- 649. Lymantria obsoleta Walker,1855** (Lymantriidae) Synonym(s): *obsoleta* Walker,1855 **PK Swa Klm Ch AF Sfk SI Djl IN Hp Sml Drm CN HK Sz LK MY**
- 650. Orgyia prisca Staudinger,1887** (Lymantriidae) Synonym(s): *prisca* Staudinger,1887 **MN UZ Fe AF Kab Slg Sfk**
- 651. Parocneria pilosa (W.Warren,1897)** (Lymantriidae) Synonym(s): *pilosa* W.Warren,1897 **AF Sfk**
- 652. Polymona amabilis (Christoph,1887)** (Lymantriidae) Synonym(s): *amabilis* Christoph,1887 **IR Fa Ss AF Pag Srb TM Kp**

Lyonetiidae (2 species)

- 653. Phyllobrostis (s.str.) kandaharensis Mey,2006** (Lyonetiidae) Synonym(s): *kandaharensis* Mey,2006 **AF Ca**
- 654. Phyllobrostis (s.str.) nuristanica Mey,2006** (Lyonetiidae) Synonym(s): *nuristanica* Mey,2006 **AF Nu**

Nepticulidae (1 species)

- 655. Stigmella kasyi Nieuwerkerken & Johansson,2003** (Nepticulidae) Synonym(s): *kasyi* Nieuwerkerken & Johansson,2003 **AF Pag Kab**

Noctuidae (475 species)

656. "Genus" **herculea** (Corti & Draudt,1933) (Noctuidae) Synonym(s): *herculea* Corti & Draudt,1933
AF Hr Nu Ch PK Pj IN SI NP
657. "Genus" **lasciva** (Staudinger,1888) (Noctuidae) Synonym(s): *lasciva* Staudinger,1888 AF Adr
658. **Acantholipes circumdata** (Walker,1858) (Noctuidae) Synonym(s): *circumdata* Walker,1858; *vetustalis* Walker,[1866]; *flavisigna* Moore,1881 NG ZR Sk KE MW MZ Del PK Krc IN Bba IR Ss Chh Hz B-A AF Dwe Ca ZA EG Sn
659. **Acantholipes regularis** (Hübner,[1813]) (Noctuidae) Synonym(s): *regularis* Hübner,[1813] *Noctua regularis* Hübner,[1813], Samml. eur. Schmett. 2, Noctuae: Taf.128 fig.588 Type(s): Europa. Cr RU Ro St Ich Da MD UA BY TR GG Smt Akh Cc IQ Agh Dk Bgd Dia Ry Rwz Brs TM CN Ui Ku Ga IR Fa Bk Elb Mz Km Kd Snj Sse Ss Kuh AF Srb SY IL Pa SA KG Tks Tk Dj Aa UZ N-A
660. **Acantholipes regulatrix** Wiltshire,1961 (Noctuidae) Synonym(s): *regulatrix* Wiltshire,1961 AF Srb IR Kz
661. **Acontia (s.str.) lucida** (Hufnagel,1766) (Noctuidae) Synonym(s): *lucida* Hufnagel,1766; *solaris* [Denis & Schiffermüller],1775; *albicollis* Fabricius,1781; *rupicola* Borkhausen,1792; *insolatrix* Hübner,[1822]; *triradiata* Walker,[1858]; *lugens* Alpheraky,1889; *heliadora* Schawerda,1923 Phalaena *lucida* Hufnagel,1766, Berl. Mag. 3 (3): 302. Type(s): Berlin. Cn MA DZ TN LY EG PT ES Mu FR Co Sa Si IT MT GB NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR LB Bsa IQ Mos Agh kut Bgd Kro Bji SA FI LV RU MD UA BY IR Hz Ss Fa Elb Men Ahz GG AZ Len Cc AM TJ Pm AF Asm Nu Kab Hr Pli Gbh Bd Fz Dwe PK IN CN Ui Ku Ii Tek IL Pa Hf Md At KG SY JO Sn Th Mia Kaz B-A UZ N-A KK Skm Osh Ro Kr St Kb Ich Kyi Da IN Pj
662. **Acrobyla eylandti** (Christoph,1884) (Noctuidae) Synonym(s): *eylandti* Christoph,1884 TM Kp AF
663. **Acronicta (Triaena) aceris** (Linnaeus,1758) (Noctuidae) Synonym(s): *aceris* Linnaeus,1758 Phalaena *aceris* Linnaeus,1758, Syst. Nat. (Edn.10)1: 514. Lectotype ♀: [Europa], designated by Mikkola & Honey,1993. PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IQ Agh LB CY SY IL Pa Hf JO DK NO SE FI EE LV LT RU Cc Ro Kr St Kc MD UA BY IR Fa Mz Elb Gh Kh Sbz AF Kab TM CN Ui Ku
664. **Acronicta (Triaena) psi** (Linnaeus,1758) (Noctuidae) Synonym(s): *psi* Linnaeus,1758 Phalaena *psi* Linnaeus,1758, Syst. Nat. (Edn.10)1: 514. Lectotype ♀: [Europa], designated by Mikkola & Honey,1993. MA PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR CY IL Pa LB Bsa IR Elb Mz Th Kdj AF DK NO SE FI EE LV LT RU Cc Ro Kr St Kc MD UA BY IR KG Sb At MN KK TeA TrA Ax TJ UZ N-A
665. **Acronicta (Viminia) rumicis** (Linnaeus,1758) (Noctuidae) Synonym(s): *rumicis* Linnaeus,1758; *litterata* Panzer,1804; *salicis* Curtis,1826; *diffusa* Walker,1857 Phalaena *rumicis* Linnaeus,1758, Syst. Nat. (Edn.10)1: 516. Lectotype ♂: [Europa], designated by Mikkola & Honey,1993. MA DZ PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AM AZ Cc IL Pa Hf IQ IR Fa Ke Gh Elb Clu Dam Th Kdj Mz Kd Snj Lo DK NO SE FI EE LV LT RU Cc Ro Kr St Kb Nt Ich Kyi Da MD UA BY CY LB Bsa JO SY AF Pli Srb Fz Kab KG Tk Dj KK Skm
666. **Aegle eberti** Boursin,1969 (Noctuidae) Synonym(s): *eberti* Boursin,1969 AF
667. **Aegle gratiosa** (Staudinger,1892) (Noctuidae) Synonym(s): *gratiosa* Staudinger,1892; *iranica* Bytinski-Salz & Brandt,1937. Metoponia *gratiosa* Staudinger,1892, Dt. ent. Z., Iris 4: 325-326. Type ♂: [Türkei]: Mardin. TR IR Elb Th Kdj Ss Fa Kd Kz Yas AF
668. **Aegle margarita** Boursin,1961 (Noctuidae) Synonym(s): *margarita* Boursin,1961 AF Arh
669. **Aegle semicana** (Esper,[1798]) (Noctuidae) Synonym(s): *semicana* Esper,[1798]; *vespertalis* Hübner,[1813]; *mimetes* Brandt,1938; *#verspertalis* Hacker,1986. LY Sa Si IT MT HU RO YU AL BG GR TR GG Cc CY EG IR Fa Ab Mia Km AF LB Bei IL Hf Pa Js JO
670. **Aegle subflava** (Erschoff,1874) (Noctuidae) Synonym(s): *subflava* Erschoff,1874 IQ Kq TM AF Hr IR Kh
671. **Aegle vartianorum** Boursin,1969 (Noctuidae) Synonym(s): *vartianorum* Boursin,1969 AF
672. **Agrapha furcifera** (Walker,1857) (Noctuidae) Synonym(s): *furcifera* Walker,1857; *babooni* Bethune-Baker,1906; *polisha* Strand,1920; *yunnanensis* Chou & Lu,1978 CN Yu TH Nan Dpk VN IN NP PK AF TW ID Sum Clb PG? AU
673. **Agrochola (Anchoscelis) nigriclava** Boursin,1957 (Noctuidae) Synonym(s): *nigriclava* Boursin,1957 AF
674. **Agrochola naumanni** Hacker & L.Ronkay,1990 (Noctuidae) Synonym(s): *naumanni* Hacker & L.Ronkay,1990 AF
675. **Agrochola statira** Boursin,1960 (Noctuidae) Synonym(s): *statira* Boursin,1960 AF
676. **Agrotis (Crassagrotis) bigramma** (Esper,[1790]) (Noctuidae) Synonym(s): *bigramma* Esper,[1790]; *crassa* Hübner,[1803]; *lata* Treitschke,1835; *golickei* Erschoff,1872; *huguenini* Rühl,1891. Phalaena *bigramma* Esper,[1790], Schmett. Abb. 4 (2/1): 490, Taf.Noct.71 Taf.150,2. Type: Erlangen (Germany) (ZSM). PT MA DZ ES FR Co Sa Si IT IE GB BE DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc AM CY IQ Brs Dia Ry Rwz Bgd Mos Agh Amr Dy Mj DK RU Ro Kr Da At MD UA BY IR Kh Gh Elb Th TM Kp CN EG AF LB IL Pa Hf SY JO
677. **Agrotis (Putagrotis) puta** (Hübner,[1803]) (Noctuidae) Synonym(s): *puta* Hübner,[1803]; *radius* Haworth,1803; *renitens* Hübner,[1824]; *lignosa* Godart,1825; *erythroxylea* Treit.,1826; *radiola* Stephens,1829; *catalaunensis* Milliere,1873; *meridionalis* Spuler,1905; *andreasii*, *minima*, *silvestrii* Turati,1924; *insula* Richardson,1958. Shuttle-shaped Dart *Noctua puta* Hübner,[1803], Samml. eur. Schmett., Noct. 2: Taf.52, fig.255. Type: [Europa]. MA DZ TN PT ES FR Co Sa Si IT MT GB BE NL DE CH AT PL HU RO YU AL BG GR Cr CY TR IQ Agh Kku Kq DK RU Cc Kr MD UA BY AF Hr IR Hz Fa Bu Dlk TM Kp LB IL Hf Pa SY JO Sn
678. **Agrotis (s.str.) biconicus** Kollar,[1844] (Noctuidae) Synonym(s): *spinifera* Hübner,[1808] *nec* Vill.,1789; *biconica* Kollar,[1844]. *Agrotis biconica* Kollar,[1844], [in] Hügel F.v.,Kashmir.. 4 (2): 480. Type(s): [India]: Himalaya: Massuri. Cn MA DZ TN LY PT ES FR Co Sa Si IT MT GB? DE YU AL BG GR Rd Cr TR CY EG IR Fa Lo Hz

- SA IQ Mq Agh Bgd Amr kut AF Dwe PK Ch IN Up Bhi Nnt Kil LK MM MC ZA Tva Lpo Spb Mdk Gau Pre Jh Nta Kzu
Est Ec ZW Har ER ET ET24 KE TJ TM NP TH CN Sn JO SY IL Hf LB Bei Elb Gh Mz Ss Th Pa DJ DJ44
679. **Agrotis (s.str.) exclamatoris (Linnaeus,1758)** (Noctuidae) Synonym(s): *exclamationis* Linnaeus,1758; *clavus* Hufnagel,1766; *murina* Goeze,1781 nec Hufnagel,1766; *bimaculata* Geoffroy,1785; *picea* Haworth,1809; *plaga* Stephens,1835; *haruspex* Le Cerf,1924; *nigriorbis* Zerny,1934. **Heart and Dart** *Phalaena exclamatoris* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 515. Lectotype ♂: Europa, designated by Mikkola & Honey,1993. **MA DZ TN LY PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU Ro Kr St Kc Kb Nt Ich Ing Da Kyi MD UA BY CY TR AZ AM GG Cc IR Th Elb Kd Ab Es Ke Kh Fa Bk MN UZ KK KG CN Ui Ku Tlk AF Hr Pli Adr IQ Mos LB Bsa IL Pa**
680. **Agrotis (s.str.) ipsilon (Hufnagel,1766)** (Noctuidae) Synonym(s): *ipsilon* Hufnagel,1766; *suffusa* [Denis & Schiffermüller],1775; *idonea* Cramer,[1780]; *spinula* Esper,[1786]; *spinifera* Villers,1789. **Dark Sword-grass** *Phalaena ipsilon* Hufnagel,1766, Berl. Mag. 4 (2): 416. Type(s): [Germany]: Berlin. **PT MR MA DZ TN LY ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK NO SE FI EE LV LT RU MD UA BY IR Fa Lo Kh IQ Agh Amr kut MN PK Bl Qu AF Kab Gbh Srb Arh LB Bsa SY IL Pa JO Sn EG IN Up Bhi Nnt Kil ZA Tva Lpo Spb Mdk Rd Hf Nwf AU NC FJ NZ HW EA Th Elb Mz Dam Hz GG AZ AM Cc UZ KK KG TJ TM Ro Kr St Kc Kb Nt Ich Ing IQ Mos LB Bsa IL Pa**
681. **Agrotis (s.str.) segetum ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *segetum* [Denis & Schiffermüller],1775; *sordida* [Denis & Schiffermüller],1775; *undulatus* Goeze,1781 (praeocc.); *nigricornis* Villers,1789; *segetis* Fabricius,1794; *catenatus* Haworth,1803; *monileus* Haworth,1803; *pectinatus* Haworth,1803; *connexus* Haworth,1803; *subatratus* Haworth,1803; *nigricornutus* Haworth,1803; *praecox* Hübner,[1808]; *fervida* Hübner,[1824]; *affinis* Stephens,1829; *sicula* Boisduval,1840; *dimidia* Zeller,1847; *sicania* Guenée,1852; *marginalis* Walker,1857; *aversus* Walker,1857; *correctus* Walker,1857; *obliviosus* Walker,1857; *denticulosus* Wallengren,1860; *certificatus* Walker,1865; *conspurcatus* Walker,1865; *repulsus* Walker,1865; *ingratus* Butler,1878; *pallidus* Staudinger,1881; *lassa* Swinhoe,1886. **Turnip Moth** *Noctua segetum* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend:81,t.1,f.3. Type(s): [Austria]: Vienna district. **Cn MA DZ TN LY EG PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY CY IR Fa Lo Ss Kh Ha Mz IQ MN CN Ui Ku PK Bl Qu AF Hr Srb Gbh Blh Arh Fz ZW Har ZA Mpu Brb Gau Pre Jh Tva Lpo Spb Mdk Nta Kzu LB Bsa IL Hf Pa SY JO Sn Tkr Agh Bgd Mj Up Bhi Nnt Kil Kml Gh Th Ab Kz Hz UZ KK KG TJ TM Cc Ro Kr St Kc Kb Nt Ing Ich Da Kyi ET ET24**
682. **Agrotis (s.str.) turbans Staudinger,1888** (Noctuidae) Synonym(s): *turbans* Staudinger,1888 **UZ AF**
683. **Amphipyra tetra (Fabricius,1787)** (Noctuidae) Synonym(s): *tetra* Fabricius,1787 **Noctua tetra** Fabricius,1787, Mant. Ins. 2: 138, nr.31. Type(s): Austria. **MR MA DZ TN EG ES Mu FR Si IT CH AT PL CZ SK HU RO YU BG GR TR AZ Kir Cc RU Ro St Kyi IR Fa Ss Kd Lo IL Pa AF TM CN Ui Ku KK LB EG Sn**
684. **Amphipyra turcomana Staudinger,1888** (Noctuidae) Synonym(s): *turcomana* Staudinger,1888 *Amphipyra tragopoginis* var. *turcomana* Staudinger,1888, Stettin Ent. Ztg. 49: 32. Syntypes: [Usbekistan]: Samarkand, Margelan; [Turkmenistan]: Achal-Tekke **KG Aa KK Ax Skm TrA Osh UZ Fe Smk N-A TM Kp TR Ld IN AF Pli Bark**
685. **Anomis involuta (Walker,[1858])** (Noctuidae) Synonym(s): *involuta* Walker,[1858]; *basalis* Walker,[1858]; *colligata* Walker,1865; *vitiensis* Butler,1886; *dona* Swinhoe,1919; *brima* Swinhoe,1920 **ET ET24 TH CMA Pph Nan VN IN LK NP AF PK CN TW JP KP KR RU Us ID NZ AU QAU FJ**
686. **Anomis sabulifera (Guenée,1852)** (Noctuidae) Synonym(s): *sabulifera* Guenée,1852; *propinqua* Butler,1884; *marginata* Holland,1894 **GA MA ZA Lpo Tva Spb Mdk AF Gbh IL Pa Hf ET ET24 YE**
687. **Antarchaea erubescens (A.Bang-Haas,1910)** (Noctuidae) Synonym(s): *erubescens* A.Bang-Haas,1910 **DZ MA SA OM AE IL Pa JO IR Ss Hz B-A AF**
688. **Antarchaea numisma (Hübner,[1803])** (Noctuidae) Synonym(s): *numisma* Hübner,[1803]; *leda* Herrich-Schäffer,1851. *Noctua numisma* Hübner,[1803], Samml. eur. Schmett. 4, Noctuae: Tab.55 fig.270. Type(s): Europa. **TR GG Cc AF Nu Bsg**
689. **Anumeta cestina (Staudinger,1884)** (Noctuidae) Synonym(s): *cestina* Staudinger,1884 **TM Kp UZ AF Dwe**
690. **Anumeta eberti Wiltshire,1961** (Noctuidae) Synonym(s): *eberti* Wiltshire,1961 **AF Dwe**
691. **Anumeta spilota (Erschoff,1874)** (Noctuidae) Synonym(s): *spilota* Erschoff,1874 **MR MA DZ RU TM PK AF Dwe IN IL Pa EG Sn IQ Kbl SA IR Ss Hz B-A UZ**
692. **Apamea (s.str.) ferrago (Eversmann,1837)** (Noctuidae) Synonym(s): *ferrago* Eversmann,1837 *Xanthia ferrago* Eversmann,1837, Bull. Soc. imp. nat. Moscou 1837: 41. Type(s): Russland: Kasan. **LV RU St Kb Kc Nt Ich Da Ur MD UA BY TR AM Cc IR Kdv Elb Th Dam Mz AF CN Ui KG Tk KK Ik Ax TrA**
693. **Apamea (s.str.) leucodon (Eversmann,1837)** (Noctuidae) Synonym(s): *leucodon* Eversmann,1837 *Hadena leucodon* Eversmann,1837, Bull. Soc. imp. nat. Moscou 1837: 37. Syntypes: Astrachan, Sarepta. **TR Cc RU Da IL Pa IR Fa Sse AF TM KK Ik Na T-A Sb At MN**
694. **Apopestes phantasma (Eversmann,1843)** (Noctuidae) Synonym(s): *phantasma* Eversmann,1843; *centralasiae* W.Warren,1913. *Amphipyra phantasma* Eversmann,1843, Bull. Soc. imp. Nat. Mosc. 16: 546. Lectotype ♂: Russia: "Altai, coll. Eversmann", designated by Ronkay,1990 (ZIASL). **RU At TR GG Cc Ch KK Ik AF Srb Kab Ca IR CN Ui Ku Kml**
695. **Archanara sparganii (Esper,[1790])** (Noctuidae) Synonym(s): *sparganii* Esper,[1790]; *strigosa* Staudinger,1892. **ES FR Sa Si IT IE GB BE NL DE AT PL CZ SK HU RO BG GR TR LB IR Fa Elb AF Pli DK NO SE FI EE LV LT RU Cc Ro St Nt Ich Prj Us Am At Sb MD UA BY CN JP**
696. **Arenostola amseli Boursin,1961** (Noctuidae) Synonym(s): *amseli* Boursin,1961 **AF Balk Hr**

- 697. Arenostola phragmitidis (Hübner,[1803])** (Noctuidae) Synonym(s): *phragmitidis* Hübner,[1803]
FR IT GB BE NL DE CH AT PL CZ SK HU BG GR Cr TR DK NO SE FI EE RU Cc Ro St Ich Kyi Da MD UA BY IQ AF
IR Ss
- 698. Armada clio (Staudinger,1884)** (Noctuidae) Synonym(s): *clio* Staudinger,1884 Acontia clio
Staudinger,1884, [in] Romanoff, Mém. lepid. 1: 145, pl.9 fig.4. Lectotype ♂: [Turkmenistan]: Ashkabat, designated by
Wiltshire (1979, Revision of the Armadini:73) (MNHUB). TM Kp AF IR TR Cc UZ PK Qu
- 699. Armada dentata (Staudinger,1884)** (Noctuidae) Synonym(s): *dentata* Staudinger,1884; *afghana*
Hampson,1926. AF TM Kp IR Ss
- 700. Armada panaceorum (Ménétriés,1849)** (Noctuidae) Synonym(s): *panaceorum* Ménétriés,1849;
distincta Rothschild,1915. Cn MR MA DZ TN LY EG Sn IL Pa Hf JO SY TR IQ Agh Qg KW SA IR Ss Elb Th Kdj Ab
Mrd Ak Ma Chh Hz B-A TM UZ N-A AF Dwe KG Tk Tks MN CN Ui Ti RU Cc Da
- 701. Auchmis (s.str.) indica (Walker,1865)** (Noctuidae) Synonym(s): *indica* Walker,1865 IN PK AF
IR Ke
- 702. Auchmis (s.str.) detersa (Esper,[1791])** (Noctuidae) Synonym(s): *comma* [Denis & Schiffermüller],1775;
detersa Esper,[1791] MA DZ ES Mu FR Si IT DE CH AT PL CZ SK HU RO YU BG GR Cr TR Cc RU Ro St Kb Kc
Kr Nt Ich Da IR Fa Elb Kh Mz Dam Com Lo AF TM Kp LB Bsa
- 703. Auchmis (s.str.) detersina (Staudinger,1897)** (Noctuidae) Synonym(s): *detersina* Staudinger,1897
Fe UZ CN Ui Ga Um AF Bd IN Ch Ld KK Ik Skm Ax TrA TeA Na KG Tk Dj TJ Pm Chr
- 704. Autographa gamma (Linnaeus,1758)** (Noctuidae) Synonym(s): *gamma* Linnaeus,1758; *messmeri*
Schadewald,1992; *voelkeri* Schadewald,1992. Silver Y Gümüş Gamma Phalaena gamma Linnaeus,1758, Syst. Nat.
(Edn.10)1: 513. Lectotype ♀: [Europa], designated by Mikkola & Honey,1993. PT ES Mu FR Co Sa Si IT MT IS IE GB
BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR CY LB Bsa DK NO SE FI EE LV LT RU MD UA BY IQ
Agh Mj IR Fa Elb Mz Dam Th Kdj Kz Yas Skh Bu Dlk AF Jla Kab Bsg Nu Adr CN Ui Ku IL Pa Hf JO EG Sn GG AZ
AM Cc KK Ik TrA Ax UZ KG Ro Kr St Kb Kc Nt Ing Da Kyi ET ET24
- 705. Autographa khinjana Wiltshire,1961** (Noctuidae) Synonym(s): *khinjana* Wiltshire,1961 AF Bd
Khi
- 706. Autographa nigrisigna (Walker,[1858])** (Noctuidae) Synonym(s): *nigrisigna* Walker,[1858] IN
AF Srb Gbh
- 707. Autophila (Cheirophanes) afghana Ronkay,1986** (Noctuidae) Synonym(s): *afghana* Ronkay,1986
AF
- 708. Autophila (Cheirophanes) gracilis (Staudinger,1874)** (Noctuidae) Synonym(s): *gracilis*
Staudinger,1874; *coruscantis* Swinhoe,1885 TM Krn AF Gbh Srb Pli IR Ss Men PK Bl Chm CN Ui Au Ln Ga KG Tk
Dj UZ Br
- 709. Autophila (Cheirophanes) ligaminosa (Eversmann,1851)** (Noctuidae) Synonym(s): *ligaminosa*
Eversmann,1851; *caucasica* Herz,1904. Amphipyra ligaminosa Eversmann,1851, Bull. Soc. imp. nat. Moscou 24:
630. Syntypes: Georgien, Armenien. HV TR GR Rd Cc GG Smt Akh Cc AM LB UZ Fe IQ Brs RU Da IR Fa Elb Hz Ss
KK Ik Feg KG Tk PK Gg Hu Bl Qu AF Ca
- 710. Autophila (Cheirophanes) magnifica Boursin,1963** (Noctuidae) Synonym(s): *magnifica*
Boursin,1963 AF
- 711. Autophila (Cheirophanes) vartianae Ronkay,1986** (Noctuidae) Synonym(s): *vartianae* Ronkay,1986
AF
- 712. Autophila (s.str.) cerealis (Staudinger,1871)** (Noctuidae) Synonym(s): *cerealis* Staudinger,1871
IR Fa Lo Hz Ss Kh Kz Yas Skh TR SY LB AF Hr Pli Blh Ca Fz IQ Bsy Agh EG
- 713. Autophila (s.str.) depressa (Püngeler,1914)** (Noctuidae) Synonym(s): *depressa* Püngeler,1914
TM Kp Fe UZ TJ Pm IR Kh Elb Fa Es Ss SY TR IQ Bl PK Qu AF Hr
- 714. Autophila (s.str.) libanotica (Staudinger,1901)** (Noctuidae) Synonym(s): *libanotica* Staudinger,1901;
osthelderi Boursin,1940; *libanopsis* Boursin,1962. Apopestes dilucida var. libanotica Staudinger,1901, Cat. lepid.
palaearkt. Faunengeb. 3(1): 251. Syntypes: Lebanon. GR TR Cc LB Bsa IL Pa EG Sn IR Elb Mz Kdv Fa Ss Kz Yas Skh
TM AF Gbh PK Qu Bl
- 715. Autophila (s.str.) xena L.Ronkay,1986** (Noctuidae) Synonym(s): *xena* L.Ronkay,1986 AF Pm KK
Skm
- 716. Autophila (s.str.) xenomima L.Ronkay,1989** (Noctuidae) Synonym(s): *xenomima* L.Ronkay,1989
AF Slg
- 717. Basistriga flammata ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *flammata* [Denis
& Schiffermüller],1775; *bimaculata* Milliere,1885. Noctua flammata [Denis & Schiffermüller],1775, Ankündigung
syst. Werkes Schmett. Wienergegend: 80. Type(s): [Austria]: Vienna district. MA PT ES FR Co Si IT GB DE CH AT
PL CZ SK HU RO YU BG GR Cr TR GG Akh Smt Cc AZ Hkd IR Fa Yas By Lo Kh Mz Elb Kdj Dam Kz LB Bsa CY IL
Pa SY JO Sn EG IQ Mos TIH DK RU At Sb MD UA BY CN Ui Ii KG Tk Dj AF Hr Pli Gbh Ch PK Rm Ti Si UZ N-A KK
TrA Ro St Nt Kb Ich Ing Kyi Da
- 718. Bornolis dufayi (Boursin,1960)** (Noctuidae) Synonym(s): *dufayi* Boursin,1960 AF Khi IN Lho CN
Yu
- 719. Bryomima nuristana Varga & L.Ronkay,1991** (Noctuidae) Synonym(s): *nuristana* Varga &
L.Ronkay,1991 AF Nu
- 720. Bryophilopsis roederi (Standfuss,1892)** (Noctuidae) Synonym(s): *roederi* Standfuss,1892 IL Pa
TR IQ Ssa IR Ke Fa Ss Mia Kaz Km Kd Sqq Lo Kz Yas Skh Hz B-A AF Nu Bsg TM KK Feg PK
- 721. Bryopolia chamaeleon (Alpheraky,1887)** (Noctuidae) Synonym(s): *chamaeleon* Alpheraky,1887
CN Ui AF Adr KK
- 722. Bryopolia holosericea Boursin,1960** (Noctuidae) Synonym(s): *holosericea* Boursin,1960 AF
- 723. Bryopolia monotona L.Ronkay & Varga,1990** (Noctuidae) Synonym(s): *monotona* L.Ronkay &
Varga,1990 AF Bd

724. **Bryopolia tsvetaevi L.Ronkay & Varga,1990** (Noctuidae) Synonym(s): *tsvetaevi* L.Ronkay & Varga,1990 **AF Bd TJ Pm UZ KK**
725. **Bryoxena boursini Plante,1983** (Noctuidae) Synonym(s): *boursini* Plante,1983 **AF BdA**
726. **Bryoxena confluens L.Ronkay & Varga,1990** (Noctuidae) Synonym(s): *confluens* L.Ronkay & Varga,1990 **AF TJ Pm Chr**
727. **Bryoxena constricta L.Ronkay & Varga,1990** (Noctuidae) Synonym(s): *constricta* L.Ronkay & Varga,1990 **AF TJ Pm UZ KK TeA Ax Na**
728. **Bryoxena plantei Varga, L.Ronkay & Hacker,1990** (Noctuidae) Synonym(s): *plantei* Varga, L.Ronkay & Hacker,1990 **AF**
729. **Bryoxena tribulis (Plante,1983)** (Noctuidae) Synonym(s): *tribulis* Plante,1983 **AF**
730. **Calamia deliciosa Boursin,1957** (Noctuidae) Synonym(s): *deliciosa* Boursin,1957 **AF**
731. **Callopietria latreillei (Duponchel,1827)** (Noctuidae) Synonym(s): *latreillei* Duponchel,1827; *quieta* Treitschke,1826; *roseitulum* Walker,[1858]; *rakoto* Viette,1865; *rechingeri* Koutsaftikis,1973. **Noctua latreillei** Duponchel,1827, [in] Godart & Duponchel, Hist. nat. Lépid. Pap. Fr. 7: 327. **Md Cn MA DZ TN LY PT ES FR Co Sa Si IT MT CH AT HU RO YU AL BG GR Cr TR Cc RU Da LB Bsa IL Pa Hf IN Pj NP AF IR Ke Fa Hz Ss Gh ZA Tva Gau Pre Mpu Tst Nha Nta Kzu Ec ZR KE SA ET ET24**
732. **Calophasia lunula (Hufnagel,1766)** (Noctuidae) Synonym(s): *lunula* Hufnagel,1766; *linariae* [Denis & Schiffermüller],1775. *Phalaena lunula* Hufnagel,1766, Berl. Mag. 3(3): 394. Type(s): [Germany]: Berlin. **ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc DK NO SE FI EE LV LT RU Ro Kr St MD UA BY AF CA IR Lo Elb Th Kdj KK Skm KG Tu Tk**
733. **Calophasia opalina (Esper,[1796])** (Noctuidae) Synonym(s): *casta* Borkhausen,1793 *nec* Pall.,1767; *opalina* Esper,[1796]; *biroi* Aigner,1901; *naruenensis* Spuler,1910; *castior* Stauder,1923. **Calocasia opalina** Esper,[1796], Die Schmett. 4(2/2): 11, Taf.182, fig. 3. Type(s): Italien. **PT ES FR IT CH AT SK RO YU AL BG GR TR Cc RU Ro Kr Ich Da MD UA BY IQ LB Bsa IR Fa Kh Elb Th CN Ui AF Hk KK Skm KG TJ Pm MN**
734. **Calophasia oxygramma Boursin,1963** (Noctuidae) Synonym(s): *oxygramma* Boursin,1963 **AF Bm Pag**
735. **Caloplusia hohenwarthi (Hohenwarth,1785)** (Noctuidae) Synonym(s): *hohenwarthi* Hohenwarth,1785; *divergens* Fabricius,1787; *insignata* Reuter,1893; *tibetana* Staudinger,1895; *alaica* Galvagni,1906; *cuprina* W. Warren,1913; *hohenwarthi* Hampson,1913; *lapponaris* Schulte,1952 **FR IT DE CH AT NO SE FI RU Cc Kr Nt MD UA BY AF Bd Anj CN Ui Kml Ti TJ Pm**
736. **Caradrina (Boursinidrina) stenoptera (Boursin,1939)** (Noctuidae) Synonym(s): *stenoptera* Boursin,1939; *agrapa* Boursin,1939 **AF PK Gg Ch IR Fa Mia Com Kaz Lo**
737. **Caradrina (Eremodrina) agenjoi (Boursin,1936)** (Noctuidae) Synonym(s): *agenjoi* Boursin,1936 *Aethis agenjoi* Boursin,1936, Bull. Soc. ent. Fr. 1936 (6): 89. Holotype ♂: [Turkey]: [Maraş Prov.]: Zeitun [=Süleymanlı] (lost in Mus. Madrid). Neotype ♂: Afghanistan: Prov. Kadaghan: Salang pass, designated by Hacker (2004: 250). **AF Slg Pag Kab TJ Pm KK Na Ik UZ Tas**
738. **Caradrina (Eremodrina) ammoxantha (Boursin,1957)** (Noctuidae) Synonym(s): *ammoxantha* Boursin,1957 **AF Bd Kab Slg Pag PK Gg Cls Bt TJ Pm KK Na**
739. **Caradrina (Eremodrina) asymmetrica (Boursin,1936)** (Noctuidae) Synonym(s): *perspicua* Filipjev,1928 *nec* Warr.,1911; *asymmetrica* Boursin,1936. *Aethis asymmetrica* Boursin,1936, Bull. Soc. ent. Fr. 1936 (6): 88. Holotype ♂: [Turkmenistan]: Germob env. Ashkhabad (coll. Boursin). **TM Ger Kp UZ KK KG AF IR Kh KuB Elb Th TJ Pm**
740. **Caradrina (Eremodrina) azim (Boursin,1957)** (Noctuidae) Synonym(s): *azim* Boursin,1957 **AF**
741. **Caradrina (Eremodrina) bactriana (Boursin,1968)** (Noctuidae) Synonym(s): *bactriana* Boursin,1968 **AF Pm Bd TJ**
742. **Caradrina (Eremodrina) belucha (Swinhoe,1885)** (Noctuidae) Synonym(s): *belucha* Swinhoe,1885; *conditorana* Pinker,1980 *Caradrina belucha* Swinhoe,1885, Trans. ent. Soc. London 1885:348. Syntypes: [Pakistan]: Quetta. **AF PK Bl Qu SY Dms Pmy IQ Brs Mos IR Fa Shr Ab Ksh TR Cc TJ TM Kp UZ CN Ui Kl**
743. **Caradrina (Eremodrina) eberti (Hacker,1992)** (Noctuidae) Synonym(s): *eberti* Hacker,1992 **PK Bbu Bt AF Srb Kab Bm TJ Pm**
744. **Caradrina (Eremodrina) eva (Boursin,1963)** (Noctuidae) Synonym(s): *eva* Boursin,1963 **AF Pag Kab**
745. **Caradrina (Eremodrina) falciuncula Varga & L.Ronkay,1991** (Noctuidae) Synonym(s): *falciuncula* Varga & L.Ronkay,1991 **AF TJ Pm PK Kjb KK**
746. **Caradrina (Eremodrina) ferghana (Staudinger,1892)** (Noctuidae) Synonym(s): *ferghana* Staudinger,1892 **RU Sr IR Kh KuB TM Kp Rpt UZ Fe TJ Pm KG Aa TrA AF Pag PK Ch Deo Bt IN Ld**
747. **Caradrina (Eremodrina) filipjevi (Boursin,1936)** (Noctuidae) Synonym(s): *filipjevi* Boursin,1936 **UZ Smk IR Fa Com Kh TM Kp AF Pag Kab TJ Pm Chr Dsb**
748. **Caradrina (Eremodrina) furcivalva (Hacker,1992)** (Noctuidae) Synonym(s): *furcivalva* Hacker,1992 **AF Srb Bm**
749. **Caradrina (Eremodrina) genitalana Hacker,2004** (Noctuidae) Synonym(s): *genitalana* Hacker,2004 **TJ Pm Chr KK Ik UZ KG AF TM**
750. **Caradrina (Eremodrina) hypocnephias (Boursin,1968)** (Noctuidae) Synonym(s): *hypocnephias* Boursin,1968 **IR Es AF Kab Srb**
751. **Caradrina (Eremodrina) hypoleuca (Boursin,[1968])** (Noctuidae) Synonym(s): *hypoleuca* Boursin,[1968] **AF Srb Kab**
752. **Caradrina (Eremodrina) inumbrata (Staudinger,1900)** (Noctuidae) Synonym(s): *inumbrata* Staudinger,1900; *inumbratella* Pinker,1980 *Agrotis inumbrata* Staudinger,1900, Dt. ent. Z., Iris 12: 363. Syntypes:

- [Türkei]: Zeitun [=Süleymanli]. EG Sn TR IR Kh KuB Gh Elb Th Nss Lo Gh Fa Ab Ak Mz By Es Ha Cc AM Eri AZ RU Or TM Kp AF BdA
753. **Caradrina (Eremodrina) mirza (Boursin,1957)** (Noctuidae) Synonym(s): *mirza* Boursin,1957
AF Pag Kab
754. **Caradrina (Eremodrina) nadir (Boursin,1957)** (Noctuidae) Synonym(s): *nadir* Boursin,1957
AF Pag TM Kp IR Zj TJ Pm PK Hk Ch Sha Bt Deo
755. **Caradrina (Eremodrina) naumanni Hacker,2004** (Noctuidae) Synonym(s): *naumanni*
Hacker,2004 TJ Pm AF Bd
756. **Caradrina (Eremodrina) pseudalbina (Boursin,1942)** (Noctuidae) Synonym(s): *pseudalbina*
Boursin,1942 IR Ss Chh AF PK
757. **Caradrina (Eremodrina) ronkayorum Hacker,2004** (Noctuidae) Synonym(s): *ronkayorum*
Hacker,2004 PK Hu Gg Hk Bt IN Ld AF Pag Slg Pjr
758. **Caradrina (Eremodrina) roxana Boursin,1937** (Noctuidae) Synonym(s): *roxana* Boursin,1937;
leptodactyla Varga & L.Ronkay,1991 Eremodrina (Eremodrina) *roxana* Boursin,1937, Ent. Rdsch. 54: 438.
Holotype ♂: [Uzbekistan]: Kara-Tjube, Südost-Samarkand (Virigin leg) (ZMSP). UZ Smk KK TJ AF Bd
759. **Caradrina (Eremodrina) stilpna (Boursin,1957)** (Noctuidae) Synonym(s): *stilpna* Boursin,1957
AF Pag
760. **Caradrina (Eremodrina) vicina (Staudinger,1870)** (Noctuidae) Synonym(s): *vicina*
Staudinger,1870; *perspicua* W.Warren,1911 Caradrina *vicina* Staudinger,1870, Berl. ent. Z. 14: 118. Lectotype ♂:
[Russia]: Sarepta (MNHU). IT MT BG CY TR RU Sr Cc Da AM TM Kp AF PK Hu TJ Pm IR Fa Kh KuB Elb Th Plr LB
IL Pa CN Ui KG KK
761. **Caradrina (Eremodrina) xiphophora (Boursin,[1968])** (Noctuidae) Synonym(s): *xiphophora*
Boursin,[1968] AF Pag Slg PK Sfk Hu Gg Bbu Ch IN Ld Hp Up
762. **Caradrina (Eremodrina) zuleika (Boursin,1957)** (Noctuidae) Synonym(s): *zuleika* Boursin,1957
AF Pag TJ Pm Chr
763. **Caradrina (Levantrina) bodenheimeri (Draudt,1934)** (Noctuidae) Synonym(s): *bodenheimeri*
Draudt,1934; *bodenheimeri* Amsel,1935; *chlorotica* Boursin,1936; *pleiarchia* Boursin,1937 TR IQ Agh Rwz Jd Kq Qg
Mos Sae Ahz IR Ab Ksh Fa Es Lo Elb Clu Hz B-A Ss Bk Kdj Dam Mia Kz Yas AF Srb Hr TM TJ UZ IL Pa LB JO SA
764. **Caradrina (Paradrina) clavipalpis (Scopoli,1763)** (Noctuidae) Synonym(s): *clavipalpis* Scopoli,1763;
grisea Hufnagel,1766; *quadripunctata* Fabricius,1775; *cubicularis* [Denis & Schiffermüller],1775; *leucoptera* Thunberg,1791;
milleri Schultz,1862; *avicula* Krulikovsky,1909; *teidovolans* Pinker,1974; *pinker* Kobes,1975 Phalaena *clavipalpis*
Scopoli,1763, Entomologia Carniolica: 213. Type(s): [Slovenien]: Carniolia [Krain]. MA MR DZ TN EG PT ES Mu FR
Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR CY DK NO SE FI EE LV LT RU
MD UA BY KG Uk SD SA IQ Agh Ry Rwz Dia Brs Kum IR Fa Es Plr Dam Kdj PK AF Hk Hr MN CN Ui Chk ZA Gau
Pre Tva LB Bsa IL Pa SY JO TJ UZ N-A PK Th Kd Kz Yas Mia
765. **Caradrina (Paradrina) klapperichi (Boursin,1957)** (Noctuidae) Synonym(s): *klapperichi*
Boursin,1957 AF Hk Bd Anj Slg TJ Pm
766. **Caradrina (Platyperigea) albina (Eversmann,1848)** (Noctuidae) Synonym(s): *albina*
Eversmann,1848; *congesta* Lederer,1853; *tenera* A.Bang-Haas,1912 Caradrina *albina* Eversmann,1848, Bull. Soc.
imp. Nat. Moscou 21: 215. Lectotype ♂: Südrussland (MNHU). RO RU Kr St Kyi Ro Ua Cm GR Cc AM TR IR Fa Kh
KuB Mz Ha Dam Elb Km CN Ui Ku Yk M-A MN PK Hu Gg AF Kab KK TeA TrA Ax T-A TJ Pm Chr UZ N-A TM Kp
KG DsA Tk Sp
767. **Caradrina (Platyperigea) khorassana (Boursin,1942)** (Noctuidae) Synonym(s): *khorassana*
Boursin,1942 IR Kh KuB AF
768. **Caradrina (Platyperigea) sogdiana (Boursin,1936)** (Noctuidae) Synonym(s): *sogdiana*
Boursin,1936 Athetis *sogdiana* Boursin,1936, Bull. Soc. ent. Fr. 1936 (6): 92. Holotype ♂: [Uzbekistan]: Kara-
Tioubé, sud-est Samarkand (Turkestan) (coll. Boursin). UZ Smk TJ AF KK KG Aa RU Sb PK
769. **Caradrina (Platyperigea) terrea (Freyer,[1840])** (Noctuidae) Synonym(s): *terrea* Freyer,[1840];
ustirena Boisduval,1840 Caradrina *terrea* Freyer,[1840], Neuere Beitr. Schmett. 4: 26, Taf. 303 figs.3,4.
Syntypes: [Russia]: Sarepta. MA FR Sa Si IT CH AT CZ HU RO YU BG GR TR Cc AM Eri RU Ro Kr St Nt Ing SY AF
Kab Bd PK Ti IR Kh KuB TJ Pm Chr TM Kp KG Tk Dj Ii CN Ui Um KK Ik Na Ax UZ
770. **Caradrina (Platyperigea) warneckei (Boursin,1936)** (Noctuidae) Synonym(s): *warneckei*
Boursin,1936 Athetis *warneckei* Boursin,1936, Bull. Soc. ent. Fr. 1936 (6): 91. Holotype ♂: [Kazachstan]:
[Dschungar] Ala-Tau (coll. Boursin). KG DsA Tk Dj Ii T-S KK Ik UZ TJ Pm CN Ui Au Ju TM Kp AF IR Elb Th
771. **Cardepija sociabilis (Graslin,1850)** (Noctuidae) Synonym(s): *sociabilis* Graslin,1850; *ghigii* Turati,1926;
pedrosai Monteiro,1972; *grisea* Berio,1986. Hadenia *sociabilis* Graslin,1850, Annls Soc. ent. Fr. 8: 412, Pl. 10 fig. 13.
Syntypes: France: E. Pyrenees. Cn DZ TN LY Cy AE PT ES Mu FR Py Sa Si GR TR RU Ro Kb St Da Kap Kyi IR Kz Ab
Mak Ak Mz Elb Dam Fa Ss Bu Dlk Hz IL Pa SY EG Sn IN Rj TM AF Pli TJ Cc AM Eri
772. **Catocala (Ephesia) ariana (Vartian,1964)** (Noctuidae) Synonym(s): *ariana* Vartian,1964 Afgan
Gecegezeri Ephesia *ariana* Vartian,1964, Z. wien. ent. Ges. 49: 118, Taf.15 fig.1. Holotype ♀: Afghanistan, Paghman
30km NW v. Kabul 2100m (E.& A.Vartian leg. coll.). AF Pag
773. **Catocala (Ephesia) nymphaea (Esper,[1787])** (Noctuidae) Synonym(s): *nymphaea* Esper,[1787];
vestalis Geyer,[1835]. Phalaena *nymphaea* Esper,[1787], Die Schmett. 4:158, Tab.105 Noct. 26 fig.4. Type(s):
[France]: Lion. PT ES Mu FR Co Sa Si IT MT DE CH AT YU AL BG GR Cr TR GG AM Cc DK RU Ro MD UA BY Ch PK
AF Srb Gbh Bm Pag Kab CY IL Pa IR Elb Th Kz Yas Skh
774. **Catocala (s.str.) afghana Swinhoe,1885** (Noctuidae) Synonym(s): *afghana* Swinhoe,1885
Catocala afghana Swinhoe,1885, Trans. ent. Soc. London 1885: 352, pl.ix fig.8. Syntypes: [Pakistan]: Quetta; Gwal.
TM KK KG AF Srb Gbh PK BI Qu

775. **Catocala (s.str.) lesbia Christoph,1887** (Noctuidae) Synonym(s): *lesbia Christoph,1887* **Nemrut Gecegezeri** *Catocala lesbia Christoph,1887*, Stettin ent. Ztg. 48: 165. Syntypes: [Turkmenistan]: Aschabad; Lectotype ♂: Turkmenistan: Germob (Tekke) (ZIP). **TR EG Sn IL Pa IQ Kq JO IR Fa Kaz Mia Lo Elb Th Ss Es AF PK NfTM Kp**
776. **Catocala (s.str.) neonympha (Esper,[1805])** (Noctuidae) Synonym(s): *neonympha Esper,[1805]* *Phalaena neonympha Esper,[1805]*, Die Schmett. 4(2/2): 75 Taf.198 Noct.119 fig.1,2. Type(s): Russia: Sarepta. **TR AZ AM GG Cc RU Ro St Ich Da At MD UA BY TJ KG T-S Ket Aa TrA Uk KK Ik Smk UZ TM Fe CN Ui Ku Kõn Tek Kty AM AF Bd Sen Kab Bark Gbh IR Ha Km Kd Snj Kaz Mia Fa Bk Qz IQ JHa Mos Sbn Mq Bsr kut Dy TIH SY**
777. **Catocala (s.str.) puerpera (Giorna,1791)** (Noctuidae) Synonym(s): *puerpera Giorna,1791*; *amasia Esper,[1804]* *nec Sm.,1797*; *pellex Hübner,[1809]*; *romana Schultz,1909* **Chysis puerpera Giorna,1791**, Cat. Ent. Torino: 142. Type(s): Turin. **MA DZ TN PT ES FR IT CH AT PL CZ SK HU RO YU AL BG GR Rd TR AZ Hkd Cc LB Bei RU Ro Kr St Sr MD UA BY KG Ld IN Tar UZ Br TM Kp IL Pa SY JO EG Sn IQ IR Fa Km Elb Th Kd Lo Kh Msh CN Ui Chk Au Ln Kl AF Slg Kab Srb KK Skm TJ**
778. **Chazaria incarnata (Freyer,1838)** (Noctuidae) Synonym(s): *incarnata Freyer,1838*; *boisduwali Boisduval,1840*. *Heliopsis incarnata Freyer,1838*, Neue. Beitr. Schmett. 3:91, Tab. 256, fig. 4. Type(s): [Türkei]: Konstantinopel [=Istanbul]. **PT ES Mu IT RO YU BG GR TR GG AZ AM Cc RU Ro St Da MD UA BY IR Fa Com Elb Th Kdj Ab Mak Ss Hz B-A Bu Dlk IQ AF Hr Pli IL Pa SY**
779. **Chersotis (s.str.) antigrapha Boursin,1961** (Noctuidae) Synonym(s): *antigrapha Boursin,1961* **AF Pag**
780. **Chersotis (s.str.) capnistis (Lederer,1872)** (Noctuidae) Synonym(s): *capnistis Lederer,1872*; *neara Püngeler,1902*. **GR RU TR Cc IR Zj Fa Ss Elb Th AF TM Mrw CN Ui IL Pa He**
781. **Chersotis (s.str.) curvispina Boursin,1961** (Noctuidae) Synonym(s): *curvispina Boursin,1961* **AF Hr UZ Z-G TM Arw Kp**
782. **Chersotis (s.str.) delear Boursin,1970** (Noctuidae) Synonym(s): *delear Boursin,1970* **AF**
783. **Chersotis (s.str.) electrographa Varga,1990** (Noctuidae) Synonym(s): *electrographa Varga,1990* **AF**
784. **Chersotis (s.str.) firdussi Schwingenschuss,1937** (Noctuidae) Synonym(s): *firdussi Schwingenschuss,1937* **AF IR Fa Elb Plr Lo Kh KuB TR**
785. **Chersotis (s.str.) metagrapha Varga,1975** (Noctuidae) Synonym(s): *metagrapha Varga,1975* **AF**
786. **Chersotis (s.str.) pachnosa Varga,1975** (Noctuidae) Synonym(s): *pachnosa Varga,1975* **AF**
787. **Chionoxantha margarita Brandt,1938** (Noctuidae) Synonym(s): *margarita Brandt,1938* *Chionoxantha margarita Brandt,1938*, Ent. Rdsch. 55: 560, figs. 183-186. Syntypes: Iran: [Fars]: Fort Mian-Kotal. **IR Fa Mia Hz B-A AF Arh**
788. **Chionoxantha nobilis Hacker & Ebert,2002** (Noctuidae) Synonym(s): *nobilis Hacker & Ebert,2002* **IR Ss AF Kab PK Qu Bl**
789. **Chloantha hypericii (Fabricius,1787)** (Noctuidae) Synonym(s): *#hypericii [Denis & Schifferrmüller],1775*; *hypericii Fabricius,1787* *Noctua hypericii Fabricius,1787*, Mant. Ins. 2: 167, nr.217. Type(s): Austria: [Wien]. **PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR AZ AM GG Cc CY IQ TIH IL Pa Hf SY JO DK NO SE FI LT RU Ro Kr St Ich Da MD UA BY IR Kh KuB Fa Ha Zj Gor Elb Clu Mz Dam Th Mia Kd AF TM Kp LB Bsa**
790. **Chrysodeixis acuta (Walker,1858)** (Noctuidae) Synonym(s): *acuta Walker,1858*; *furihatai Okano,1963*; *nigribursa Chou & Lu,1974* **ZA Lpo Tva Spb Mdk GB TH CMA Dst VN Ton Tda IN LK NP PK CN TW JP PH ID Sum Bor Bli Flo PG AU ET ET29 ET204 KE MG AF NP JP**
791. **Clytie (s.str.) delunaris (Staudinger,1889)** (Noctuidae) Synonym(s): *delunaris Staudinger,1889*; *luteonigra W.Warren,1913*. **AF IR Ahz Ma Th Ss Fa TM Kp CN Ui Ku UZ Br TJ KG Aa Tk Dj KK Skm RU Cc Kr St Da**
792. **Clytie (s.str.) devia (Swinhoe,1884)** (Noctuidae) Synonym(s): *devia Swinhoe,1884* **IR Ss Bu Dlk Hz B-A AF PK Krc Sd IN YE OM**
793. **Clytie (s.str.) gracilis (A.Bang-Haas,1907)** (Noctuidae) Synonym(s): *gracilis A.Bang-Haas,1907*; *syrdaja Hampson,1913*. **TM Kp IR Kh Es Ss Elb Mz Fa Kaz Mia Hz B-A MN UZ Fe TJ KG RU AF TR**
794. **Cornutipluxa circumflexa (Linnaeus,1767)** (Noctuidae) Synonym(s): *circumflexa Linnaeus,1767*; *lunata Fabricius,1787*; *flexuosa Donovan,1807*; *daubii Freyer,1838*; *graphica Herrich-Schäffer,1851*; *patefacta Walker,[1858]*; *reticulata Moore,1882*; *clarescens Pinker & Bacallado,1975*; *#unata Kononenko & Pinratana,2005* *Phalaena circumflexa Linnaeus,1767*, Syst. Nat. (Edn.12) 1: 844. Type(s): Europa. **Md Cn PT ES Si IT GB CH RO AL BG GR TR Cc CY IQ kut Kro Amr Mj Agh FI RU MD UA BY IR Fa By Kz Yas Hz Ss Ke Kh Ab Oru Mak Elb Th Mz CN Ui Ku KK Ik UZ KG DsA AF Ca Hr Gbh ZA Gau Pre Tva Ec Grh Cto Wca Nta Kzu Est IN NP LK LB Bsa IL Pa Hf SY JO TH CMA Php MM GG AM AZ Cc Skh Kd Snj Lo Kaz Mia Bu Dlk B-A TM Kp N-A TJ Chr Pm Ro Kr Kb Kc Nt Ich Da ET ET24 ET36 ET86 ET196 DJ DJ44**
795. **Cosmia (Calymnia) angulifera Boursin,1957** (Noctuidae) Synonym(s): *angulifera Boursin,1957* **AF**
796. **Cosmia (Calymnia) subtilis Staudinger,1888** (Noctuidae) Synonym(s): *subtilis Staudinger,1888* **AF UZ Fe KK**
797. **Craniophora pontica (Staudinger,1879)** (Noctuidae) Synonym(s): *pontica Staudinger,1879* *Acronycta pontica Staudinger,1879*, Horae Soc. ent. ross. 14: 364-365. Type ♂: [Türkei]: Amasia (Kerasdere). **MA DZ PT ES AD FR IT RO HU MK BG TR IQ IL Pa IR Fa Lo Qz Kz Yas Elb Th Dam AF LB RU Cc Ro Kr Da**
798. **Cryphia (Bryoleuca) diachorisma Boursin,1960** (Noctuidae) Synonym(s): *diachorisma Boursin,1960* **AF Gbh Srb**
799. **Cryphia (Bryoleuca) raptricula ([Denis & Schifferrmüller],1775)** (Noctuidae) Synonym(s): *raptricula [Denis & Schifferrmüller],1775*; *divisa Esper,[1791]*; *palliola Borkhausen,1792*; *pomula Borkhausen,1792*; *deceptricula Hübner,[1803]*; *carbonis Freyer,1849*; *felina Eversmann,1852*; *#striata Staudinger,1879*; *#persica Strand,1915*; *cretica*

- Reisser,1962 *Noctua raptricula* [Denis & Schiffmüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 89. Type(s): [Austria]: Vienna district. MA DZ TN EG PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AM AZ Cc CY DK NO SE FI EE LT RU LB Bsa IL Pa SY JO EG IR Fa Lo By Yas Ss Es Ke Ha Mz Kz Kdj Elb Dam Mia Km Kd Snj IQ Tkr AF Gbh Pli Srb CN Ui PK KG Tk Dj KK Skm Ik TrA Feg UZ N-A Ro Kr St Kb Nt Ich Da
800. *Cryphia* (Bryophila) *gigantea* Boursin,1960 (Noctuidae) Synonym(s): *gigantea* Boursin,1960
AF TJ Pm Chr
801. *Cryphia* (Bryophila) *hedygrapha* Boursin,1963 (Noctuidae) Synonym(s): *hedygrapha* Boursin,1963
AF
802. *Cryphia* (Bryophila) *icteritia* Boursin,1960 (Noctuidae) Synonym(s): *icteritia* Boursin,1960 AF
Pag
803. *Cryphia* (Bryophila) *idonea* (Christoph,1893) (Noctuidae) Synonym(s): *idonea* Christoph,1893;
taftana Brandt,1939. TM Kp IR Ss Kuh AF Gbh Hr Arh
804. *Cryphia* (Bryophila) *klapperichi* Boursin,1960 (Noctuidae) Synonym(s): *klapperichi* Boursin,1960
AF Nu IR Fa
805. *Cryphia* (Bryophila) *maeonis* (Lederer,1865) (Noctuidae) Synonym(s): *maeonis* Lederer,1865;
praecana Christoph,1893; *rubellina* Staudinger,1900; *sordida* Staudinger,1900; *sabulosa* W.Warren,1909. Bryophila
maeonis Lederer,1865, Annls Soc. ent. Belg. 9:78. Syntype(s): [Türkei]: Boz Dag. GR Cc AM TR IR Fa Elb Shh Mz
Dam Kdj Nss Ab Km Kd Snj Lo Kz Yas Mia IQ SY LB IL Pa CY JO AF Srb Gbh Kab Hr Pli Hk TM KG UZ Fe KK Ik
Skm CN Ts Kno
806. *Cryphia* (Bryophila) *molybdea* Boursin,1960 (Noctuidae) Synonym(s): *molybdea* Boursin,1960
AF
807. *Cryphia* (Bryophila) *omotoi* Boursin,1968 (Noctuidae) Synonym(s): *omotoi* Boursin,1968 AF
808. *Cryphia* (Bryophila) *subliterata* (Filipjev,1928) (Noctuidae) Synonym(s): *subliterata* Filipjev,1928;
albiceps Draudt,1931; *protecta* Draudt,1931. TJ Pm Chr AF Hk Gbh
809. *Cryphia* (Hymenocryphia) *pelidna* Boursin,1968 (Noctuidae) Synonym(s): *pelidna* Boursin,1968
AF Ch
810. *Cryphia* (s.str.) *eberti* Boursin,1961 (Noctuidae) Synonym(s): *eberti* Boursin,1961 Cryphia
(Bryoleuca) *distincta* ssp. *eberti* Boursin,1961, Beitr. naturk. Forsch. SW-Dtl. 19 (3): 384 Taf.v figs. 4,5. Holotype ♂:
Afghanistan: Sarobi, 1100m, 7. Juni 1957 (Ebert leg.) (ZSM). AF Pag Srb
811. *Cryphia* (s.str.) *receptricula* (Hübner,[1803]) (Noctuidae) Synonym(s): *strigula* Borkhausen,1792 nec
Thunb.,1788; *receptricula* Hübner,[1803]; *stictica* Ménétries,1859. Noctua *receptricula* Hübner,[1803], Samml. eur.
Schmett., Noctuae: Taf. 6 fig.27. Type(s): [Europa]. Si IT CH AT PL CZ SK HU RO YU BG GR TR RU Cc Ro St Kyi Kc
Kr Da MD UA BY AM IR Bk By Es Fa Mia Com Lo AF LB JO
812. *Cryphia* (s.str.) *vartianica* Boursin,1969 (Noctuidae) Synonym(s): *vartianica* Boursin,1969 AF
813. *Ctenoceratoda* *zetina* (Staudinger,1900) (Noctuidae) Synonym(s): *zetina* Staudinger,1900; *impia*
Püngeler,1905; *desquamata* Filipjev,1928. CN Ui T-S Au Ga Alt M-A Pm TJ Chr AF KK TeA
814. *Cucullia* (Shargacucullia) *falcata* G.Ronkay & L.Ronkay,1988 (Noctuidae) Synonym(s): *falcata*
G.Ronkay & L.Ronkay,1988 AF
815. *Cucullia* (Shargacucullia) *verbasci* (Linnaeus,1758) (Noctuidae) Synonym(s): *verbasci*
Linnaeus,1758; *oberthueri* Rothschild,1911. Phalaena *verbasci* Linnaeus,1758, Syst. Nat. (Edn.10)1: 515. Type(s):
[Europa]. MA DZ TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr
TR GG AZ AM Cc CY LB IL Pa SY JO DK SE LV LT RU Ro Kr St MD UA BY IQ IR Agh Fa Gor Elb Th Dam AF TM Kp
816. *Cucullia* (Shargacucullia) *xylophana* (Boursin,1934) (Noctuidae) Synonym(s): *xylophana*
Boursin,1934 CN Ui Ku PK Gg AF KK TrA UZ N-A
817. *Cucullia* (s.str.) *argentina* (Fabricius,1787) (Noctuidae) Synonym(s): *argentina* Fabricius,1787;
achalina Püngeler,1900; *griseus* F.Wagner,1931 nec Lch.,1900; *anatoliensis* Koçak,1980. Noctua *argentina*
Fabricius,1787, Mant. Ins. 2: 162, nr.185. Type(s): Russia: Russia australiori. SK BG RU Ro St Kyi Da MD UA BY TR
Cc IR Elb Th Dam Ab Ss CN Ui Khr Ku TM Kp AF Hr KG Tk Dj
818. *Cucullia* (s.str.) *boryphora* Fischer v. Waldheim,1840 (Noctuidae) Synonym(s): *boryphora*
Fischer & Waldheim,1840 DE SE FI RU Sr MD UA BY TR Cc IQ Kbl IR Ss Kh CN Ui AF Hr Srb TM KK Ik PK Cls
IN Ld Ch LB
819. *Cucullia* (s.str.) *calendulae* Treitschke,1835 (Noctuidae) Synonym(s): *calendulae* Treitschke,1835;
wredowi Costa,[1836]; *leucanthemi* Rambur,1858; *dellabrunai* Berio,1980. Cucullia *chamomillae* var. *calendulae*
Treitschke,1835, Schmett. Eur. 10 (2): 127. Syntypes: Italia: Sicilia. Cn MA DZ TN PT ES Mu FR Co Sa Si IT MK MT
AL GR Cr Rd TR LB JO IQ Bgd Sel IL Pa Hf SA CY IR Ahz TM Kp AF
820. *Cucullia* (s.str.) *cineracea* Freyer,1841 (Noctuidae) Synonym(s): *cineracea* Freyer,1841 FR IT
RU Ur Sb Ro Kb St Nt Ich Ing Da TR Cc AF Slg PK Ch Gg Bbu Nar Kjb TJ Pm Chr MN Uli CN Ui Ii KK TeA TrA Ax
Ik IN Ld
821. *Cucullia* (s.str.) *improba* Christoph,1885 (Noctuidae) Synonym(s): *improba* Christoph,1885;
leptographa Reisser,1958 MT TR TM Krn K-A Cc AZ Nv Ord IR Es Gor Elb Th Kdj JO AF KK Ik UZ KG Tk Dj
822. *Cucullia* (s.str.) *mixta* Freyer,1841 (Noctuidae) Synonym(s): *mixta* Freyer,1841; *consors* Eversmann,1846
Cucullia mixta Freyer,1841, Neuere Beitr. Schmett. 4:111, Tab.352, fig.3. Type(s): [Russia]: Sarepta. HU BG RU Cc Ro
Da Ur Sr TR IR AF KG Uk Tk Dj Ii KK Ik CN Ui
823. *Cucullia* (s.str.) *opacographa* G.Ronkay & L.Ronkay,1986 (Noctuidae) Synonym(s):
opacographa G.Ronkay & L.Ronkay,1986 AF
824. *Cucullia* (s.str.) *petrophila* G.Ronkay & L.Ronkay,1998 (Noctuidae) Synonym(s): *petrophila*
G.Ronkay & L.Ronkay,1998 UZ N-A KK AF T-S IR Ab Mak Elb Th

- 825. *Cucullia* (s.str.) *santonici* (Hübner,[1813])** (Noctuidae) Synonym(s): *santonici* Hübner,[1813]; *yuennanensis* Boursin,1941 *Noctua santonici* Hübner,[1813], Samml. eur. Schmett. Noct. 2: Taf.127 fig.584,585. Syntypes: Europa. FR IT CH RO YU BG GR RU Ro St Ich Ing MD UA BY TR AM Cc IR Fa Ss Kh Elb Th Plr Dam IL Pa AF CN Yu KG Uk
- 826. *Cucullia* (s.str.) *turkestana* G.Ronkay & L.Ronkay,1987** (Noctuidae) Synonym(s): *turkestana* G.Ronkay & L.Ronkay,1987 CN Ui Au KK Ik AF Bd
- 827. *Cucullia* (s.str.) *umbristriga* Alpheraky,1892** (Noctuidae) Synonym(s): *umbristriga* Alpheraky,1892 CN Ui Ga Au AF
- 828. *Dasypolia* (Tschetwerikovia) *eberti* Boursin,1968** (Noctuidae) Synonym(s): *eberti* Boursin,1968 AF
- 829. *Dasypolia* (s.str.) *afghana* Boursin,1968** (Noctuidae) Synonym(s): *afghana* Boursin,1968 AF KK Na
- 830. *Dasypolia* (s.str.) *akbar* Boursin,1968** (Noctuidae) Synonym(s): *akbar* Boursin,1968 AF
- 831. *Dasypolia* (s.str.) *psathyra* Boursin,1968** (Noctuidae) Synonym(s): *psathyra* Boursin,1968 AF
- 832. *Desertoplusia* *paghmana* (Wiltshire,1971)** (Noctuidae) Synonym(s): *paghmana* Wiltshire,1971; *paupera* Wiltshire,1971. AF Pag PK Bl Qu
- 833. *Diachrysia* *chrysitis* (Linnaeus,1758)** (Noctuidae) Synonym(s): *chrysitis* Linnaeus,1758 *Phalaena chrysitis* Linnaeus,1758, Syst. Nat. (Edn.10)1: 513. Type(s): [Europa]. PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Ro Kr St Kc Kb Nt Ich Ing Da Sb Am Us MD UA BY TM CN Ui GG AZ Kir Cc LB Bsa IR Elb Th AF KK Ax
- 834. *Diarsia* *fletcheri* Boursin,1969** (Noctuidae) Synonym(s): *fletcheri* Boursin,1969; *afghana* Boursin,1969; *fletcheri* Dierl,1984 *Diarsia fletcheri* Boursin,1969, Entomops 15: 215-217, figs. Holotype ♂: [Pakistan]: Thundiani (BMNH). AF Sfk PK Pj NP
- 835. *Dichagyris* (Grisyigoga) *candelisequa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *candelisequa* [Denis & Schiffermüller],1775; *sagittifera* Hübner,[1813]; *piemonticola* Schwingenschuss,1954; *zapateri* Schwingenschuss,1962. *Noctua candelisequa* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 72. Type(s): [Austria]: Vienna district. MA ES FR Co Si IT DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc LB Bsa IL Pa He RU St Kr Nt Ich Ing At Sb Am MD UA BY UZ KK Ik TrA KG IR Th Elb Ha Kd Lo Fa Kz Km TM AF
- 836. *Dichagyris* (Yigoga) *acutijuxta* (Boursin,1957)** (Noctuidae) Synonym(s): *acutijuxta* Boursin,1957 IR Mz Elb Plr AF KG Tu KK TeA Skm UZ N-A TJ Pm Chr
- 837. *Dichagyris* (Yigoga) *improba* (Staudinger,1888)** (Noctuidae) Synonym(s): *improba* Staudinger,1888 *Agrotis improba* Staudinger,1888, Stettin ent. Ztg. 1888: 8. UZ Tas AF Adr KK Skm
- 838. *Dichagyris* (Yigoga) *nekrasovi* Varga & Gyulai,2001** (Noctuidae) Synonym(s): *nekrasovi* Varga & Gyulai,2001 TJ Pm AF Pag
- 839. *Dichagyris* (Yigoga) *perturbans* (Boursin,1948)** (Noctuidae) Synonym(s): *perturbans* Boursin,1948 KG CN Ui Au KK Ik TrA TJ AF
- 840. *Dichagyris* (Yigoga) *unifica* (Kozhantshikov,1937)** (Noctuidae) Synonym(s): *unifica* Kozhantshikov,1937 IR Kh AF Adr
- 841. *Dichagyris* (s.str.) *afghana* (Boursin,1963)** (Noctuidae) Synonym(s): *afghana* Boursin,1963 AF
- 842. *Dichagyris* (s.str.) *amnoxanthiodes* Varga,1975** (Noctuidae) Synonym(s): *amnoxanthiodes* Varga,1975 AF
- 843. *Dichagyris* (s.str.) *boursini* Brandt,1941** (Noctuidae) Synonym(s): *boursini* Brandt,1941 IR Fa Hz Ss AF Hk
- 844. *Dichagyris* (s.str.) *celebrata* (Alpheraky,1897)** (Noctuidae) Synonym(s): *celebrata* Alpheraky,1897 *Agrotis celebrata* Alpheraky,1897, [in] Romanoff, Mem. Lep. 9:209. Syntypes: [Turkmenistan]: Achal-Tekke. RU TM Kp IR Ss Elb Th Fa Shr AF Hk Uk KG TR PK Gg
- 845. *Dichagyris* (s.str.) *chrysopyga* (Boursin,1963)** (Noctuidae) Synonym(s): *chrysopyga* Boursin,1963 AF
- 846. *Dichagyris* (s.str.) *despecta* (Corti & Draudt,1933)** (Noctuidae) Synonym(s): *despecta* Corti & Draudt,1933 AF Adr CN Ui Au
- 847. *Dichagyris* (s.str.) *devota* (Christoph,1884)** (Noctuidae) Synonym(s): *devota* Christoph,1884; *turana* Staudinger,1892 *Agrotis devota* Christoph,1884, [in] Romanoff,N.M., Mém. lépid. 1: 116, fig. Syntypes: [Turkmenistan]: Achal Tekke. TR TM Kp IR Zj Elb Th Kdj Dam Fa PK Bl AF KK UZ N-A TJ SA IL Pa JO
- 848. *Dichagyris* (s.str.) *elbursica* (Draudt,1937)** (Noctuidae) Synonym(s): *elbursica* Draudt,1937 *Rhyacia elbursica* Draudt,1937, [in] Seitz,A., Die Gross Schmett. Erde 3 (suppl.): 250. Syntypes: Iran: Elbursgebirge. IR Elb Fa Ss Kh Ke Lo Go Th Dam Km Kd TR Cc AF TJ Pm Chr UZ IL Pa He
- 849. *Dichagyris* (s.str.) *erubescens* (Staudinger,1892)** (Noctuidae) Synonym(s): *erubescens* Staudinger,1892 *Agrotis renigera* var. *erubescens* Staudinger,1892, Dt. ent. Z., Iris 4: 268. Syntypes: [Türkei]: Aintab [=Gaziantep], Mardin, Malatia. SY TR GR IR Kh AF Srb LB Bsa IL Pa SY JO Sn EG IQ
- 850. *Dichagyris* (s.str.) *euteles* (Boursin,1963)** (Noctuidae) Synonym(s): *euteles* Boursin,1963 AF
- 851. *Dichagyris* (s.str.) *forficula* (Eversmann,1851)** (Noctuidae) Synonym(s): *forficula* Eversmann,1851 GR RU TR Cc AM RU Kr St Ich Ing Da LB IQ IR Ss Fa Ke Es By Yas Km Kz Kd Shr Yas Hz B-A Kh Elb Th Mz Kdv Dam Plr Ab Ak AF Hr Pli Gbh
- 852. *Dichagyris* (s.str.) *grisescens* Staudinger,1879** (Noctuidae) Synonym(s): *grisescens* Staudinger,1879 *Dichagyris melanura* var. *grisescens* Staudinger,1879, Horae Soc. ent. ross. 14: 427. Syntypes: [Iran]: Nordpersien: Schahrud. IR Elb Th Kd Fa By Lo SY Dms IQ AF PK IN Ld UZ KK Skm

853. **Dichagyris (s.str.) leucographa Varga,1990** (Noctuidae) Synonym(s): *leucographa* Varga,1990
AF
854. **Dichagyris (s.str.) leucomelas Brandt,1941** (Noctuidae) Synonym(s): *leucomelas* Brandt,1941
Dichagyris leucomelas Brandt,1941, Mitt. münch. ent. Ges. 31: 843, fig.15. Syntypes: Iran: [Belutschistan]: Kouh i Taftan, 2000-2800m; Fort Sengan, 1800m; [Khorassan]: Kouh i Binaloud bei Meched. IR Fa Ss Kh Bk Lo Es Ke Ha Yz Th Elb Km Kd TR RU Cc Ro AF Pli Gbh Srb KK Skm UZ TJ PK IN Ld IL Pa Sn EG
855. **Dichagyris (s.str.) multicuspis (Eversmann,1852)** (Noctuidae) Synonym(s): *multicuspis* Eversmann,1852; *spinosa* Staudinger,1877; *issykula* Staudinger,1889; *aequicuspis* Staudinger,1895; *issykula* Hampson,1903
RU KG IR Kh TM Krn Cc AM TR KK Ik CN Ui KI MN AF Hr Arh UZ N-A
856. **Dichagyris (s.str.) naumanni Varga,1996** (Noctuidae) Synonym(s): *naumanni* Varga,1996 TM
AF
857. **Dichagyris (s.str.) paisa (Brandt,1938)** (Noctuidae) Synonym(s): *paisa* Brandt,1938 Agrotis
(*Dichagyris*) *paisa* Brandt,1938, Ent. Rdsch. 55: 502-503, fig. 102. Type ♂: Iran: [Fars]: "Comee". IR Fa Com AF PK TJ Pm Chr
858. **Dichagyris (s.str.) pudica (Staudinger,1896)** (Noctuidae) Synonym(s): *pudica* Staudinger,1896
Agrotis pudica Staudinger,1896, Dt. ent. Z., Iris 8: 351, pl.6 fig.3. CN Ui Ii MN Uli KK Ik Skm TJ Pm Chr AF Hk
859. **Dichagyris (s.str.) scotographa Varga,1990** (Noctuidae) Synonym(s): *scotographa* Varga,1990
AF
860. **Dichagyris (s.str.) singularis (Staudinger,1877)** (Noctuidae) Synonym(s): *singularis* Staudinger,1877
IL Pa JO TR IQ Rws Brs IR Hz Elb Th Lo Kh Nys TM Kp AF
861. **Dichagyris (s.str.) squalidior (Staudinger,1901)** (Noctuidae) Synonym(s): *squalidior* Staudinger,1901
Agrotis squalorum var. *squalidior* Staudinger,1901, Cat. Lep. palaearkt. Fauneng. 3(1): 146. Syntypes: [Türkei]: Taurus c. & m. or. LB SY Dms TR Cc AM GG Bjo IQ Sif IR Fa Ke Elb Th Kd Lo Ab Kz Kh KuB AF Hk TM RU Ao Ro Da
862. **Dichagyris (s.str.) stenoptera (Boursin,1963)** (Noctuidae) Synonym(s): *stenoptera* Boursin,1963
AF
863. **Dichagyris (s.str.) terminicincta (Corti & Draudt,1933)** (Noctuidae) Synonym(s): *terminicincta* Corti & Draudt,1933; *maraschi* Corti & Draudt,1933. *Agrotis terminicincta* Corti & Draudt,1933, Dt. ent. Z., Iris 47: 70. Syntypes: Lebanon: Besharre, 1400m. TR IR Elb Fa Ha Kh Bk Zj Mz Ab Kd Th Ss Se KuB AM Eri Cc RU Kyi IQ AF Pag LB Bsa IL Pa
864. **Dichagyris (s.str.) verecunda (Püngeler,1898)** (Noctuidae) Synonym(s): *verecunda* Püngeler,1898
KG Tk KK Ik TeA CN Ui Au KI AF Bd TJ Pm MN
865. **Drasteria cailino (Lefèbvre,1827)** (Noctuidae) Synonym(s): *cailino* Lefèbvre,1827; *caylino* Lederer,1857
Heliotis cailino Lefèbvre,1827, Mém. Soc. linn. Paris 6: 94-96, pl.5 fig.1. Type(s): [Italia]: Sicilia. MA PT ES Mu FR Si IT RO YU AL BG GR TR IL Pa LB Bsa SY IQ Dia Ry Rws Brs RU Sr Ro Da AF Kab Nu Bsg Hr Bd Adr IR Bk Ke Ha Es Lo Fa Ss Kh Elb Th Dam Kz Skh Yas Sqk Kd Snj Km Hz AZ Kir Nv Ord Cc GG AM KG Ssn Lps At CN Ui Ga Au Pm Tk Dj KK Ik Skm PK SA YE
866. **Drasteria caucasica (Kolenati,1846)** (Noctuidae) Synonym(s): *caucasica* Kolenati,1846; *astrida* Eversmann,1856; *aksuensis* Fuchs,1903. *Euclidia caucasica* Kolenati,1846, Meletemata Ent. 5: 104. Syntypes: [Georgia]: Caucaso Lhesgico & Iberia. RO AZ Kir Hkd Nv Ord GG Smt Akh AM Cc RU To Ro Kr Ich Kyi Da TR IR Fa Ha Elb Th Kdj UZ Fe Man Nmg CN Ui Khr Ku Au KK Ik Osh Skm KG DsA Uk Tk Dj Aa AF Hr Srb Blh Pli Bd Bark TJ Pm Chr
867. **Drasteria flexuosa (Ménétriés,1848)** (Noctuidae) Synonym(s): *flexuosa* Ménétriés,1848; *singularis* Kollar,[1849]; *inepta* Butler,1881. RU Cc Kyi Da TR EG IL Pa SY JO IQ Agh Tkr IR Lo Fa Ss Bu Dlk Ke Fa Ab Elb Th Mak Ak Oru Mrd Kd Snj Shr Ma AF Gbh Arh Pag Nu Bsg Srb Kab Pli Blh Bd Fz Hr PK Bl Chm TM KG Tk Dj Aa KK Ik CN Ui Ku KI Ga Kml MN Uli AZ Bak Nv Ord UZ Fe Smk Br
868. **Drasteria langi (Erschoff,1874)** (Noctuidae) Synonym(s): *langi* Erschoff,1874 UZ TM AF Smk Man
Pm
869. **Drasteria saisani (Staudinger,1882)** (Noctuidae) Synonym(s): *saisani* Staudinger,1882; *clara* Staudinger,1895; *#zaisani* John,1910. *Leucanitis saisani* Staudinger,1882, Stettin ent. Ztg. 43:53. Syntypes: [Kasachstan]: Saisan. RU Da KG Tar Ssn Tk Dk TR IR Kh KuB Elb Th Diz Dam Plr KK Ik T-A Feg Skm CN Ui Ii AF Nu Bsg AZ Kir Nv Ord Cc TM Kp UZ N-A
870. **Drasteria sinuosa (Staudinger,1884)** (Noctuidae) Synonym(s): *sinuosa* Staudinger,1884 TM Kp
IR Ss AF Dwe Gbh Hr KG Aa UZ
871. **Drasteroides limata (Christoph,1884)** (Noctuidae) Synonym(s): *limata* Christoph,1884 MN TM
Kp KG Tk AF Hr IQ Agh SA IR Es
872. **Drasteroides luxurians (Wiltshire,1961)** (Noctuidae) Synonym(s): *luxurians* Wiltshire,1961 AF
873. **Drasteroides medialis (Hampson,1908)** (Noctuidae) Synonym(s): *medialis* Hampson,1908 PK
Qu AF Nu Bsg IR Ss Fa Kd Lo Mia Kaz Com Kz Yas Skh Kuh
874. **Earias amseli Wiltshire,1961** (Noctuidae) Synonym(s): *amseli* Wiltshire,1961 AF Hr
875. **Earias insulana (Boisduval,1833)** (Noctuidae) Synonym(s): *insulana* Boisduval,1833; *smaragdinana* Zeller,1852; *frondosana* Walker,1863; *xanthophila* Walker,1863; *siliquana* Stainton,1865; *simillima* Walker,1866; *gossypii* Frauenfeld,1867; *anthophilana* Snellen,1879; *trigostrigosa* Butler,1881. *Tortix insulana* Boisduval,1833, Fauna Ent. Madag. 1833: 121, Pl. 16,9. Type: Mauritius. MA DZ TN LY Cn PT ES Mu FR Si IT MT GB BG GR Cr TR CY RU IQ Agh Bgd IR Fa Ke Hz Ss Elb Th Kdj Mz Lo B-A SY IL Pa Hf JO LB EG SA OM SD ET ET29 AF Ca Arh JP IN PH ID AU ZA
876. **Earias pudicana Staudinger,1887** (Noctuidae) Synonym(s): *pudicana* Staudinger,1887 AF Srb
Gbh Pli RU Prj Us Am

877. **Eicomorpha antiqua Staudinger,1888** (Noctuidae) Synonym(s): *antiqua* Staudinger,1888. *Eicomorpha antiqua* Staudinger,1888, Stettin ent. Ztg. 49: 24. Syntypes: [Usbekistan]: Namangan, Samarkand, Transalai. **TR UZ Smk Nmg KK Fe AF Adr TM TJ KG JO IR Fa**
878. **Eicomorpha epipsilioides Boursin,1970** (Noctuidae) Synonym(s): *epipsilioides* Boursin,1970 **AF**
879. **Acontia (Emmelia) trabealis (Scopoli,1763)** (Noctuidae) Synonym(s): *trabealis* Scopoli,1763; *arabica* Hufnagel,1766; *sulphuralis* Linnaeus,1767; *sulphurea* [Denis & Schiffermüller],1775; *lugubris* Fabricius,1777; *histrionella* Goeze,1783; *arlequinetta* Fourcroy,1785; *trabeata* Borkhausen,1790; *pardalina* Walker,1865; *deleta* Staudinger,1877; *flavonitens* Austaut,1880; *algira* Oberthür,1881 **Spotted Sulphur Çizgili Emel Phalaena trabealis Scopoli,1763, Entomologia Carniolica: 240. Type(s): [Slovenien]: Carniolia [Krain]. MA DZ TN PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR CY LB Bei IL Hf Pa SY JO DK NO SE FI EE LV LT RU Tv Am Sb MD UA BY IR Ab Mak Mz Th Elb Kd Snj Km Lo Kz Yas Ss Bk Qz IQ Agh Amr AM GG AZ Len Cc AF PK BI CN Ui Ku MN KK Skm Osh Ro Kr St Kb Kc Nt Ich Ing Kyi Da**
880. **Epipsammia accurata (Christoph,1882)** (Noctuidae) Synonym(s): *accurata* Christoph,1882 **O RU Nt Da Cc AZ Nv Ord AF Pli IR Elb Gor Th**
881. **Epipsammia agrapha Boursin,1960** (Noctuidae) Synonym(s): *agrapha* Boursin,1960 **AF**
882. **Epipsammia constantialis Boursin,1960** (Noctuidae) Synonym(s): *constantialis* Boursin,1960 **AF**
883. **Epipsammia fixseni (Christoph,1893)** (Noctuidae) Synonym(s): *fixseni* Christoph,1893 **TM Kp IR Hz Ss Ahz Cc AZ Nv Ord AF Pli AM PK IL Pa**
884. **Episema lederi Christoph,1885** (Noctuidae) Synonym(s): *lederi* Christoph,1885; *sareptana* Alpheraky,1897; *#lederi* Wiltshire,1937. **RO MK BG GR RU Da TR Cc CY TM Kp SY IQ Dy Dia Kq Pa IL IR Gh Elb Th Ab Ksh Shr AF**
885. **Episema minuta Boursin & Ebert,1976** (Noctuidae) Synonym(s): *minuta* Boursin & Ebert,1976 **AF Hr**
886. **Eublemma (Glossodice) salangi (Wiltshire,1961)** (Noctuidae) Synonym(s): *salangi* Wiltshire,1961 **AF Slg**
887. **Eublemma (albida-gr.) compunctum (Lederer,1872)** (Noctuidae) Synonym(s): *compuncta* Lederer,1872; *aftob* Brandt,1938. **TR IR Fa Sse Kd Sqq Lo AF**
888. **Eublemma (albida-gr.) gratissimum (Staudinger,1892)** (Noctuidae) Synonym(s): *gratissima* Staudinger,1892; *infusata* Staudinger,1892; *peralba* Schawerda,1923. **Thalpochares albida var. gratissima Staudinger,1892, Dt. ent. Z., Iris 4: 317. Syntypes: [Türkei]: Hadjin, Mardin, Amasia: [Lebanon]: Beirut. TR Cc LB Bei JO IL Pa Hf IR Fa Km Kd Snj Lo IQ TM AF**
889. **Eublemma (albida-gr.) hansa (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *hansa* Herrich-Schäffer,[1851] **RU TR AZ Kir Hkd Cc IR Elb Th Kd Snj Lo Sqq IQ? SA? AF? LB? JO CY**
890. **Eublemma (albida-gr.) stramineum (Staudinger,1892)** (Noctuidae) Synonym(s): *straminea* Staudinger,1892; *transmittens* Christoph,1893; *maraschensis* Osthelder,1933. **GR TR Cc IR Ha AF Hr Gbh Srb Bsg CY BH IQ**
891. **Eublemma (baccalix-gr.) baccalix (Swinhoe,1886)** (Noctuidae) Synonym(s): *baccalix* Swinhoe,1886; *fasciosa* Moore,[1887]. **IN LK Cn YE AF PK NP ID ZA CN NH TW FJ NC**
892. **Eublemma (bulla-gr.) afghanum (Wiltshire,1961)** (Noctuidae) Synonym(s): *afghana* Wiltshire,1961 **AF Srb**
893. **Eublemma (bulla-gr.) conistrotum Hampson,1910** (Noctuidae) Synonym(s): *conistrotula* Hampson,1910 **PK BI Qu AF Hr Gbh Srb Pjr Dwe IR Ha Ss Fa**
894. **Eublemma (bulla-gr.) striantulum (Wiltshire,1961)** (Noctuidae) Synonym(s): *striantula* Wiltshire,1961 **AF Srb**
895. **Eublemma (chlorotica-gr.) chloroticum (Lederer,1858)** (Noctuidae) Synonym(s): *chlorotica* Lederer,1858 **Thalpochares chlorotica Lederer,1858, Wien. ent. Monatschr. 2: 144-145, Taf.3 fig.1. Type ♂: "Libanon". LB TR IR Fa Es Kh Mz Elb Th Kdj Kd Sqq Kz Yas Kaz Mia Nss IQ Shq TM AF SY Dms JO**
896. **Eublemma (kruegeri-gr.) noctuelioides (Wiltshire,1971)** (Noctuidae) Synonym(s): *noctuelioides* Wiltshire,1971 **AF**
897. **Eublemma (ostrina-gr.) ostrinum (Hübner,[1808])** (Noctuidae) Synonym(s): *ostrina* Hübner,[1808]; *carthami* Herrich-Schäffer,[1851]; *aestivalis* Guenée,1852; *numida* Lucas,1849; *thasia* Koutsafikis,1973. *Noctua ostrina* Hübner,[1808], Samml. eur. Schmett. 4, Noctuae: Tab.85, fig.399. Type(s): Europa. **Cn PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT CZ SK HU PL YU AL BG GR Cr Rd CY TR Cc RU Ro St Nt Ich Ing Da MD UA SY JO IL Hf Pa LB Bsa IQ Brs Ry R wz Dia Agh Bgd IR Fa Hz Ss Ke Mz Elb Kd Km Snj Lo Mia Kz Yas Kaz Shr Hz B-A AF Bsg Nu IN PK MN KG Tk Dj**
898. **Eublemma (pallidula-gr.) nuristanum (Wiltshire,1961)** (Noctuidae) Synonym(s): *nuristana* Wiltshire,1961 **AF Bsg Nu**
899. **Eublemma (pallidula-gr.) pallidulum (Herrich-Schäffer,1856)** (Noctuidae) Synonym(s): *pallidula* Herrich-Schäffer,1856 **RU Ro TR Cc BH IR Elb Lo Kd Snj Kz Yas CY TM UZ Fe KK Ik Na CN Ui Ii LB Bsa SA AF NG**
900. **Eublemma (parva-gr.) parvum (Hübner,[1808])** (Noctuidae) Synonym(s): *parva* Hübner,[1808]; *rubefacta* Mabille,1869; *chalybea* Swinhoe,1884; *nymphodora* Meyrick,1902. **Noctua parva Hübner,[1808], Samml. eur. Schmett., Noctuae: Taf.77 fig. 356. Type(s): [Europa]. MA DZ TN LY EG SD PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT CZ SK HU PL YU AL BG GR Cr CY TR DK RU MD UA IL Pa Hf SY IQ Brs Ry R wz Dia Agh Amr LB Bsa JO SA IR Ab Mrd Elb Th Kdj Kd Sqq Mak Fa Ss Kh Bk Ha AF Hr Srb Gbh Kab Ca Dwe Arh PK IN TH ID ZA AU Snj Mia Km Kz Yas Hz B-A Cc St Da**

901. **Eublemma (rosina-gr.) panonicum (Freyer,1840)** (Noctuidae) Synonym(s): *panonica* Freyer,1840; *kindermannii* Boisduval,1840; *lenis* Eversmann,1844 **Anthophila panonica** Freyer,1840, *Neuere Beitr. Schmett.* 4: 67, Taf.330, figs.3,4. Syntypes: Unterungarn. **SK HU RO BG RU Ro Da Cc GG Smt Akh RU Ur At AF TR IR Elb Th Fa**
902. **Eublemma (siticulosa-gr.) leucotum Hampson,1910** (Noctuidae) Synonym(s): *leucota* Hampson,1910 **IR Hz B-A Ss AF Srb Gbh Nu Bsg Pjr**
903. **Euchalcia (s.str.) viridis (Staudinger,1901)** (Noctuidae) Synonym(s): *viridis* Staudinger,1901 **TR IQ IR Elb Th Kd AF Cc AZ Nv KK KG**
904. **Euclidia regia Staudinger,1888** (Noctuidae) Synonym(s): *regia* Staudinger,1888 **KK UZ Fe AF**
905. **Eugnorisma (s.str.) conformis (Swinhoe,1885)** (Noctuidae) Synonym(s): *conformis* Swinhoe,1885 *Agrotis conformis* Swinhoe,1885, *Trans. ent. Soc. London* 1885: 349-350, pl.ix fig.5. Type: [Pakistan: Baluchistan]: Quetta (BMNH). **PK BI Qu AF Gbh**
906. **Eugnorisma (s.str.) eminens (Lederer,1855)** (Noctuidae) Synonym(s): *eminens* Lederer,1855; *excellens* Staudinger,1867 *Graphophora eminens* Lederer,1855, *Verh. zool.- bot. Ges. Wien* 5: 106, Taf.1 fig.5. Syntypes: [Kazachstan]: Altai. **Cc GG AM TR IR Elb Th Kh KuB KG At AF RU Sb Ssn KK Ik CN Ui Ii UZ TJ Pm Chr PK IN**
907. **Eugnorisma (s.str.) glareomima Varga & Ronkay,1991** (Noctuidae) Synonym(s): *glareomima* Varga & Ronkay,1991 **AF Nu**
908. **Eugraphe eucratides Boursin,1957** (Noctuidae) Synonym(s): *eucratides* Boursin,1957 **AF Slg**
909. **Eulocastra diaphora (Staudinger,1879)** (Noctuidae) Synonym(s): *diaphora* Staudinger,1879; *triangularis* W.Warren,1888; *atribasalis* Hampson,1896; *laticincta* Staudinger,1898. *Erastria* ? *diaphora* Staudinger,1879, *Horae Soc. ent. ross.* 14: 415-416. Type ♀: [Türkei]: Amasia (Kerasdere). **Cn MR MA DZ TN RU TR YE PK Cc GG AZ AM IR Fa Hz Ss Kd Lo Snj Ab Oru Mak Hz B-A Chh AF IQ IL Pa SA LB SY JO Sn EG ER PK IN**
910. **Eutelia adulatrix (Hübner,[1813])** (Noctuidae) Synonym(s): *adulatrix* Hübner,[1813] **Dikkuyruklu** *Fistıkgüzeli* *Noctua adulatrix* Hübner,[1813], *Samml. eur. Schmett.* 4, *Noctuae*: Tab.111 fig.517. Type(s): Europa. **Cn MA DZ TN LY EG PT ES Mu FR Co Sa Si IT MT CH PL SK HU RO YU AL BG GR Rd Cr TR IR Fa Lo OM RU Cc Ro Kr Ich Da UA Cm CY IL Pa Hf LB SY JO IQ ZA Tva Lpo L Nta Kzu ZW BW KE TZ UZ Fe AF Plı Srb Nu Bsg Kab PK KK KG TM IN**
911. **Euxoa (Orosagrotis) difficillima (Draudt,1937)** (Noctuidae) Synonym(s): *difficillima* Draudt,1937 **TR Cc AM IR Mz Yz Fa Kh Lo Elb Th TJ Pm AF Adr**
912. **Euxoa (Orosagrotis) eremorealis Varga,1975** (Noctuidae) Synonym(s): *eremorealis* Varga,1975 **AF**
913. **Euxoa (Orosagrotis) naumanni Varga,1990** (Noctuidae) Synonym(s): *naumanni* Varga,1990 **AF PK**
914. **Euxoa (Orosagrotis) triumregium Varga,1979** (Noctuidae) Synonym(s): *triumregium* Varga,1979 **AF**
915. **Euxoa (s.str.) anthracina Varga & Gyulai,2001** (Noctuidae) Synonym(s): *anthracina* Varga & Gyulai,2001 **TJ AF Srb**
916. **Euxoa (s.str.) basigramma (Staudinger,1870)** (Noctuidae) Synonym(s): *basigramma* Staudinger,1870 *Agrotis basigramma* Staudinger,1870, *Berl. ent. Z.* 14:111. Type(s): [Russia]: Sarepta. **RU Cc Da Sr CN Ku Ui Ii Kml IR Elb Th Fa AF TR MN**
917. **Euxoa (s.str.) cespitis (Swinhoe,1885)** (Noctuidae) Synonym(s): *cespitis* Swinhoe,1885; *praestigiosa* Brandt,1941 *Agrotis cespitis* Swinhoe,1885, *Trans. ent. Soc. London* 1885: 349. Type(s): [Pakistan: Baluchistan]: Quetta. **IR Ss Elb Th Kdv Lo Kh KuB JO Sho AF PK BI Qu**
918. **Euxoa (s.str.) conspicua (Hübner,[1824])** (Noctuidae) Synonym(s): *conspicua* Hübner,[1824]; *agricola* Boisduval,1829; *lycarum* Herrich-Schäffer,1846; *abdita* De Joannis,1891; *#indistincta* Strand,1915; *osthelderi* Corti,1931; *complicata* Corti,1931. **PT ES FR Co IT RO YU BG GR TR Arr GG Akh Smt Cc AZ Hkd RU Ro Kr St Kc Kb Nt Ich Ing Da Kyi MD UA BY MN KG Tks Ssn Na Tk Dj KK TrA UZ IR Ab Ak Mz Th Kd Ha Fa Ss Kh Ke Ha Mz Enz CN Ui Ku Ii Kml AF Blh Arh Srb IQ Tkr LB Bsa PK IN Hp Sb SY CY**
919. **Euxoa (s.str.) cursoria (Hufnagel,1766)** (Noctuidae) Synonym(s): *cursoria* Hufnagel,1766 *Phalaena cursoria* Hufnagel,1766, *Berl. Mag.* 4(2): 416. Type(s): Germany: Berlin. **FR IE GB BE NL DE CH? DK NO SE FI EE LV LT RU Cc St Sb MD UA BY MN CN Ti AF**
920. **Euxoa (s.str.) eremorealis Varga,1975** (Noctuidae) Synonym(s): *eremorealis* Varga,1975 **AF**
921. **Euxoa (s.str.) heringi Christoph,1877** (Noctuidae) Synonym(s): *heringi* Christoph,1877; *marcens* Staudinger,1893; *signata* Staudinger,1900; *achyricola* Corti,1931. *Agrotis heringi* Christoph,1877, *Horae Soc. ent. ross.* 12: 248. Syntypes: Iran: Schahkuh. **LB Bsa SY Cc AM RU Kb Nt Da TR IR Elb Th Fa Lo Km TM Kp AF**
922. **Euxoa (s.str.) hissarica Varga,1990** (Noctuidae) Synonym(s): *hissarica* Varga,1990 **AF Bd TJ**
923. **Euxoa (s.str.) homicida (Staudinger,1900)** (Noctuidae) Synonym(s): *homicida* Staudinger,1900; *#homicia* Hacker & Kautt,1999. *Agrotis homicida* Staudinger,1900, *Dt. ent. Z., Iris* 12: 363, Taf.vi, fig.7. Syntypes: [Türkei]: Zeitun [=Süleymanlı]; Amasia, Konia. Etymology: "Zur Erinnerung an den Massenmord der Armenier bei Zeitun so benannt". **IT Si RO GR Cr TR Cc IR Kh Fa Ke Ha Ss Elb Kd Lo Hz Th Dam TM Kp AF Hr Gbh Arh Srb PK KK Ax CN Ui Kl Kno Ts KG Tk TrA TJ Pm**
924. **Euxoa (s.str.) hypochlora Boursin,1964** (Noctuidae) Synonym(s): *hypochlora* Boursin,1964 **NP AF Pag KK TrA**
925. **Euxoa (s.str.) kotzschii Draudt,1937** (Noctuidae) Synonym(s): *kotzschii* Draudt,1937; *plumbescens* Kozhantshikov,1937 **AF Bd TJ Pm**
926. **Euxoa (s.str.) melanochroa Varga,1990** (Noctuidae) Synonym(s): *melanochroa* Varga,1990 **AF Bd TJ Pm**
927. **Euxoa (s.str.) murzini Varga,1990** (Noctuidae) Synonym(s): *murzini* Varga,1990 **AF TJ Pm**

928. **Euxoa (s.str.) naumanni Varga,1990** (Noctuidae) Synonym(s): *naumanni Varga,1990* **AF Bd**
929. **Euxoa (s.str.) ochrogaster (Guenée,1852)** (Noctuidae) Synonym(s): *ochrogaster Guenée,1852*
US IS SE FI EE LV LT RU BY UA MD AF IR TR RU Cc Ich Kr Da Ur Sb UZ Man KG Mn Ssn CN Ui Alt Au Yk Ax KK
Ti TeA TrA MN Pm TJ Chr
930. **Euxoa (s.str.) perierga Brandt,1938** (Noctuidae) Synonym(s): *perierga Brandt,1938* **Euxoa**
perierga Brandt,1938, Ent. Rdsch. 55: 499. Syntypes: Iran: Fars: Sine-Sefid. **IR Kh Fa Com Sse Elb Th Se AF TR TJ**
Pm
931. **Euxoa (s.str.) triumregium Varga,1979** (Noctuidae) Synonym(s): *triumregium Varga,1979* **AF**
BdA
932. **Euxoa (s.str.) vartianica Boursin,1963** (Noctuidae) Synonym(s): *vartianica Boursin,1963* **AF Pag**
933. **Euxoa (s.str.) xanthophylla Varga,1990** (Noctuidae) Synonym(s): *xanthophylla Varga,1990* **AF**
Bd
934. **Evanina wiltshirei (Boursin,1957)** (Noctuidae) Synonym(s): *wiltshirei Boursin,1957* **AF**
935. **Gnamptonyx innexa (Walker,1858)** (Noctuidae) Synonym(s): *innexa Walker,1858; vilis Walker,1865.*
Alamis innexa Walker,1858, List Specimens lepid. Insects Colln Br. Mus. 15: 1797. Syntypes: Cap Verde Isl. **CV MA**
DZ TN LY EG SD NG SA IL Pa IR PK BH OM AF IN
936. **Gnamptonyx vilis (Walker,1865)** (Noctuidae) Synonym(s): *vilis Walker,1865* **Homoptera vilis**
Walker,1865, List Specimens lepid. Insects Colln Br. Mus. 33: 889. Type ♀: [India]: Punjab (BMNH). **AF Pag Bm BH**
SA SA63 YE Ad SD IN Pj SO ER MA
937. **Gortyna cervago Eversmann,1844** (Noctuidae) Synonym(s): *cervago Eversmann,1844; #argillago*
Draudt,1936. *Gortyna cervago Eversmann,1844*, Bull. Soc. imp. Nat. Moscou 3: 594. **RO RU Ro St Ich Da Ur MD**
UA BY TR Cc TM CN Ui AF IR Elb Th Kdv UZ
938. **Grammodes stolidia (Fabricius,1775)** (Noctuidae) Synonym(s): *stolidia Fabricius,1775; cingularis*
Hübner,[1808]; stupida Herrich-Schäffer,1851; curvilinea Walker,1869. *Noctua stolidia Fabricius,1775*, Syst. Ent.:599.
Type(s): India orientali. **DZ TN Gf PT ES Mu FR Co Sa Si IT MT IE GB DE CH AT PL CZ SK HU RO YU AL BG GR Cr**
CY TR DK SE FI EE LT RU MD UA Cm BY GG AZ AM Cc IQ IR Fa Ss LB IL Pa EG SA IN AF Nu Bsg PK Bl Bol ZA
Tva Lpo Spb Mdk Gau Pre Jh AU SL ZR ET ET24 SD KE NA Nta Kzu Ec YE Ad Ak Lo Mia Kaz UZ N-A Ro Kr Kb Nt
Da Kyi BW Dmr Nga
939. **Graphantha (Dysgraphhadena) commoda (Staudinger,1889)** (Noctuidae) Synonym(s): *indigna*
auct. nec Chr.,1887; commoda Staudinger,1889; manifesta Christoph,1893; idumaea Püngeler,1902; schlumbergeri
Püngeler,1905 *Rhiza commoda Staudinger,1889*, Stettin ent. Ztg. 50: 44-45. Syntypes 4♂ 3♀: [Kirgizistan]:
"südlich vom Issykul" (Rückbeil leg.). **ES TR KK Ik Cc AZ Nv Ord IR Ss CN Ui Au Ga IL Pa JO AF IR PK Hu Gg**
940. **Hadena (Anepia) perplexa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *perplexa*
[Denis & Schiffermüller],1775; lepida Esper,[1790] nec Cr.,[1779]; carpophaga Brahm,1791; ochracea Haworth,1809; capsophila
Boisduval,1840; nisus Germar,[1842]; repanda Herrich-Schäffer,[1850]; atlas A.E.Prout,1929; sricula Draudt,1933
Noctua perplexa [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 313. Type(s):
[Austria]: Vienna district. **MA DZ Cn PT ES An FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL**
BG GR Cr TR DK NO SE FI EE LV LT RU Sb At MD UA Cm BY KG At Sb KK CN Ui Ku TJ Pm Tk AF Pag Adr IR Kh
Fa Sse Elb Th Kdj Plr Dam Ab Mak TM Kp JO LB Bsa IL Pa IQ JO PK AZ AM GG Cc TrA UZ Fe IN Ld Ro St Kb Nt
Ing Da CY
941. **Hadena (Enterpia) picturata (Alpheraky,1882)** (Noctuidae) Synonym(s): *picturata Alpheraky,1882*
RU Da Kyi Cc IR By Ke Fa CN Ui Tek UZ KK Ik KG Uk Tk Aa AF PK
942. **Hadena (Klappericola) chrysocyanea Boursin,1961** (Noctuidae) Synonym(s): *chrysocyanea*
Boursin,1961 **AF**
943. **Hadena (Klappericola) klapperichi Boursin,1960** (Noctuidae) Synonym(s): *klapperichi*
Boursin,1960 **AF**
944. **Hadena (Maschukia) lypra (Püngeler,1904)** (Noctuidae) Synonym(s): *lypra Püngeler,1904* **TM**
Kp IR Fa Mia Kz Yas Kd Lo Ha Hz Ss AE PK Bl Qu AF
945. **Hadena (Pinkericola) macilenta (Brandt,1947)** (Noctuidae) Synonym(s): *macilenta Brandt,1947*
AF
946. **Hadena (s.str.(Albimaculia)) albimacula (Borkhausen,1792)** (Noctuidae) Synonym(s):
albimacula Borkhausen,1792; concinna Hübner,[1803]; conserta Hübner,[1820]. **Phalaena albimacula**
Borkhausen,1792, Naturg. eur. Schmett. 4: 149. Type(s): [Austria]: Wienergegend. **MA DZ PT ES FR Co Sa Si IT GB**
BE NL DE CH AT PL CZ SK HU RO YU HV MK BG GR TR Cc AM DK NO SE FI EE LV LT RU Ro St Kc Nt Ing Da Sb
At MD UA BY IR Elb Zj Fa Plr Dam Kz Yas Lo TM Kp PK Gg AF IN TJ KK TrA Ax UZ LB Bsa YE
947. **Hadena (s.str.(Clarhadena)) pumicosa Hacker,1996** (Noctuidae) Synonym(s): *pumicosa*
Hacker,1996 **AF**
948. **Hadena (s.str.(Hadenilia)) wiltshirei (Brandt,1947)** (Noctuidae) Synonym(s): *wiltshirei*
Brandt,1947 **TJ Pm Chr KK UZ AF Adr PK**
949. **Hadena (s.str.(Hadenobilis)) aureomixta (Draudt,1934)** (Noctuidae) Synonym(s): *aureomixta*
Draudt,1934 **KK Ik UZ Fe KG CN Ui Au AF TJ Pm PK Bl Qu**
950. **Hadena (s.str.(Hadenobilis)) canescens (Brandt,1947)** (Noctuidae) Synonym(s): *canescens*
Brandt,1947; eberti Boursin,1961 **AF Adr TJ PK Gg Hu IN Ld Ch**
951. **Hadena (s.str.(Hadenobilis)) hreblayi Hacker,1996** (Noctuidae) Synonym(s): *hreblayi*
Hacker,1996 **IN Ch Ld PK AF**
952. **Hadena (s.str.(Hadenobilis)) karagaia (A.Bang-Haas,1912)** (Noctuidae) Synonym(s): *karagaia*
A.Bang-Haas,1912; #kargaia Lehmann, Hacker et al.,1998 **KK Ik KuA TeA Skm TrA Na UZ Fe TJ Pm Chr AF PK Gg**
Ch IN Hp
953. **Hadena (s.str.(Luteocincta)) difficilis Hacker,1996** (Noctuidae) Synonym(s): *difficilis Hacker,1996*
UZ AF TJ Pm

954. **Hadena (s.str.(Luteocincta)) ignicola (W.Warren,1910)** (Noctuidae) Synonym(s): *ignicola* W.Warren,1910 *Harmodia ignicola* W.Warren,1910,[in] Seitz, Gross-Schmett. Erde 3: 76 (18f). Type ♀: Nord Afghanistan: Kuliab-Provinz. **AF PK TJ Pm**
955. **Hadena (s.str.(Miselia)) afghana (Brandt,1947)** (Noctuidae) Synonym(s): *afghana* Brandt,1947 **AF TJ UZ**
956. **Hadena (s.str.(Miselia)) naumanni Hacker,1996** (Noctuidae) Synonym(s): *naumanni* Hacker,1996 **AF**
957. **Hadena (s.str.(Miselia)) sogdiana Hacker,1996** (Noctuidae) Synonym(s): *sogdiana* Hacker,1996 **KK TrA Ax TJ UZ N-A AF PK**
958. **Hadena (s.str.(Miselia)) thomasi Hacker,1996** (Noctuidae) Synonym(s): *thomasi* Hacker,1996 *Hadena* (*Hadena*) *thomasi* Hacker,1996, Esperiana 5: 90-91, figs. Holotype ♂: Indien: Jammu & Kashmir, Zanskar, Pensi-La, 4100m, leg. J.C.Weiss (coll. Hacker). **IN Ch PK Nwf Gg Hu AF**
959. **Hadena (s.str.(Turkihadena)) bactriana Hacker,1996** (Noctuidae) Synonym(s): *bactriana* Hacker,1996 **TM AF UZ TJ CN Ui Au IR Fa**
960. **Hadena (s.str.(Zeteolyga)) badakhshana Hacker,1996** (Noctuidae) Synonym(s): *badakhshana* Hacker,1996 **AF**
961. **Haderonia lupa (Christoph,1893)** (Noctuidae) Synonym(s): *lupa* Christoph,1893; *contempta* Püngeler,1914. **IR Mz Shh MN AF CN Ui Au**
962. **Hadula (Calocestra (Hadufurca)) farnhami (Grote,1873)** (Noctuidae) Synonym(s): *farnhami* Grote,1873 *Mamestra farnhami* Grote,1873, Bull. Buffalo Soc. Nat. Sc. 1: 103, Pl.3 fig.2. Type ♂: [U.S.A.]: Colorado Territory (BMNH). **US Col CA BCo KG Tk KK Ax Tls TeA Dln TJ Pm UZ CN Ui Kl T-S Ii Ts Kno Gn MN RU FI Pk Nwf Sha AF**
963. **Hadula (Calocestra (Hadupugnax)) odontites (Boisduval,1829)** (Noctuidae) Synonym(s): *odontites* Boisduval,1829; *microdon* Guenée,1852; *dalmatina* Schwingenschuss,1926; *asturica* Agenjo,1941. **PT ES FR Si BE LU DE PL YU AL AT CH FR IT GR BG HV TR Cc RU Kb Nt At PK IN AF TJ Pm Chr TeA TrA Na KK KG Tk Dj CN Ui Ga Gn M-A MN**
964. **Hadula (Calocestra (Hadutrifolium)) trifolii (Hufnagel,1766)** (Noctuidae) Synonym(s): *trifolii* Hufnagel,1766; *chenopodii* [Denis & Schiffermüller],1775; *verna* Esper.,[1787]; *saucia* Esper.,[1790]; *infraina* Haworth,1809; *contribulis* Duponchel,1827; *farkasii* Treitschke,1835; *inquieta* Walker,1857; *albifusa* Walker,1857; *cinnamomina* Rothschild,1913; *taylori* Rothschild,1921 *Phalaena trifolii* Hufnagel,1766, Berl. Mag. 3(3): 398. Type(s): [Germany]: Berlin. **CL TN MA DZ LY NE PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG MK GR Cr TR CY IL LB SY IQ Agh Amr MN AF Gbh Pli Arh Ca PK Gg IN US CA DK NO SE FI EE LV LT RU MD UA BY IR Hz Ss Kh CN Ui Ku Yk Ti GG AM AZ Bak Cc JO MK Gh Elb Th Mz Kdj Dam Km Kd Ab Lo Es Ss Hz Bu Dlk KG Tk Tu Dj Aa TrA TM Kp TJ Pm Chr UZ Br N-A KK Skm Ax Na Ro Kr St Kc Kb Nt Ich Ing Kyi Da CV Az**
965. **Hadula (Calocestra (Stigmosa)) stigmosa (Christoph,1887)** (Noctuidae) Synonym(s): *stigmosa* Christoph,1887. *Mamestra stigmosa* Christoph,1887, [in] Romanoff, Mem. Lep. 3: 70. Syntypes: [Russia]: Sarepta; [Turkmenistan]: Kisil-Arwat. **FR Co Sa IT? RO AL BG GR TR Cc IR Elb IL Pa RU Ro Ich Kyi Da Sr MD UA TM Kp K-A MN KG Tk Dj Aa UZ KK CN Ui AF KP KR JP**
966. **Hadula (Ptochicestra) ptochica (Püngeler,1900)** (Noctuidae) Synonym(s): *ptochica* Püngeler,1900 **CN Ui Kun Ii KG Aa Tk MN Aa T-S Tk TM Kp Rpt AZ Cc Drh Nv AF IR Kh Ke**
967. **Hadula (s.str. (Habulorum)) sabulorum (Alpheraky,1882)** (Noctuidae) Synonym(s): *sabulorum* Alpheraky,1882 *Mamestra sabulorum* Alpheraky,1882, Horae Soc. ent. ross. 17: 69, Taf.3 fig.58. Lectotype ♂: [China: Uighur A.R.]: Kouldja, Khorgos, iii.1879, designated by Hacker,1998, Esperiana 6: 609 (ZIN). **MA DZ TN Gf LY EG Sn SA YE OM AE KW MT IL Pa IQ Bgd Cc AZ Nv Ord TR IR Ab Mak Fa Ke AF TJ Pm TM Kp UZ KG Aa T-S Tk Tu Aem Ii MN CN Ui Au Khr Ln KK Ik Nrk TeA**
968. **Hecatera spinaciae (Vieweg,1790)** (Noctuidae) Synonym(s): *#dysodea* [Denis & Schiffermüller],1775; *spinaciae* Vieweg,1790; *ornata* De Villers,1789; *chrysozona* Borkhausen,1792; *ranunculina* Haworth,1809; *caduca* Herrich-Schaffer,1851; *innocens* Staudinger,1871; *subflava* W.Warren,1910. *Noctua spinaciae* Vieweg,1790, Tab. Verz. Brand. Schmett. 2:70. Type(s): [Germany]: Berlin. **PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc SE LT RU MD UA BY IR Fa By Yas Lo Ss Kh Ke Ha Ab Elb Dam Kd Zj Sse IQ Bgd Agh LB Bsa IL Hf Pa JO Sn CN Ui Ku Ii AF Hr Blh Gbh Srb Kab Ch Gs KG Ssn Mn TJ Pm Chr UZ TM Fe KK Ik Hp Ro Kr St Kyi Da CY**
969. **Helicoverpa armigera (Hübner,[1808])** (Noctuidae) Synonym(s): *obsoleta* auct. nec Fabr.,1775; *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,[1808]; *pulverosa* Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacherjee & Gupta,1972. *Noctua armigera* Hübner,[1808], Samml. eur. Schmett., Noct. 2: Taf.79, fig.370. Type: [Europa]. **Md Cn DZ MA TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY IR Fa Lo By Yas Ke CN Ui Ku PK Bl Qu AF Ca Gbh Hr Srb Kab Arh Dwe ZA Gau Pre Jh Tva Lpo Sph Mdk CA MX GT CR PA JM IQ JO IL Pa Rd US Tx Cf VE CV BR PE CL ZR SD KE Nta Kzu Dbn Mv Cto Ec Grh Wca Kny Cto YE Ad SY LB Bei JP Ch IN Hp Sml Gs Drm Cp Nl Ddu Up SI NP SG LK ID Ja NAu QAU Bri NSw Syd TS NZ Hw WS PC FJ TO EL NH SB PG AU MY Prk OW NC CY Agh Hf TH CMa CDo Cuo Cuo7 KK Osh Elb Th Dam Kd Snj Gh Mia Kz Ss Chh Kda Cai Bli Sbw Sba Kai GG AZ AM Cc Ro Kr St Kb Kc Nt Ich Ing Da Kyi ET ET24 CV Az Md**
970. **Heliocheilus confertissima (Walker,1865)** (Noctuidae) Synonym(s): *confertissima* Walker,1865; *hyalosticta* Hampson,1894; *perdentata* Hampson,1903; *mekrana* Brandt,1941; *designata* Brandt,1941; *ennedica* Herbulot & Viette,1952. *Raghuva confertissima* Walker,1865, List 32: 625. Type ♂: India: Coimbatore (BMNH). **DZ ML NE ET ET87 TD KE Nai OM AF Hr IN PK Krc MM IR Ss Hz B-A Ab Ksh**
971. **Heliothis (Masalia) decorata (Moore,1881)** (Noctuidae) Synonym(s): *decorata* Moore,1881 **AF Srb IN PK GM NE**

972. **Heliothis (Masalia) philbyi (Brandt,1941)** (Noctuidae) Synonym(s): *philbyi* Brandt,1941; *nuristana* Boursin,1960; *arabica* Boursin,1960. **Acem Masali** Timora *philbyi* Brandt,1941, Mitt. münch. ent. Ges. 31: 853-854, fig.44. Syntypes: Iran: Laristan; Sardze Umg.; Belutchistan: Tahte Malek. **IR Hz B-A Ss SA AF**
973. **Heliothis nubigera Herrich-Schäffer,[1851]** (Noctuidae) Synonym(s): *nubigera* Herrich-Schäffer,[1851]; *perigeoides* Moore,1881; *deserta* Sohn-Rethel,1929; *minutier* Thurner,1938. **Heliothis nubigera** Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 2:366. Type(s): Kleinasien. **Cn DZ PT ES Mu FR Co Sa Si IT MT GB NL DE CH AT PL SK HU RO YU AL BG GR Cr TR CY FI RU Cc Ro St Kb Nt Da MD UA BY IR Lo Hz Ss Kh Elb Th Dam Kdj Ak Mrd AF Hr Gbh Arh Dwe Srb Fz LB Bei Bsa IN Hp Dlh IQ Agh Amr Mj Dy SO IL Pa SY Hf JO Sn TM Kp**
974. **Heliothis peltigera ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *peltigera* [Denis & Schiffermüller],1775; *alpheia* Cramer,1780; *florentina* Esper,[1788]; *charmione* Stoll,1790; *straminea* Donovan,1793; *insulata* Navas,1924. **Noctua peltigera** [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 89. Type(s): [Austria]: Vienna district. **MA DZ Cn PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR DK SE FI EE LV LT RU MD UA BY IR Mz Fa Ke Lo By Yas Hz Ss Kh Ha PK BI Qu IQ Mj JHa Amr Agh Kq Dk AF Hr Gbh Kab Srb Arh Dwe Bark Fz LB Bsa IN Dlh Hp NP JO Sn IL Pa Hf Dam Kdj Elb Th Ak Mrd Mia Kz Yas Km Kd Snj Hz B-A GG AZ AM Cc KK TrA TM Kp UZ KG Ro Kr St Kb Kc Nt Ing Da CV MM**
975. **Heteropalpia vetusta (Walker,1865)** (Noctuidae) Synonym(s): *vetusta* Walker,1865; *profesta* Christoph,1887; *sacra* Staudinger,1898 **UZ TR CY IN PK AF Dwe SY Sk DZ TM Kp IR Th Elb Fa Shr Hz Ss Kdj Ma Chh B-A IQ Ama Dy kut JHa Sbn Tkr Dk Agh Bgd Dia BH LB Bei IL Pa SA SA63 As YE OM JO ZA AU**
976. **Hiccodes dosaroides Moore,1881** (Noctuidae) Synonym(s): *dosaroides* Moore,1881 **AF Srb**
977. **Hoplodrina ambigua ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *ambigua* [Denis & Schiffermüller],1775; *plantaginis* Hübner,[1813]; *uniformis* Swinhoe,1885 **Noctua ambigua** [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 77. Type(s): [Austria]: Vienna district. **MA DZ TN LY? PT ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR Cc CY IQ DK SE EE LV LT RU Ro Kr St No Ich Ing MD UA BY AF Srb PK BI Qu IR Fa By Yas Ke Gh Elb Mz Th Kdj EG? TM CN Ui TJ IL Hf Pa SY JO LB Bsa UZ N-A KK T**
978. **Acontia (Emmelia) fascialis (Hampson,1894)** (Noctuidae) Synonym(s): *fascialis* Hampson,1894 **IN PK AF Ch**
979. **Hypena assimilis Hampson,1891** (Noctuidae) Synonym(s): *assimilis* Hampson,1891 **AF IN NI TH Ntt Hba LK TW**
980. **Hypena klapperichi Wiltshire,1961** (Noctuidae) Synonym(s): *#klapperichi* Wiltshire,1961 (proposed conditionally!) **AF Nu Bsg**
981. **Hypena opulenta (Christoph,1877)** (Noctuidae) Synonym(s): *opulenta* Christoph,1877 **RU Cc Ro Kr St Kb Ich Ing Da TR IR Elb Clu Mz AF**
982. **Hypena palpalis (Hübner,1796)** (Noctuidae) Synonym(s): *palpalis* Hübner,1796; *extensalis* Guenée,1854; *armenialis* Staudinger,1901. **Pyralis palpalis** Hübner,1796, Samml. eur. Schmett. 6, Pyralides: Tab.2 fig.9. Type(s): Europa. **FR Co Sa Si IT YU AL BG GR TR AM RU Cc St Da MD UA BY AF LB Bsa IR Fa Sse IQ R wz**
983. **Hypena quadralis (Walker,[1859])** (Noctuidae) Synonym(s): *quadralis* Walker,[1859]; *mollis* Swinhoe,1891 **IN Ass Meg Khs AF TH Cma Dst Dso7 Nan Dpk MY LA KH VN NP Adm CN ID Sum Bor Nk PH**
984. **Hypocala rostrata (Fabricius,1794)** (Noctuidae) Synonym(s): *rostrata* Fabricius,1794; *angulipalpis* Guenée,1852; *efflorescens* Guenée,1852; *plumicornis* Guenée,1852; *genuina* Wallengren,1856; *bohemani* Wallengren,1856. **Noctua rostrata** Fabricius,1794, Ent. Syst. 3 (2): 127. Type(s): India orientali. **ZA Nta Kzu Est Dbn ZW Har BW Nga YE? TH Phu Cma Cuo Cuo5 Int CDo VN IN NP PK AF CN TW JP KP KR PH ID**
985. **Hypsophila klapperichi Boursin,1957** (Noctuidae) Synonym(s): *klapperichi* Boursin,1957 **AF**
986. **Lacanobia (Dianobia) dissimilis (Knoch,1781)** (Noctuidae) Synonym(s): *#suasa* [Denis & Schiffermüller],1775; *dissimilis* Knoch,1781; *leucographa* Esper,[1790]; *denscanis* Haworth,1809; *permixta* Geyer,[1833]; *pavida* Boisdual,1840; *confluens* Eversmann,1844; *laeta* Reuter,1893. **Phalaena dissimilis** Knoch,1781, Beitr. Insektengesch. 1:57, tab.4, figs.1-4. **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Ro St Kr Kb Kc Ich Nt Ing Kyi Da Ur Sb Am Prj Us MD UA BY CN Ui Ku KK Ik TrA Ax TeA UZ N-A KG Tk Dj MN AF Fz Kab**
987. **Lacanobia (Diataraxia) praedita (Hübner,[1813])** (Noctuidae) Synonym(s): *praedita* Hübner,[1813] **Noctua praedita** Hübner,[1813], Samml. eur. Schmett. Noct.2: Taf. 130 fig.595. Type(s): Europa. **RO BG RU Ro Kc Ich MD UA Cm BY TR AM GG Smt Akh Cc IQ AF Plt TM Ch KG Tk TJ Pm CN Ui Ga Yk PK KK Ik Ax Skm UZ Fe**
988. **Lasionycta melanographa Varga,1973** (Noctuidae) Synonym(s): *melanographa* Varga,1973 **AF**
989. **Lasionycta orientalis (Alpheraky,1882)** (Noctuidae) Synonym(s): *orientalis* Alpheraky,1882; *uniformis* Staudinger,1896. **UZ Fe MN Uli U-B CN Ui Ku Au Kl T-S KK Ik Ax TeA Ax TrA Na KG Tk Dj AF Bd Adr TJ Pm**
990. **Leucania loreyi (Duponchel,1827)** (Noctuidae) Synonym(s): *loreyi* Duponchel,1827; *caricis* Walker,1856; *collecta* Walker,1856; *curcula* Walker,1856; *denotata* Walker,1856; *designata* Walker,1856; *exterior* Walker,1856; *thoracica* Walker,1856. **Noctua loreyi** Duponchel,1827, Hist. nat. Lépid. Pap. France 7: 81, pl.105 fig.7. Type(s): [France]: Dijon. **Cn Md MA DZ TN PT ES FR Co Sa Si IT MT IE GB NL DE CH AT RO YU BG GR Cr TR DK EE IQ Agh Amr kut Kum LB Bei Bsa IR Elb Fa Ss Ke Kh PK Rw Drm Cp NI BI Qu AF Hr Srb Arh ZA Nta Kzu Dbn Est IN Pj Kul Sml Hp ID Ja AU QAU Bri FJ TO NC KE JP TW MM PH Ceb CY US Up Bhi Sn EG JO SY IL Pa Hf Mz Th Nos Kdj Kd Lo Kz Yas Km Cc RU Ro Kb Ich CV Az**
991. **Lophoterges (Variterges) radians L.Ronkay,2005** (Noctuidae) Synonym(s): *radians* L.Ronkay,2005 **AF Nu PK BI Qu TJ Pm Sfk**
992. **Luperina koshantschikovi (Püngeler,1914)** (Noctuidae) Synonym(s): *koshantschikovi* Püngeler,1914 **TR TM AF Hr**
993. **Lygephila cracca (Fabricius,1787)** (Noctuidae) Synonym(s): *#cracca* [Denis & Schiffermüller],1775; *cracca* Fabricius,1787; *nigricollis* Villers,1789; *riata* Rungs,1952; *caliginosa* Schawerda,1931; *herrerai* Yela,1990; *#cracca*

- Hacker & Kautt,1999. *Noctua cracca* Fabricius,1787, Mant. Ins. 2: 154, nr.137. Type(s): [Wien]. MA PT ES Mu FR Co Sa Si IT GB BE LU DE CH AT PL CZ HU RO YU BG GR Cr TR AZ AM GG Cc IQ Ry LB Bsa DK NO SE FI EE LV LT RU Cc Ro Kr St Ich Ing Da MD UA BY IR Fa By Yas Ke Ss Lo Kh Mz Elb Th Dam Kz Yas Skh Kd Snj Lo Yz CN Ui Chk AF Pag KG Tk Dj Ii KK Ik T-A CY
994. **Lygephila dorsigera (Walker,1865)** (Noctuidae) Synonym(s): *dorsigera* Walker,1865; *cucullata* Moore,1882; *orientalis* Butler,1886 AF PK Mre LK IN NP TH Nan
995. **Lygephila lusoria (Linnaeus,1758)** (Noctuidae) Synonym(s): *lusoria* Linnaeus,1758; *orobi* Duponchel,1821; *lathyri* Boisduval,[1828] *Phalaena lusoria* Linnaeus,1758, Syst. Nat. (Edn.10)1: 506. Type(s): Germany. FR Sa Si IT CH AT PL CZ SK HU RO YU BG GR TR IL Pa LT RU MD UA BY Cc GG AZ AM IR IQ AF KK
996. **Macdunnoughia confusa (Stephens,1850)** (Noctuidae) Synonym(s): *confusa* Stephens,1850; *gutta* Guenée,1852. PT ES Mu FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AZ AM Cc IQ Agh Sbn IR Ha Gh Elb Mz Th LB Bei DK NO SE FI EE LV LT RU Ro Kr St Kb Kc Nt Ich Ing Da Kyi MD UA BY CN Ui Ku KG Tk Dj KK Osh AF Nu Pli Srb Bsg PK Ch
997. **Mamestra brassicae (Linnaeus,1758)** (Noctuidae) Synonym(s): *brassicae* Linnaeus,1758; *omicron* Geoffroy,1785; *albidilinea* Haworth,1809; *andalusica* Staudinger,1871; *decolorata* Staudinger,1889. *Phalaena brassicae* Linnaeus,1758, Syst. Nat. (Edn.10)1: 516. Type(s): [Europa]. PT ES An FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR GG AZ AM Cc DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Kyi Da MD UA BY PK AF KG Tk Dj KK Ax Ik UZ Fe Sb Am Prj Us CN Ch IN Kul Hp Pj Dlh Sml Ti Drm PK IR Elb Gh Kz JP
998. **Margelana flavidior Wagner,1831** (Noctuidae) Synonym(s): *flavidior* Wagner,1831 Margelana *flavidior* Wagner,1831, Int. ent. Z. 25: 36. Type: Turkey, Akşehir. IL Pa TR Cc IR TM AF Gbh
999. **Meganola nanula (Wiltshire,1961)** (Noctuidae) Synonym(s): *nanula* Wiltshire,1961 Roeselia *nanula* Wiltshire,1961, Beitr. naturk. Forsch. SW-Deutschl. 19 (3): 338-339, pl.ii figs.4,6,7. Holotype ♂: Afghanistan: Badachsan, Kabul vicinity 1740m, 14.v.52 (leg. & coll. Klapperich). AF Kab Nu Bsg Sen IR Kd
1000. **Mesoligia furuncula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *furuncula* [Denis & Schiffermüller],1775; *spoliaticula* [Denis & Schiffermüller],1775; *bicoloria* Villers,1789; *vinctuncula* Hübner,[1803]; *humeralis* Haworth,1809; *terminalis* Haworth,1809; *rufuncula* Haworth,1809 *Noctua furuncula* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 89. Type(s): [Austria]: Vienna district. PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR AZ Zu Tlh AM GG Cc DK NO SE FI EE LV LT RU Ro Kb Ing Da MD UA BY AF IR LB Bei CN
1001. **Mesoligia literosa (Haworth,[1809])** (Noctuidae) Synonym(s): *literosa* Haworth,[1809]; *erraticula* Hübner,[1813]; *faroulti* Rothschild,1914; *powelli* Oberthür,1918 *Noctua literosa* Haworth,[1809], Lepid. Br.: 213. Type(s): England. MA DZ ES FR Si IT IE GB BE NL CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Ro St Kb Kr Nt Ich Ing Da MD UA BY IR Fa Th Kh KuB Zj Mz Elb Dam Snj Kd Lo Mia IQ AF IL Pa Js Hf SY UZ AZ AM GG Cc IQ LB Bei TJ Pm KK Ax TrA
1002. **Mesoplus contrita (Christoph,1884)** (Noctuidae) Synonym(s): *contrita* Christoph,1884 TM Kp CN Ui AF Hr Dwe Arh IR Ke Hz B-A Ana
1003. **Mesoplus pachypila Boursin,1968** (Noctuidae) Synonym(s): *pachypila* Boursin,1968 AF
1004. **Metachrostis sefidi (Brandt,1938)** (Noctuidae) Synonym(s): *sefidi* Brandt,1938 Leptosia *sefidi* Brandt,1938, Ent. Rdsch. 55: 558, figs. 140-142. Syntypes: Iran: [Fars]: Fort Mian-Kotal. IR Fa Hz Ss IQ TR AF Srb OM
1005. **Metalopha (s.str.) liturata (Christoph,1887)** (Noctuidae) Synonym(s): *liturata* Christoph,1887; *plusina* Staudinger,1892. *Megalodes liturata* Christoph,1887, [in] Romanoff, Mem. Lep. 3:89. Syntypes: [Iran]: Shahrud. [Turkmenistan]: Ashabad. IR Sae Elb Th Kdj Ak Ha Hz B-A Fa Ss TM TR IQ Fk AF Hr Arh AE SA SY JO
1006. **Metopodicha longicornis Boursin,1957** (Noctuidae) Synonym(s): *longicornis* Boursin,1957 AF Khi
1007. **Metoponrhis karakumensis (Gerasimov,1931)** (Noctuidae) Synonym(s): *karakumensis* Gerasimov,1931 Armada *karakumensis* Gerasimov,1931, Mitt. münch. ent. Ges. 21 (2): 62. Type: [Turkmenistan]: Karakum (ZI). TM Kp IR AF UZ Br
1008. **Mniotype adusta (Esper,[1790])** (Noctuidae) Synonym(s): *adusta* Esper,[1790]; *duplex* Haworth,1809; *valida* Hübner,[1813]; *vultarina* Freyer,1832; *chardinyi* Duponchel,[1838]; *pavida* Boisduval,1840; *baltica* Hering,1846; *vulturinea* Herrich-Schäffer,[1850]; *vicina* Alpheraky,1882; *griseus* Standfuss,1893; *aterrima* Costantin.,1916; *carpathica* Kaucki *Phalaena adusta* Esper,[1790], Die Schmett. 4(2): 483, Taf.149, fig.1,2. Syntypes: [Germany]: Frankfurt. PT ES FR Co Sa IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc DK NO SE FI EE LV LT RU Ro St Kb Kc Nt Ich Ing Da MD UA BY CN Ui Arc Chk AF Adr KK TeA Ax TrA
1009. **Mniotype aphanes (Boursin,1960)** (Noctuidae) Synonym(s): *aphanes* Boursin,1960 AF Pag
1010. **Mythimna (Aletia) impura (Hübner,[1808])** (Noctuidae) Synonym(s): *impura* Hübner,[1808]; *fuliginosa* Haworth,1809; *punctina* Haworth,1809; *amurensis* Staudinger,1892; *transbaikalensis* Staudinger,1892; *fuscipennis* W. Warren,1910 *Noctua impura* Hübner,[1808], Samml. eur. Schmett., Noct.2: Taf.85, fig.396. Type: [Europa]. ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Cc Ro Kr Kc St Ich Ing Ur Sb Am MD UA BY IR Elb Th CN Ui Ku Au Ga Ti Ts Kno KK Ik TrA Na TJ Pm AF JP
1011. **Mythimna (Aletia) l-album (Linnaeus,1767)** (Noctuidae) Synonym(s): *l-album* Linnaeus,1767; *penicillata* Moore,1881 *Phalaena l-album* Linnaeus,1767, Syst. Nat. (Edn.12)1: 850. Type(s): [Europa]. MA DZ TN PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AZ AM Cc DK NO SE LV RU Ur MD UA BY IR Fa Ke Lo Es Ha Ss Gh Elb Th Dam Kdj Ab Kz Yas AF Gbh PK IN Pj Sml Dlh Hp Kul Up Bhi SINP CY IQ LB Bei Bsa IL Pa KK KG CN UZ Tk Dj Ax N-A Ro St Kr Kb Nt Ich Da
1012. **Mythimna (Aletia) melania (Staudinger,1889)** (Noctuidae) Synonym(s): *melania* Staudinger,1889 *Leucania melania* Staudinger,1889, Stettin ent. Ztg. 50: 48. Syntypes: [Kirgizistan]: "südlich vom Issykul" (Rückbeil leg.). KK Ik Ax TeA CN Ui Au Kml AF Pag TJ Pm Chr

- 1013. Mythimna (Aletia) vitellina (Hübner,[1808])** (Noctuidae) Synonym(s): *vitellina* Hübner,[1808]; *#vitellena* Lederer,1870; *decolorata* Dannehl,1929; *saturation* Dannehl,1929; *grisea* Dannehl,1929. *Noctua vitellina* Hübner,[1808], Samml. eur. Schmett.,Noct.2: Taf.81, fig.379. Type: [Europa]. Cn MA MR DZ TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IQ Brs Ry Rws Dia Agh DK RU At MD UA BY PK Ch NP IN Pj Kul CN IR Lo Es Ha Kh Fa Mz Elb Th Kdj AF Hr UZ Fe KK Ik TM KG TJ CY AZ Bak GG Cc LB Bsa SY JO IL Pa T-A Kp N-A Br Ro Kr St Kc Kb Nt Ing Ich Da
- 1014. Mythimna (Pseudaletia) unipuncta (Haworth,[1809])** (Noctuidae) Synonym(s): *unipuncta* Haworth,[1809]; *extranea* Guenée,1852; *antica* Walker,1856; *tseki* Koutsaftikis,1974. *Noctua unipuncta* Haworth,[1809], Lep. Br. 2: 174. Type(s): England. Md Cn DZ MA TN PT ES FR Co Sa Si IT MT IS IE GB NL LU DE CH AT PL CZ SK HU RO AL BG GR Cr TR DK SE RU Ur Sb At Am Us MD UA BY AF Gbh Pli Srb Kab CN JP Ch IN Pj Kul PK Mre Cp Hp Drm SI Clc Bba ID Ja AU NSw Syd NZ CA US Ny Ilm Alb NMx Arz Tx Kan Col MX GT Prj CR PA BR AR VE CU PU Az Flo CY IL Pa LB Bsa SY JO ZA Nta Kzu IR Mz Elb Th Dam Kd Lo Cc Ro St Kb Kc Nt Ich
- 1015. Neachrostia kasyi Wiltshire,1971** (Noctuidae) Synonym(s): *kasyi* Wiltshire,1971 **AF Pag**
- 1016. Nekrasovia crassicornis (Boursin,1960)** (Noctuidae) Synonym(s): *crassicornis* Boursin,1960 **AF TJ KK T-S UZ**
- 1017. Nezonecta pusilla (Püngeler,1900)** (Noctuidae) Synonym(s): *pusilla* Püngeler,1900 *Thargelia pusilla* Püngeler,1900, Dt. ent. Z., Iris 13: 118. Syntypes: [Turkmenistan]: Ashabad. **TM Kp AF Gbh TJ Pm TR IR Fa Sse Gh Elb Dam KE Yz**
- 1018. Noctua (Latanoctua) orbona (Hufnagel,1766)** (Noctuidae) Synonym(s): *orbona* Hufnagel,1766; *subsequa* [Denis & Schiffermüller],1775; *caroni* Lempke,1964. *Phalaena orbona* Hufnagel,1766, Berl. Mag. 3(3): 304. Type(s): [Germany]: Berlin. MA DZ TN LY PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Kyi Da MD UA Cm BY IR Lo By Yas Zj Elb Th Kdj Kd LB Bsa SY IQ GG Smt Akh Bjo Tbl AZ Hkd Kir Nv Ord AM Cc TM UZ N-A AF KG Uk KK Osh TJ Pm Chr
- 1019. Noctua (s.str.) pronuba (Linnaeus,1758)** (Noctuidae) Synonym(s): *pronuba* Linnaeus,1758; *connuba* Hübner,[1822]; *innuba* Treitschke,1825; *hoegei* Herrich-Schäffer,1861; *nigra* Krausse,1912 *nec* Piesz.,1908; *decolorata* Turati,1923. *Large Yellow Underwing* *Phalaena pronuba* Linnaeus,1758, Syst. Nat. (Edn.10)1: 512. Type(s): [Europa]. MA DZ TN LY EG PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR DK NO SE FI EE LV LT RU Nov Sr MD UA Cm BY IR Fa Mz Gh Elb Th Kd Bu Dlk IQ Agh Dy Kbl Kro AF PK IN GG Tbl Bjo AZ Kir AM Cc Sb Ur LB Bsa IL Hf Pa JO SN Az Cn UZ Br Ro Kr St Kc Kb Nt Ing Kyi Da
- 1020. Nola fraterna (Moore,1888)** (Noctuidae) Synonym(s): *fraterna* Moore,1888 **AF Nu IN Hp Klu MM Adm MY Bor AU QAU**
- 1021. Nola kreuteli (Vartian,1963)** (Noctuidae) Synonym(s): *kreuteli* Vartian,1963 *Celama kreuteli* Vartian,1963, Z. wien. ent. Z. 48: 131. **AF Kab Gbh Bm Pag**
- 1022. Nola parwana (Ebert,1973)** (Noctuidae) Synonym(s): *parwana* Ebert,1973 **AF Kbb Pnj**
- 1023. Nola squalida Staudinger,1871** (Noctuidae) Synonym(s): *squalida* Staudinger,1871; *musculalis* Saalmüller,1880; *turanica* Staudinger,1887; *fraterna* Moore,1888; *vanhasseltii* Heylaerts,1892; *ceylonica* Hampson,1893; *desmotes* Turner,1899; *parvula* Chrétien,1913; *mesoscia* Hampson,1914; *henrioti* Warnecke,1937; *minima* Warnecke,1938; *#squamosa* Zukowsky,1941; *priesneri* Rebel,1947 *Nola squalida* Staudinger,1871, Berl. ent. Z. 1870: 102. Type: Andalusia (Malaga). AL ES FR Sa Si IT DE AL GR CY TR LB Bei IL Pa AF Kab Nu Bsg Srb Pli UZ Fe Man IR Kz Fa Shr Kh Sbz IQ Bgd Bsr Sbn Agh CN TW LK ZA
- 1024. Nycteola asiatica (Krulikovsky,1904)** (Noctuidae) Synonym(s): *asiatica* Krulikovsky,1904; *populana* Patočka,1953; *hungarica* Kovacs,1954. *Sarothrips revayana* var. *asiatica* Krulikovsky,1904, Revue Ent. Russk. 4: 91. Type(s): [Turkmenistan]: Transkaspian. ES FR Sa IT BE DE CH AT PL CZ SK HU RO YU B-H MK BG GR TR GG Smt Akh JO DK SE FI EE LV LT RU Ur At Sb Prj Us Am Cc Ro Kr St Nt Ich Da MD UA BY IQ IR Ke Kh Elb Th Gh Kd Lo Mz TM Kp AF Pag T-S PK NP CN Ui Ii T-S Mc KK Ax TeA Skm KG Tk Aa Dj KP KR JP
- 1025. Ochropleura plecta (Linnaeus,1761)** (Noctuidae) Synonym(s): *pecta* Linnaeus,1761; *unimacula* Staudinger,1859; *anderssoni* Lampa,1885; *glaucimacula* Graeser,[1889]; *unupplecta* Bryk,1942. *Flame Shoulder* *Phalaena plecta* Linnaeus,1761, Fauna Suecica (2): 321. Type(s): Sweden. MA DZ TN LY EG PT ES Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Akh Smt Cc AZ Hkd DK NO SE FI EE LV LT RU Ro Kr St Kc Kb Nt Ich Ing Da MD UA BY LB SY IQ IR Gh Elb Mz AF TM KK KG
- 1026. Odontelia margiana (Püngeler,1901)** (Noctuidae) Synonym(s): *margiana* Püngeler,1901 **IL Pa JO SA AF TM Mrw**
- 1027. Odontelia regina Varga & Ronkay,1991** (Noctuidae) Synonym(s): *regina* Varga & Ronkay,1991 **AF**
- 1028. Oederemia octogesima Boursin,1960** (Noctuidae) Synonym(s): *octogesima* Boursin,1960 **AF Pag Kab**
- 1029. Oncocnemis asema Boursin,1957** (Noctuidae) Synonym(s): *asema* Boursin,1957 **AF**
- 1030. Oncocnemis beri Gyulai & Hreblay,1992** (Noctuidae) Synonym(s): *beri* Gyulai & Hreblay,1992 **UZ KG AF**
- 1031. Oncocnemis exacta Christoph,1887** (Noctuidae) Synonym(s): *exacta* Christoph,1887; *iranica* Schwingenschuss,1937 **TR Cc TM Kp CN Ui IR Kh Fa By Elb Th Dam Km Kd Lo Fa Com TJ Pm Chr AF IN Ld MN**
- 1032. Oncocnemis mixtazona Hreblay & L.Ronkay,1992** (Noctuidae) Synonym(s): *mixtazona* Hreblay & L.Ronkay,1992 **TM AF Wk TJ Pm**
- 1033. Oncocnemis penthina Boursin,1963** (Noctuidae) Synonym(s): *penthina* Boursin,1963 **AF Pag Kab**
- 1034. Oncocnemis rhodophaea Ebert,1978** (Noctuidae) Synonym(s): *rhodophaea* Ebert,1978 **AF Pag Kab**

- 1035. *Oncocnemis senica* (Eversmann,1856)** (Noctuidae) Synonym(s): *senica* Eversmann,1856; *literata* Bremer,1864; *x-signata* Staudinger,1898; *boursini* Ronkay,1988. **RU At Ur Am AF**
- 1036. *Oncocnemis x-scripta* Sugi,1986** (Noctuidae) Synonym(s): *x-scripta* Sugi,1986 **AF**
- 1037. *Ophiusa tirhaca* (Cramer,[1777])** (Noctuidae) Synonym(s): *tirhaca* Cramer,[1777]; *#tirrhaea* Fabricius,1781; *vesta* Esper,1789; *olivacea* Villers,1789; *auricularis* Hübner,[1803]; *separans* Walker,1858; *hottentota* Guenée,1852; *clementi* Swinhoe,1918; *#demarginata* Heydemann et al.,1963; *obscura* Pinker & Bacallado,1978 **Phalaena**
tirhaca Cramer,[1777], Uitl. Kapellen 2:116. Type(s): [South Africa]: Kap Horn. **Cn MA MR DZ TN LY PT ES Mu FR Co Sa Si IT CH AT RO YU BG GR Rd Cr TR CY SY Pmy LB IL Pa JO EG Sn Sk SD ET ET24 ER SO KE ZA Tva Lpo Spb Mdk Gau Pre Wb Ec ZW Har MD IR Hz Fa Kaz Mia IQ Bgd AF PK TH Knc CMA Int CDo MY TW Sum PH IN ID Clb Mlc NC JP AU MG SC Kz Yas Cuo**
- 1038. *Oria musculosa* (Hübner,[1808])** (Noctuidae) Synonym(s): *musculosa* Hübner,[1808]; *laeta* Alpheraky,1889. *Noctua musculosa* Hübner,[1808], Samml. eur. Schmett. 4, Noctuae: Tab.78 fig.363. Type(s): **Europa. Cn MA DZ TN EG PT ES FR Sa Si IT MT GB BE DE CH? AT PL CZ SK HU RO YU AL BG GR Cr CY Rd TR IR Fa Shr Elb Th TM DK RU Cc Ro Kr St Ich Da MD UA BY AF Hr TJ Pm IQ Agh LB IL Hf Js Pa SY Dms JO**
- 1039. *Orthosia* (s.str.) *reshoefi* Hreblay,1994** (Noctuidae) Synonym(s): *reshoefi* Hreblay,1994 **AF**
- 1040. *Ostheldera kondara* Varga & L.Ronkay,1991** (Noctuidae) Synonym(s): *kondara* Varga & L.Ronkay,1991 **TJ AF**
- 1041. *Paectes subapicalis* (Walker,1857)** (Noctuidae) Synonym(s): *subapicalis* Walker,1857; *recurrens* Walker,1858 **IN TH CMA Int VN MM NP AF PK MY Bor**
- 1042. *Pamirorea eberti* L.Ronkay & Varga,1990** (Noctuidae) Synonym(s): *eberti* L.Ronkay & Varga,1990 **AF**
- 1043. *Paraegle digramma* Boursin,1961** (Noctuidae) Synonym(s): *digramma* Boursin,1961 **AF Srb Kab**
- 1044. *Paraegle ochracea* (Erschoff,1874)** (Noctuidae) Synonym(s): *ochracea* Erschoff,1874 **Metoponia**
ochracea Erschoff,1874, [in] Fedtschenko, Travels in Turkestan 2(5), Lepidoptera: 53, pl.3 fig.52. Type(s): [Usbekistan]: Kasil-kum desert. **UZ TR IR Fa Kd AF Hr**
- 1045. *Parallelia algira* (Linnaeus,1767)** (Noctuidae) Synonym(s): *algira* Linnaeus,1767; *achatina* Sulzer,1776; *alterna* Villers,1789; *triangularis* Hübner,[1803] *nec* Thunb.,1784; *albivitta* Guenée,1852; *festina* Walker,1858; *europaea* Schawerda,1912 **Phalaena**
algira Linnaeus,1767, Syst. Nat. (Edn.12)1: 836. Type(s): **Algeria. Cn MA DZ PT ES Mu FR Co Sa Si IT MT GB DE CH AT PL SK HU RO YU AL GR Cr Rd TR Cc CY IQ Akr Bsr Amr DK RU Am MD UA BY KK TM AF IR Fa LB Bsa IL Pa SY JO UZ Fe CN KP KR JP Za Tva Lpo Spb Mdk Mpu Brb Gau Pre Nta Kzu Dbn Ec Grh SL NG ZR KE YE Ad MU IN CN PK LK MM AB Elb Mz Th AZ AM GG Cc Ro Kr St Ich Da CV**
- 1046. *Parallelia torrida* (Guenée,1852)** (Noctuidae) Synonym(s): *torrida* Guenée,1852; *albivitta* Guenée,1852; *festina* Walker,1858; *#zorrida* Hacker,[1987] *Ophiusa torrida* Guenée,1852, [in] Boisduval & Guenée, Hist. nat. Ins. Noct. 3: 269. Type(s): **Bourbon. MA DZ PT ES Mu Si IT MT YU HV AL BG GR CY TR IR IQ Agh Bgd UZ N-A NP LB IL Pa SY JO AF Srb Nu Gbh IN ZR ZA ET ET24**
- 1047. *Parastichtis corticea* (Esper,[1800])** (Noctuidae) Synonym(s): *#ypsillon* [Denis & Schiffermüller],1775; *ipsilon* Goetze,1781 *nec* Hufn.,1766; *corticea* Esper,[1800]; *fissipuncta* Haworth,1809; *upsilon* Curtis,1828. **Phalaena**
corticea Esper,[1800], Die Schmett. 4: 463, Tab. 145 figs. 2,3. **MA DZ PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ Kir Cc CY IQ IR Ha Mz Elb Kd Snj Lo DK NO SE FI EE LV LT RU Ro Kr St Kb Ich Ing Kyi MD UA BY AF Balk UZ N-A**
- 1048. *Parexarnis sollers* (Christoph,1877)** (Noctuidae) Synonym(s): *sollers* Christoph,1877 **IR Fa Ke By**
Yas Lo Ss Elb Kdj Es AF Hr Pli Bark Gbh Ca Dwe UZ
- 1049. *Pericyma albidentaria* (Freyer,1842)** (Noctuidae) Synonym(s): *albidentaria* Freyer,1842 **Acidalia**
albidentaria Freyer,1842, Neuere Beitr. Schmett. 4:115, Tab.354 fig.1. Type(s): **[Russia]: Südrussland. GR TM Kp Fe UZ AF Hr Pli Srb Gbh Bd IQ Bgd Amr Bsr kut SY Pa IL Pa Hf LB CY TR CN Ui Ku Ga KG Tk Tks Dj Aa RU Cc Ro St Ich Da Sr LY**
- 1050. *Pericyma squalens* Lederer,1855** (Noctuidae) Synonym(s): *squalens* Lederer,1855 **CY TR IQ kut**
Agh Tkr Amr IR Th Elb Ahz Kh Fa Ab Mak Ke Mia Kaz Kd Lo Km Snj Chh Hz B-A Bu Dlk AF Pli TM KW SA EG EG11 EG61 LB Bei IL Pa JO
- 1051. *Pericyma umbrina* (Guenée,1852)** (Noctuidae) Synonym(s): *umbrina* Guenée,1852; *albicincta* Guenée,1852; *hypophaea* Guenée,1852; *plumipes* Walker,1865; *continua* Walker,1865. **ZA AF Nu Bsg Srb PK IN Up**
Ddu SI TH Knc LA NP ID Sum Ja
- 1052. *Perigrapha* (Harutaeographa) *craspedophora* Boursin,1969** (Noctuidae) Synonym(s): *craspedophora* Boursin,1969 **AF Pag Kab Bm**
- 1053. *Perigrapha* (Harutaeographa) *saba* Hreblay & Plante,1996** (Noctuidae) Synonym(s): *saba* Hreblay & Plante,1996 **PK Gg Asr Klm Sha AF**
- 1054. *Perigrapha* (s.str.) *nyctotimia* Boursin,1969** (Noctuidae) Synonym(s): *nyctotimia* Boursin,1969 **AF Pag Bm**
- 1055. *Periphanes delphinii* (Linnaeus,1758)** (Noctuidae) Synonym(s): *delphinii* Linnaeus,1758; *darollesi* Oberthür,1876; *delphini* Hampson,1903. **Phalaena**
delphinii Linnaeus,1758, Syst. Nat. (Edn.10)1: 518. Type(s): **[Europa]. MA TN DZ ES FR IT GB NL DE CH AT PL CZ SK HU RO YU BG GR TR GG Smt Akh Cc AM LV LT RU Ro St Ich Kyi Da Ur MD UA BY IR Fa Ss Elb Th Dam Ab Mak IQ TIH AF Hr UZ Fe KK KG TJ UZ N-A SY IL Pa**
- 1056. *Pinacoplus didymogramma* (Erschoff,1874)** (Noctuidae) Synonym(s): *didymogramma* Erschoff,1874 **UZ AF Arh**
- 1057. *Pinacoplus eberti* Boursin,1968** (Noctuidae) Synonym(s): *eberti* Boursin,1968 **AF**
- 1058. *Plecoptera reflexa* Guenée,1852** (Noctuidae) Synonym(s): *reflexa* Guenée,1852; *gammoides* Walker,1858; *simplex* Walker,1858; *hamifera* Walker,1865 **IR Ke Fa Mia Kaz Kz Yas Skh IQ Bsr Agh AF Srb AE IL Pa TH CMA CDo IN**
- 1059. *Polymixis* (Bousinixis) *pamiridia* Boursin,1968** (Noctuidae) Synonym(s): *pamiridia* Boursin,1968 **AF Pm TJ Chr**

- 1060. Polymixis (Bousinixis) polymorpha Boursin,1960** (Noctuidae) Synonym(s): *polymorpha* Boursin,1960 **AF Slg**
- 1061. Polymixis (Bousinixis) stictineura Boursin,1960** (Noctuidae) Synonym(s): *stictineura* Boursin,1960 **AF Slg**
- 1062. Polymixis (Bousinixis) zophodes Boursin,1960** (Noctuidae) Synonym(s): *zophodes* Boursin,1960 **AF Slg**
- 1063. Polymixis (Eremophysa) acharis (Püngeler,1901)** (Noctuidae) Synonym(s): *acharis* Püngeler,1901; *intermissa* Boursin,1944. **AF CN Ui Au KG Tk KK TeA Ax TJ Pm Chr**
- 1064. Polymixis (Eremophysa) apothaina (Brandt,1938)** (Noctuidae) Synonym(s): *apothaina* Brandt,1938 *Sidemia apothaina* Brandt,1938, Ent. Rdsch. 55: 522-523, figs. 82-84. Syntypes ♂: Iran: [Tehran]: Keredj. **TR IR Hz Th Kdj Elb Ab Ksh JO IQ AF Srb AZ Nv Ngm Drh Dz Cc TM Kp**
- 1065. Polymixis (Eremophysa) argillosa Boursin,1970** (Noctuidae) Synonym(s): *argillosa* Boursin,1970 **AF**
- 1066. Polymixis (Eremophysa) roehrei Boursin,1961** (Noctuidae) Synonym(s): *roehrei* Boursin,1961 **AF Gbh**
- 1067. Polymixis (Parabrachionycha) trisignata (Ménétriés,1847)** (Noctuidae) Synonym(s): *trisignata* Ménétriés,1847; *leuconota* Herrich-Schäffer,[1850]; *nasamonius* Turati,1924 **LY RO MK BG GR Cr Rd TR Cc RU Ro UA TM CY LB IL Pa Hf JO SY UZ Fe AF IR Elb Th**
- 1068. Polyphaenis hemiphaenis Boursin,1970** (Noctuidae) Synonym(s): *hemiphaenis* Boursin,1970 **AF**
- 1069. Polypogon plumigeralis (Hübner,[1825])** (Noctuidae) Synonym(s): *plumigeralis* Hübner,[1825]; *crinalis* Treitschke,1829. *Pechipogo plumigeralis* Hübner,[1825], Verz. bekannt. Schmett.: 345. Type(s): Europa. **PT ES FR Co Sa Si IT MT GB CH AT PL RO YU AL BG GR Cr TR LB IL Pa SY IR AF RU Cc Kc Kr Da MD UA BY**
- 1070. Protoschinia scutosa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#scutosa* [Denis & Schiffermüller],1775; *nuchalis* Grote,1878 *Noctua scutosa* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 89. Type(s): [Austria]: Vienna district. **MA DZ TN EG ES FR IT MT IE GB NL DE CH AT PL CZ SK HU RO YU BG GR Cr TR GG AM AZ Cc DK NO SE FI EE LV LT RU Ro Kr St Kb Kc Nt Ich Ing Da Kyi Sb At Us MD UA BY KK TrA T-A KG Tk Aa UZ N-A CN Ui Ku Kgs Ch IN Gs Dra Kul Pj Rw KP KR US Mon Col Kan AF PK IR Mz Elb Ab Mak IL Pa Sn JP**
- 1071. Pseudochalcia shugnana (Sheljuzhko,1929)** (Noctuidae) Synonym(s): *shugnana* Sheljuzhko,1929 **TJ Pm Chr AF Bd**
- 1072. Pseudohadena (Eremohadena) siri (Erschoff,1874)** (Noctuidae) Synonym(s): *siri* Erschoff,1874; *adscripta* Püngeler,1914. **UZ Fe Br TM KK Ik MN Uli CN Ui Ga AF Pli**
- 1073. Pseudohadena (s.str.) laciniosa (Christoph,1887)** (Noctuidae) Synonym(s): *laciniosa* Christoph,1887 *Chloantha laciniosa* Christoph,1887,[in] Romanoff, Mém. lépid. 3: 77, pl.4 fig.4. Syntypes: [Turkmenistan]: Germob. **TM Kp IR Ke AF KK Ik TeA TR Cc KG Tk Dj**
- 1074. Pseudohadena (s.str.) megaptera Boursin,1970** (Noctuidae) Synonym(s): *megaptera* Boursin,1970 **AF IR Elb**
- 1075. Rhabinopteryx turanica (Erschoff,1874)** (Noctuidae) Synonym(s): *turanica* Erschoff,1874 **UZ KG CN Ui AF Hr**
- 1076. Rhyacia (s.str.) afghanidia (Boursin,1968)** (Noctuidae) Synonym(s): *afghanidia* Boursin,1968 **AF Kbb**
- 1077. Rhyacia (s.str.) arenacea (Hampson,1907)** (Noctuidae) Synonym(s): *arenacea* Hampson,1907; *pseudosimulans* Kozhantschikov,1929. *Epipsilia arenacea* Hampson,1907, Ann. Mag. nat. Hist. (7) 19: 245. Type: Pakistan: Quetta. **BG RU Ing Kyi Sb UA Cm AM GG Tbl UZ TM Kp CY TR PK Qu Bl IR Mz Fa Shr Ke Ss Elb Th Kdj AF Hr Gbh Pag Bm Cc AZ Kir Kp TM UZ N-A KK TrA Ik Fe CN Ui Ii Ch LB Bsa IL Pa Hf JO**
- 1078. Rhyacia (s.str.) evartianae Varga,1990** (Noctuidae) Synonym(s): *evartianae* Varga,1990 **AF**
- 1079. Rhyacia (s.str.) ignobilis (Staudinger,1888)** (Noctuidae) Synonym(s): *ignobilis* Staudinger,1888; *thapsina* Püngeler,1906; *asella* Püngeler,1906. *Agrotis ignobilis* Staudinger,1888, Stettin ent. Ztg. 49: 7-8. Syntypes 3♂: [Kirgizistan]: Issyk-Kul (Tancré leg.). **KK Ax Ik Fe TeA TrA TJ Pm Chr UZ AF Adr**
- 1080. Rhyacia (s.str.) junonia (Staudinger,1881)** (Noctuidae) Synonym(s): *junonia* Staudinger,1881; *alaina* Staudinger,1888 *Agrotis junonia* Staudinger,1881, Stettin ent. Ztg. 42: 415-416. Type ♂: [Kazachstan]: "Saisan" (MNHUB). **KG Ssn AF Bd CN Ui Au KI UZ Fe KK Ik Ax TeA Al MN**
- 1081. Rhyacia (s.str.) oromys Varga,1990** (Noctuidae) Synonym(s): *oromys* Varga,1990 **AF**
- 1082. Rhyacia (s.str.) oxytheca Boursin,1957** (Noctuidae) Synonym(s): *oxytheca* Boursin,1957 **IR Zj AF Bd PK IN**
- 1083. Rhyacia (s.str.) scythropa Boursin,1963** (Noctuidae) Synonym(s): *scythropa* Boursin,1963 **AF Pag**
- 1084. Rhyacia (s.str.) subdecora (Staudinger,1888)** (Noctuidae) Synonym(s): *subdecora* Staudinger,1888; *psammia* Püngeler,1906; *xanthopasta* Boursin,1957. *Agrotis subdecora* Staudinger,1888, Stettin ent. Ztg. 49: 7. Syntypes 4♂: [Uzbekistan]: Margelan (Haberhauer leg.). **TM Kp UZ IR Zj AF Bd**
- 1085. Rhynchina abducalis (Walker,[1859])** (Noctuidae) Synonym(s): *abducalis* Walker,[1859] **AF Nu Bsg**
- 1086. Saragossa siccanorum (Staudinger,1870)** (Noctuidae) Synonym(s): *siccanorum* Staudinger,1870 *Mamestra siccanorum* Staudinger,1870, Berl. ent. Z. 14: 114. Syntypes: [Russia]: Sarepta. **RO UA RU Cc Ro Kyi Da Sr TR IL Pa LB TM Kp IQ Agh IR Es Ke AF MN CN**
- 1087. Sesamia cretica Lederer,1857** (Noctuidae) Synonym(s): *cretica* Lederer,1857 *Sesamia cretica* Lederer,1857, Noct. Eur.:124. Type(s): [Greece]: Creta: Candia. **Cn MR MA DZ LY EG ES FR Co Sa Si IT MT DE YU**

- AL BG GR Cr TR IR Hz B-A Ss Fa Elb Mz Th Kdj RU Cc Ro Kr Nt Ich Ing Da AF Srb EG Sn SA IL Hf Pa LB JO SY IQ
Bgd Agh SD ET SO TM ZA
- 1088. *Sesamia inferens* (Walker,1856)** (Noctuidae) Synonym(s): *inferens* Walker,1856; *transquilaris* Butler,1880; *gracilis* Butler,1880; *innocens* Butler,1881. AF IR LK IN TW CN JP ZA
- 1089. *Sesamia rungsi* Boursin,1957** (Noctuidae) Synonym(s): *rungsii* Boursin,1957 AF Nu IR Hz B-A Fa
- 1090. *Setoctena dentula* (Lederer,1869)** (Noctuidae) Synonym(s): *dentula* Lederer,1869; *angulifera* Moore,1881; *innubila* Swinhoe,1886 Euxestis *dentula* Lederer,1869, Horae Soc. ent. ross. 6: 89, pl.5 fig.8. JO Amm TR IR Th Elb Gor Ss Kuh TM AF PK IN Mhw IQ Amr Akr Sbn
- 1091. *Sideridis* (Conisania) *xanthothrix* Boursin,1960** (Noctuidae) Synonym(s): *xanthothrix* Boursin,1960 TJ Pm AF Adr
- 1092. *Sideridis* (Luteohadena) *literata* (Fischer v. Waldheim,1840)** (Noctuidae) Synonym(s): *literata* Fischer v. Waldheim,1840; *suffusa* De Freina,1983. RU MD UA BY TR TM Kp IR Kh TJ PK KG Uk AF
- 1093. *Simyra dentinosa* Freyer,1839** (Noctuidae) Synonym(s): *dentinosa* Freyer,1839; *leucaspis* Fischer v. Waldheim,1840; *zeliha* Kornosor & Lödl,1990 *Simyra dentinosa* Freyer,1839, Neuere Beitr. Schmett. 3: 97, Tab. 263 fig.2,3. Type(s): [Türkei]: Konstantinopel [Istanbul]. RO MK AL BG GR RU Ro Kr St Nt Da MD UA TR Cc GG IL Pa LB SY JO IQ IR Ss AF Hr TM
- 1094. *Simyra nervosa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *nervosa* [Denis & Schiffermüller],1775. *Noctua nervosa* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 85. Type(s): [Austria]: Vienna district. FR Si IT DE CH AT PL CZ SK HU RO YU BG GR TR LT RU Cc Ro Ich Da MD UA BY IR Fa Th Es Ss AF CN Ui Ti MN KG Tk Dj KK TeA TrA TM Kp UZ
- 1095. *Spaelotis deplorata* (Staudinger,1897)** (Noctuidae) Synonym(s): *deplorata* Staudinger,1897; *defuncta* Staudinger,1897; *spania* Püngeler,1906 RU Ur MN KG Tk TM Sb CN Ui AF PK KK Ax Na TJ Pm Chr UZ N-A IR Ke
- 1096. *Spaelotis ravida* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *ravida* [Denis & Schiffermüller],1775; *austera* Esper,[1789]; *obducta* Esper,[1789]; *bigramma* Esper,[1790]; *obscura* Brahm,1791 nec Cramer,1780; *salva* Corti & Draudt,1933. *Noctua ravida* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 80. Type(s): [Austria]: Vienna district. PT ES FR Co IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR AM AZ GG Cc IR Lo Es Th Elb Dam DK NO SE FI EE LV LT RU Ro St Nt Ich Ing Kyi Da MD UA BY CN Ui Chk Tek Ju AF Bark KG Tk Dj KK Ax UZ N-A
- 1097. *Spaelotis restricta* Boursin,1968** (Noctuidae) Synonym(s): *restricta* Boursin,1968 AF
- 1098. *Spaelotis scotopsis* Boursin,1963** (Noctuidae) Synonym(s): *scotopsis* Boursin,1963 AF
- 1099. *Spodoptera cilium* Guenée,1852** (Noctuidae) Synonym(s): *cilium* Guenée,1852; *cycloides* Guenée,1852; *capicola* Herrich-Schäffer,[1854]; *latebrosa* Lederer,1855; *insignata* Walker,1857; *orbicularis* Walker,1857; *praeterita* Walker,1857; *procedens* Walker,1857; *obliterans* Walker,1862; *infixa* Walker,1862; *insulsa* Walker,1865; *imperviata* Walker,1865; *retrahens* Walker,1870. *Spodoptera cilium* Guenée,1852, [in] Boisduval & Guenée, Hist. nat. Ins. Noct. 1: 156. Type(s): Indie (MNHN). PT ES Mu FR Co Sa? Si IT MT GB BG Cr TR IL Pa Hf LB Bei Bsa IQ Bsr Amr Agh Bgd IR Km Hz CY PK Bl Qu AF Srb IN ZA Nta Kzu Est Wca Cto Ec ZW Har KE TH Bnk
- 1100. *Spodoptera exiguum* (Hübner,[1808])** (Noctuidae) Synonym(s): *exigua* Hübner,[1808]; *fulgens* Geyer,[1832]; *pygmaea* Rambur,1834; *junceti* Zeller,1847; *caradrinoides* Walker,1856; *flavimaculata* Harvey,1876; *venosa* Butler,1880; *sebhana* Austaut,1880; *antipodea* W.Warren,1914; *protector* De Laever,1985. *Noctua exigua* Hübner,[1808], Samml. eur. Schmett. Noct.2, Taf.78 fig.362. Type(s): Europa. TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AZ AM Cc DK NO SE FI EE LV LT RU MD UA BY CY LB Bsa IQ Agh Bgd Qr Amr KW PK Bl Qu AF Hr Gbh Srb Arh Dwe Kab ZA Gau Pre Tva Nta Kzu Dbn Est ZW IL Hf Rd Pa IR TH Fa Lo By Kz Yas Ke Hz B-A Ss Ha Kh Ab Oru Mz Elb Dam Kdj Gh Bu Dlk Ro St Kb Nt Ich Ing Da ET ET24 CV Az Md Cn Hw CA US
- 1101. *Stenodrina eudiopsis* Boursin,1960** (Noctuidae) Synonym(s): *eudiopsis* Boursin,1960 AF Nu Bsg
- 1102. *Tarachephia hueberi* (Erschoff,1874)** (Noctuidae) Synonym(s): *hueberi* Erschoff,1874 TR IR Ss Ahz Elb Mz Th Kdj Bu Dlk Hz B-A IQ Amr Agh AF TM Kp UZ
- 1103. *Tathorhynchus exsiccatus* (Lederer,1855)** (Noctuidae) Synonym(s): *exsiccata* Lederer,1855; *vinctalis* Walker,[1866]; *angustiorata* Grote,1882; *exsiccata* Wiltshire,1941; *greuteri* Koutsaftikis,1973 *Spintherops exsiccata* Lederer,1855, Verh. zool.- bot. Ver. Wien 5: 204, pl.2 fig.12. Type ♂: Lebanon: Beirut (MNHUB). Cn MA DZ PT ES FR Sa Si IT MT GB YU GR Cr TR IR Fa Hz Ss Ke Kh Elb Th Dam Mia Kaz B-A AF Hr Gbh CY IQ Bsy Kbl LB Bei Bsa IL Pa EG OM AE SA UZ Br ZA US Mai Col AU NF NZ AR
- 1104. *Thria robusta* Walker,[1858]** (Noctuidae) Synonym(s): *anysa* auct.; *robusta* Walker,[1858]; *fugitiva* Walker,[1858]; *opposita* Wallengren,1865; *sennaarensis* R.Felder & Rogenhofer,1874; *grandis* Staudinger,1877; *terrigena* Christoph,1877; *similata* Moore,1883; *distincta* Rothschild,1920; *asiria* Wiltshire,1988; *omana* Wiltshire,1988; *sokotrana* Wiltshire,1988 *Thria robusta* Walker,[1858], List Specimens lepid. Insects Colln Br. Mus. 13: 1112. Syntypes: South Africa. Cn MA DZ TN PT ES LY EG Sn IL Pa LB SY JO IT MT GR CY TR IQ Agh Bgd kut Amr IR Fa Qz Elb Th Dam Mia Kaz Kd Snj Lo Km Ss Hz B-A Ke SA As OM Sk AF PK TM Kp KK ID Ja ZA Nta Kzu Est Tva NA Dmr KE YE Ad SD ET ET24 IN LK MM
- 1105. *Thysanoplusia* (Daubeiplusia) *daubei* (Boisduval,1840)** (Noctuidae) Synonym(s): *daubei* Boisduval,1840; *ciliaris* Walker,[1858] MA DZ TN LY EG ES Mu FR Co Sa Si IT MT GR Cr TR AF Nu Bsg IL Pa SY LB CY IR Fa Ss Hz B-A IQ Bgd Agh Bsr PK SI Gg IN NP CN JP TW TH CMA Php
- 1106. *Thysanoplusia* (s.str.) *orichalcea* (Fabricius,1775)** (Noctuidae) Synonym(s): *orichalcea* Fabricius,1775; *chrystina* Martyn,1797; *aurifera* Hübner,[1813]. *Noctua orichalcea* Fabricius,1775, Syst. Ent.: 607. Az Md MA DZ Cn PT ES Mu FR Sa Si IT MT IE GB NL DE CH YU BG GR Cr TR CY IL Pa LB IN Ch KG AF Nu Bsg Srb Hr Kab Gbh ZA Tva Lpo Spb Mdk Gau Pre Jh SH KE ZW Har Nta Kzu Dbn Mv Ec Grh MU SA JP CN TW IN LK NC NZ TH Nrt Kao VN LA MY ID PG PH NP PK SA YE AU Cc Cn AZ Kir DJ DJ44 ET KE
- 1107. *Trichoplusia exquisita* (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *exquisita* R.Felder & Rogenhofer,1874 ZA Tva Gau Pre Jh Nta Kzu Ec Tra AF Srb DJ DJ44 ZW MG IR PK

- 1108. *Trichoplusia ni* (Hübner,[1803])** (Noctuidae) Synonym(s): *ni* Hübner,[1803]; *humilis* Walker,1858; *extrahens* Walker,1858; *brassicae* Riley,1870; *echinocystidis* Strecker,1874. **Ni Moth Ni Güvesi** *Noctua ni* Hübner,[1803], Samml. eur. Schmett. 4, Noctuae: Tab.58 fig. 284. Type(s): Europa. MA DZ TN LY PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK SE FI EE RU EG IL Hf Pa LB Bsa JO SY SA IQ Kq Agh Amr IR Fa By Yas Lo Kh Elb GG AM AZ Cc AF Bsg Nu Kab Hr Pli Srb Gbh Ca Arh Dwe PK IN KP KR CN US CA CU ZA MX Cn MD UA BY CV Wca Cto JP MG NZ Hw TH VN NP Elb Mz Th Kz Clu Dam Plr Kdj Ab Skh Snj B-A Hz Kaz Mia Ss Chh Ke UZ Br Ro Kr St Kb Nt Ich Ing Da DJ DJ44
- 1109. *Tyta luctuosa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *luctuosa* [Denis & Schiffermüller],1775; *italica* Fabricius,1781; *atra* Goeze,1781 nec Linn.,1767; *astroites* Fourcroy,1785; *maculosa* Villers,1789 *Noctua luctuosa* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Wiener Gegend: 90. Type(s): [Austria]: Wien. MA DZ PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR GG AZ Len AM Cc CY IL Pa Hf LB SY JO IR Fa Es Ha Kh Elb Mz Dam Th Ab Km Kd DK SE FI EE LV LT RU MD UA BY At KG Tks Tk Dj KK Ik TrA Osh UZ CN Ui Kun Ku AF IQ Agh Ro Kr St Kb Nt Ich Kyi Da
- 1110. *Victrix (Rasihia) chloroxantha* (Boursin,1957)** (Noctuidae) Synonym(s): *chloroxantha* Boursin,1957 **AF Pag**
- 1111. *Victrix (Rasihia) commixta* (W.Warren,1909)** (Noctuidae) Synonym(s): *commixta* W.Warren,1909 *Metachrostis commixta* W.Warren,1909, [in] Seitz, Gross-Schmett. Erde 3: 22-23 (4i). Syntypes 1♂ 1♀: Nord-Afghanistan: Provinz Kuliab (Tring Mus.) **AF TR**
- 1112. *Victrix (Rasihia) illustris* Varga & Ronkay,1991** (Noctuidae) Synonym(s): *#illustris* Boursin,1969; *illustris* Varga & Ronkay,1991. *Victrix (Rasihia) illustris* Varga & Ronkay,1991, Nota lep.d 14 (2): 157-159 [f. *illustris* Boursin,1969 raised to specific rank!]. **AF Nu Bkt**
- 1113. *Victrix (Rasihia) lichenodes* Boursin,1969** (Noctuidae) Synonym(s): *lichenodes* Boursin,1969 **AF Nu Bkt PK Klm Swa**
- 1114. *Victrix (s.str.) karsiana* Staudinger,1879** (Noctuidae) Synonym(s): *karsiana* Staudinger,1879 **TR**
Cc AM Eri Arg Svn Geg AF
- 1115. *Xanthodes albago* (Fabricius,1794)** (Noctuidae) Synonym(s): *albago* Fabricius,1794; *malvae* Esper,[1796]; *stramen* Guenée,1852; *impurata* Walker,1857; *impellens* Walker,1858; *inefficiens* Walker,1858. **Noctua albago** Fabricius,1794, Ent. Syst. 3 (2): 74. Type: Transquebarie. **MR MA DZ ET ZA Tva Gau Pre ES Mu FR Sa Si IT MT AL GR Cr TR IR IQ AF LB Bei IN TW LK CN KP KR JP AU**
- 1116. *Xenophysa agnostica* Varga,1989** (Noctuidae) Synonym(s): *junctimacula* Staudinger,1901 nec Chr.,1887; *agnostica* Varga,1989 **UZ Fe AF KK TJ Pm Chr**
- 1117. *Xenophysa argyrogramma* Varga,1985** (Noctuidae) Synonym(s): *argyrogramma* Varga,1985 **AF**
- 1118. *Xenophysa boursini* Varga,1985** (Noctuidae) Synonym(s): *boursini* Varga,1985 **AF**
- 1119. *Xenophysa junctimacula* (Christoph,1887)** (Noctuidae) Synonym(s): *junctimacula* Christoph,1887; *cacumena* Brandt,1938. *Agrotis junctimacula* Christoph,1887, [in] Romanoff,N.M., Mém. lépid. 3: 57, Taf.3 fig.11. Syntypes: [Iran]: Schahkuh; [Turkmenistan]: Ashabad. **TR IR Fa Th Elb Kh KuB Mz AF TM Kp CN Ts Kno UZ Fe Smk**
- 1120. *Xenophysa monastica* Boursin,1969** (Noctuidae) Synonym(s): *monastica* Boursin,1969 *Xenophysa monastica* Boursin,1969, Entomops 15: 224-225, figs. Holotype ♂: Afghanistan central, Dasht-i Nawar, Hokak, 2950m (coll. Vartian).: **AF Kbb BdA**
- 1121. *Xenophysa naumanni* Varga,1989** (Noctuidae) Synonym(s): *naumanni* Varga,1989 **AF Bd**
- 1122. *Xenophysa paradoxa* Varga,1989** (Noctuidae) Synonym(s): *paradoxa* Varga,1989 **AF Bd**
- 1123. *Xenophysa poecilogramma* Varga,1985** (Noctuidae) Synonym(s): *poecilogramma* Varga,1985 **AF KK Na TJ**
- 1124. *Xenophysa xenogramma* Boursin,1969** (Noctuidae) Synonym(s): *xenogramma* Boursin,1969 *Xenophysa xenogramma* Boursin,1969, Entomops 15: 223-224, figs. Holotype ♂: Afghanistan central, Band-i Amir, 3000m (coll. Vartian).: **AF BdA**
- 1125. *Xestia (s.str.) palaestinensis* (Kalchberg,1898)** (Noctuidae) Synonym(s): *palaestinensis* Kalchberg,1898. *Agrotis xanthographa* var. *palaestinensis* Kalchberg,1898, Dt. ent. Z., Iris 10: 168. **GR Cr TR IL Pa JO IR IQ Brs Ry Dia Rwz CY LB SY AF BdA Kbb**
- 1126. *Xylena exsoleta* (Linnaeus,1758)** (Noctuidae) Synonym(s): *exsoleta* Linnaeus,1758; *exsoleta* Fabricius,1787 *Sword-grass Gri Odungüvesi* *Phalaena exsoleta* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 515. Type(s): [Europa]. **Cn MA DZ TN PT ES FR Sa Si IT MT IS IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR Cc IQ IR AF LB IL Js Pa DK NO SE FI EE LV LT RU Ro Kr St Da MD UA BY CN Ti**
- 1127. *Zekelita (Ravalita) amseli* Wiltshire,1961** (Noctuidae) Synonym(s): *amseli* Wiltshire,1961 **AF**
Srb Hr Nu Bsg
- 1128. *Zekelita (Ravalita) ravalis* (Herrich-Schäffer,[1852])** (Noctuidae) Synonym(s): *ravalis* Herrich-Schäffer,[1852]; *revolutalis* Zeller,1852; *eremialis* Swinhoe,1889 nec Walk.,1859; *centralis* Staudinger,1892; *syriacalis* Staudinger,1892; *extorris* W.Warren,1913; *#pallida* Schawerda,1929; *#transcaspica* Brandt,1941. **Hypena ravalis** Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 2: 425. Type(s): [Türkei]: Amasia. **GR RU Cc Ich Da TR CY IL Pa LB Bei IQ Mos Dia Ry Rwz Brs Agh Amr KG KK PK Sd IN AF Hr Blh Gbh Srb Pli Bd Fz Kab EG BH JO SY IR Fa Ss Kh Elb Gh Mz Kd Ke Hz B-A TM Kp UZ Tas Fe N-A ZA**
- 1129. *Rhynchina plusioides* (Butler,1889)** (Noctuidae) Synonym(s): *plusioides* Butler,1889; *curvatula* W.Warren,1913 **IN Hp Drm PK Swa Mre Pj Ch AF Nu**
- 1130. *Rhynchina vartianae* (Wiltshire,1971)** (Noctuidae) Synonym(s): *vartianae* Wiltshire,1971 **AF Nu**
PK Swa
- 1131. *Zethes monotonus* Wiltshire,1969** (Noctuidae) Synonym(s): *monotonus* Wiltshire,1969 **Afgan**
Zühresi AF UZ

Notodontidae (12 species)

- 1132. Allata (Pseudallata) laticostalis (Hampson,1900)** (Notodontidae) Synonym(s): *laticostalis* Hampson,1900 **IN AF PK CN VN Ton Fan N-I M-c**
- 1133. Cerura (s.str.) himalayana Moore,1888** (Notodontidae) Synonym(s): *himalayana* Moore,1888 *Cerura himalayana* Moore,1888, Proc. zool. Soc. London 1888: 400-401. Syntypes ♂♂: India: Dharmsala. Larva on willow (Hocking) (BMNH). **IR Ss AF Nu Bsg Kab IN Hp Drm**
- 1134. Cerura (s.str.) przewalskii (Alpheraky,1882)** (Notodontidae) Synonym(s): *przewalskii* Alpheraky,1882 *Harpyia przewalskii* Alpheraky,1882, Horae Soc. ent. ross. 17: 38-40, Tab.I fig.37. Syntypes ♂: [China: Uighur A.R.]: "Khorgosse". **CN Ui Khr Um Ga AF Kbb Pnj Blh Hr Kab Sfk Pag Slg PK Bl Qu**
- 1135. Cerura (s.str.) vinula (Linnaeus,1758)** (Notodontidae) Synonym(s): *vinula* Linnaeus,1758; *minax* Hübner,[1803]; *teberdina* Kornejev,1939 *Phalaena vinula* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 499. **ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR GG AM AZ Cc TR DK NO SE FI EE LV LT RU Kb Teb MD UA BY IQ Agh IR AF Nu Bsg Kab CN Ui Khr Um**
- 1136. Clostera anachoreta (Fabricius,1787)** (Notodontidae) Synonym(s): *#anachoreta* [Denis & Schiffermüller],1775; *anachoreta* Fabricius,1787; *pallida* Staudinger,1887 nec Wlk.,1855; *albidior* Pfütze,1901; *erema* Bryk,1942; *lundquisti* Bryk,1942; *mahatma* Bryk,1949 *Bombyx anachoreta* Fabricius,1787, Mantissa Insectorum 2: 120. Type: Austria, on *Salix*, *Populus*. **ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY AF Pag Bm Sfk TW**
- 1137. Clostera cupreata Butler** (Notodontidae) Synonym(s): *cupreata* Butler **PK Cp Pj AF Srb Jla**
- 1138. Damata dicyma Wiltshire,1958** (Notodontidae) Synonym(s): *dicyma* Wiltshire,1958 **AF Nu Bsg**
- 1139. Furcula furcula (Linnaeus,1761)** (Notodontidae) Synonym(s): *#furcula* Clerck,1759; *furcula* Linnaeus,1761; *salicis* Lamarck,1816; *nordlandica* Daniel,1965; *atlantica* Daniel,1965. **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO HV B-H MK YU AL BG GR TR DK NO SE FI EE LV LT RU GG Lag Cc MD UA BY KG AF Fz AZ Tlh Len Nv AM Alg RU Da IR Elb Clu Mz Th JP Hkk KP KR CN Shs RU Sb Sj At Krl MN Am Ya Us Sh**
- 1140. Furcula terminata (Wiltshire,1958)** (Notodontidae) Synonym(s): *terminata* Wiltshire,1958 **AF PK Ch UZ Fe KG Ii KK Osh Na RU Tv T-S**
- 1141. Micromelalopha undulata (Hampson,1891)** (Notodontidae) Synonym(s): *undulata* Hampson,1891; *afghanus* Ebert,1968; *similis* Dierl,1978. **AF**
- 1142. Neoharpyia pulcherrima (Brandt,1938)** (Notodontidae) Synonym(s): *pulcherrima* Brandt,1938 *Cerura pulcherrima* Brandt,1938, Ent. Rdsch. 55: 673-674, Taf. iv figs. 17,18. Syntypes: Iran: Chiraz, Fort Sine-Sefid, Comèe. **IR Fa TR IQ Shq PK AF Nu Srb Bsg**
- 1143. Stauropus berberisae Moore,1888** (Notodontidae) Synonym(s): *berberisae* Moore,1888; *limitaris* Ebert,1968 *Stauropus berberisae* Moore,1888, Proc. zool. Soc. London 1888: 400. Syntypes: India: Dharmsala (Hocking) (BMNH). **IN Hp Drm AF Sfk PK**

Oecophoridae (14 species)

- 1144. Agonopterix babaella Amsel,1972** (Oecophoridae) Synonym(s): *babaella* Amsel,1972 **AF Pnj Slg**
- 1145. Agonopterix cuillerella Amsel,1972** (Oecophoridae) Synonym(s): *cuillerella* Amsel,1972 **AF Pnj**
- 1146. Agonopterix panjaoella Amsel,1972** (Oecophoridae) Synonym(s): *panjaoella* Amsel,1972 **AF Pnj**
- 1147. Agonopterix rutana (Fabricius,1794)** (Oecophoridae) Synonym(s): *rutana* Fabricius,1794; *retiferella* Zeller,1850; *griseirubidella* Bruand,1850; *rutella* Heydenreich,1851; *syriaca* Caradja,1920. **Pyrallis rutana** Fabricius,1794, Ent. Syst. 3 (2): 286. **PT ES FR Co Sa Si IT MT CH YU GR Cr TR LB Bei AF Hr**
- 1148. Agonopterix salangella Amsel,1972** (Oecophoridae) Synonym(s): *salangella* Amsel,1972 **AF Slg**
- 1149. Anchinia laureolella Herrich-Schäffer,1854** (Oecophoridae) Synonym(s): *laureolella* Herrich-Schäffer,1854 **ES FR IT CH AT HU YU BG GR TR IR Ab Kd Fa Km AF Sfk**
- 1150. Depressaria afghanella Amsel,1972** (Oecophoridae) Synonym(s): *afghanella* Amsel,1972 **AF Pnj**
- 1151. Depressaria discipunctella Herrich-Schäffer,1854** (Oecophoridae) Synonym(s): *discipunctella* Herrich-Schäffer,1854 **MR MA ES FR Si IT GB BE NL DE SK RO YU BG GR TR LB Bei Bsa AF Blh MN IR Th Elb UA Cm Cc GG AZ KG TM UZ SA**
- 1152. Depressaria fuscovirgatella Heinemann,1967** (Oecophoridae) Synonym(s): *fuscovirgatella* Heinemann,1967; *pagmanella* Amsel,1972 **RU Da Cc AM TM Kp KG Tk IR Kh KuB AF Pag Kab MN**
- 1153. Depressaria macrotrichella Rebel,1917** (Oecophoridae) Synonym(s): *macrotrichella* Rebel,1917 **EG AF IR Fa Shr**
- 1154. Depressaria pastinacella (Duponchel,1838)** (Oecophoridae) Synonym(s): *pastinacella* Duponchel,1838 **ES FR Sa IT IE GB BE NL DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV LT RU MD UA BY Cc AF US**
- 1155. Exaeretia ledereri (Zeller,1854)** (Oecophoridae) Synonym(s): *ledereri* Zeller,1854. **YU TR Cc CY IL Pa LB Bsa IR Fa Shr Th AF Pli Pag Kab**
- 1156. Martyrhilda fuscicostella (Christoph,1887)** (Oecophoridae) Synonym(s): *fuscicostella* Christoph,1887 **TM Kp AF Hr**
- 1157. Pleurota bicostella (Clerck,1759)** (Oecophoridae) Synonym(s): *bicostella* Clerck,1759; *bipunctella* Hübner,1793; *bicostatus* Fabricius,1798 **TN DZ MZ AF Kab Bm IR Kh Fa PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR DK NO SE FI EE LV LT RU MD UA BY**

Opostegidae (1 species)

- 1158. Opostega afghani Davis,1989** (Opostegidae) Synonym(s): *afghani* Davis,1989 **AF Kab**

Psychidae (2 species)

- 1159. Sciopetris amseli Sieder,1959** (Psychidae) Synonym(s): *amseli* Sieder,1959 **AF Hr**
1160. Urobarba longicauda (W.Warren,1888) (Psychidae) Synonym(s): *longicauda* W.Warren,1888
Psyche longicauda W.Warren,1888, Proc. zool. Soc. London 1888: 299. Type: Pakistan: Campbellpur. **AF PK Cp Pj OM AE YE**

Pterophoridae (26 species)

- 1161. Agdistis (Tamaristis) ingens Christoph,1887** (Pterophoridae) Synonym(s): *ingens* Christoph,1887.
RU Ao Sr MN TJ KK T-S KG Uk UZ TM Kp BdZ CN Gn AF
- 1162. Agdistis (Tamaristis) tamaricis (Zeller,1847)** (Pterophoridae) Synonym(s): *tamaricis* Zeller,1847;
bagdadiensis Amsel,1949; *xinjiangsis* Qin & Zheng,1997. *Adactyla tamaricis* Zeller,1847, Isis 1847: 899. **Cn CV MA TN LY DZ PT ES Mu FR Co Sa Si IT MT DE CH RO YU MK BG GR Cr TR RU St Sr MD UA BY IR Elb Th Kz Sde IQ Bgd CN Ui Au IMn Kgs She Gn Hph Stg TW CY IL Jr Jf Hf Pa JO Amm AF Kab PK Krc Pes UZ Br TM Kp BH SA SA63 HJ SA39 EG EGO5 EG11 SD GH YE**
- 1163. Agdistis (s.str.) adactyla (Hübner,[1819])** (Pterophoridae) Synonym(s): *adactyla* Hübner,[1819];
huebneri Curtis,1834; *delphinensella* Bruand,1858; *shaanxisis* Qin & Zheng,1997. **MA DZ TN Gf LY Cy ES FR Si IT DE CH AT PL CZ SK HU RO MK BG GR TR LV LT RU Ir Irk Tt Mnu KJ Cc AM Eri MD UA BY PK KG Uk TrA Aa TJ TM BdZ CN Ui Ku IMn Kgs She NHu LB Bsa IL Pa IR Elb Th Gor Fa AF Ca Pli MN**
- 1164. Calyciphora sesamitis (Meyrick,1905)** (Pterophoridae) Synonym(s): *sesamitis* Meyrick,1905
Alucita sesamitis Meyrick,1905, J. Bombay nat. Hist. Soc. 16: 582. Type ♂: "Koni, Burma". **MM IN Ch Snm AF Nu**
- 1165. Capperia hellenica Adamczewski,1951** (Pterophoridae) Synonym(s): *hellenica* Adamczewski,1951
MT ES FR IT YU GR TR LB Bei AF Kab
- 1166. Capperia salanga Arenberger,1995** (Pterophoridae) Synonym(s): *salanga* Arenberger,1995 **TR AF**
Slg Srb Kbb Pnj Pag Kab Pli IR Elb Kdj Th UZ TM Kp K-K TJ
- 1167. Capperia washbourni Adamczewski,1951** (Pterophoridae) Synonym(s): *washbourni* Adamczewski,1951
TR SY Hal GR IL Jr Pa IR Elb Th AF TM K-K
- 1168. Crombrugghia distans (Zeller,1847)** (Pterophoridae) Synonym(s): *distans* Zeller,1847; *distantidactyla*
Bruand,1858; geodactylus Fuchs,1903; *lactuca* Fletcher,1920; *clarisignis* Myerick,1924; *buvati* Bigot & Picard,1988; *pravieli*
Bigot & Picard,1989; gibeauxi Bigot et al.,1990; *supplementum Gibeaux,1997.* **Cn MA DZ TN PT ES Grn FR Co Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO SS HV YU B-H MK AL BG GR TR DK NO SE FI RU Sb MD UA GG Tbl AM Eri AZ IR Elb Kdj Th Mz Kz Gor Yas Nss BY AF Pag Kab Pli Sfk Kot Bkt Nu Hr PK Ch KG UZ TM Kp K-K CN Ui IN Up Hp NP SI BT Cm VI Ur At Ir Irk Bry Ik Smk Ass Khs N-A Swa Kma Snm Djl Cc KK KuA**
- 1169. Emmelina monodactyla (Linnaeus,1758)** (Pterophoridae) Synonym(s): *monodactyla* Linnaeus,1758;
sibiricus Caradja,1920. *Phalaena Alucita monodactyla* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 542. Type(s):
Europa. Cn Md MZ DZ TN LY Cy PT ES FR Co Sa Si IT MT IC IE GB BE NL LU DE CH AT PL CZ SK HU RO YU HV B-H MK SS AL BG GR Cr TR CY IL Pa JO Zq LB Bsa Bei AM DK NO SE FI EE LV LT RU MD UA BY KG Uk CN Ui Ku Pkn Hph Stg She Ts Sy Hal IR Elb Kdj Th Gor Gh Clu IQ Dia Bgd Mo Kc Teb Cc Cm Sr Sb Ur St No VI Bn Aa Lps KK Ik Al TM Kp TJ UZ Man AF Sfk Kot Shah Srb Kab Hr Dwe Pli Bark Blh Bd Fz Bsg PK Swa Haz IN Ch Ld SA SA63 YE Sna EG EG11 US Cf Tgo
- 1170. Hellinsia chrysocomae (Ragonot,1875)** (Pterophoridae) Synonym(s): *chrysocomae* Ragonot,1875;
bowski Whalley,1960; *gozmanyi* Bigot,1970. **FR GB DE RU Kb Teb Ir Irk MD UA BY KK Na AF Kbb Pnj MN**
- 1171. Hellinsia distincta (Herrich-Schäffer,1855)** (Pterophoridae) Synonym(s): *distinctus* Herrich-Schäffer,1855;
sibiricus Caradja,1921; *zermattensis* Müller-Rutz,1930; *acutus* Yano,1963. *Pterophorus distinctus*
Herrich-Schäffer,1855, Syst. Bearb. Schmett. Eur. 5: 379. FR Si IT BE NL DE CH AT PL CZ SK HU RO GR DK NO SE FI EE LV RU At Ir Irk Sh MD UA BY KK Ax Na CN Mc Jn AF IN Ch Ld JP
- 1172. Hellinsia pectodactyla (Staudinger,1859)** (Pterophoridae) Synonym(s): *pectodactylus*
Staudinger,1859; angustus Walsingham,1880; *stramineus* Walsingham,1880; *melanoschisma* Walsingham,1908. **Cn MA ES FR Sa HU GR Cr CY RU MD UA BY KG Aa TrA IR AF Pm Adr PK CN US**
- 1173. Marasmarcha pulchra (Christoph,1885)** (Pterophoridae) Synonym(s): *pulchra* Christoph,1885
TM Kp IR AF Kab Hr KG Uk
- 1174. Merrifieldia alaica (Caradja,1920)** (Pterophoridae) Synonym(s): *alaica* Caradja,1920 **KK Ik Tls**
Al AF Pag Kab Pic
- 1175. Merrifieldia leucodactyla ([Denis & Schiffermüller],1775)** (Pterophoridae) Synonym(s):
#leucodactyla [Denis & Schiffermüller],1775; *theiodactyla* Hübner,[1825]; *wernickei* Wocke,1897; *fitzi* Rebel,1912; *flavella*
Chrétien,1923; dryogramma Meyrick,1930. *Alucita leucodactyla* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend: 145. Type(s): [Austria]: Vienna district. PT ES FR Sa? Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU MK HV B-H SS BG GR TR DK SE FI LV RU Kc Teb Cc MD UA BY CN Shs KG Uk AF MN*
- 1176. Merrifieldia malacodactyla (Zeller,1847)** (Pterophoridae) Synonym(s): *malacodactyla* Zeller,1847;
meridionalis Staudinger,1880; *indocta* Meyrick,1913; *subtilis* Caradja,1920; *parca* Meyrick,1921; *subcretosa* Meyrick,1922;
phaeoschista Meyrick,1923; *luteodactyla* Turati,1926; *rayatella* Amsel,1959; *insularis* Bigot,1961; *livadiensis* Zagulyaev &
Filippova,1976; transdanubinus Fazekas,1986; *garrigae* Bigot & Picard,1989; *moulinieri* Nel,1991; *inopinata* Bigot, Nel &
Picard,1993 **MA DZ TN LY Cy PT ES Mu FR Co Sa Si IT MT SK HU RO YU HV B-H MK SS BG GR Cr Rd CY TR**

Cc RU MD UA Cm BY LB Bei Bsa Bmm SY Hal Dms IL Hf Js Pa IQ Ry IR Elb Kdj Shr FA AF Srb Kab Sfk Kot Nu SA As

1177. **Procapperia amira Arenberger,1988** (Pterophoridae) Synonym(s): *amira* Arenberger,1988
Procapperia amira Arenberger,1988, Z. ArbGem. öst. Ent. 39: 66-68, Abb.5-6. Holotype ♂: Afghanistan centr. Band-e-Amir 2800m 16 7 1971 lweg. Holzschuh (coll.Arenberger). **AF BdA**
1178. **Procapperia kuldschaensis (Rebel,1914)** (Pterophoridae) Synonym(s): *kuldschaensis* Rebel,1914; *asiatica* Zagulyaev,1986. *Oxyptilus kuldschaensis* Rebel,1914; Dt. ent. Z., Iris 28: 272. Type: [China: Uighur A.R.]: Kuldja (coll.MGAB). **TR UA Cm RU At Tv Sj Sb AF Kab Pag Sfk Shah Kbb Pnj PK TM KK TeA Na Tls Ik KG TrA Aa Ket MN CN Ui Ku Ce GG Im Kta**
1179. **Stangeia siceliota (Zeller,1847)** (Pterophoridae) Synonym(s): *siceliota* Zeller,1847; *ononidis* Zeller,1852; *ononydactyla* Bruand,1858; *siceliotidactyla* Bruand,1858. *Pterophorus siceliota* Zeller,1847, Isis 1847 (12): 907. **MA DZ TN DZ Cn PT ES Mu FR Co Sa Si IT YU MK HV BG GR Cr CY TR Cc AM Eri SY Dms LB Bei Bsa Bmm JO Zq Amm IL Js Jt Pa AF Srb IR IQ Bgd SA As OM YE CN Hun**
1180. **Stenoptilia arida (Zeller,1847)** (Pterophoridae) Synonym(s): *arida* Zeller,1847; *oxyactis* Meyrick,1921; *elkefi* Arenberger,1984; *kopetdagi* Zagulyaev,2002 **Cn MA DZ TN ES FR Co Sa Si IT HV GR Cr BG TR IR Elb Mz Gor Cc AM JO CY IL Pa Js TM Kp AF Kab YE Sna**
1181. **Stenoptilia nurolhaki Amsel,1967** (Pterophoridae) Synonym(s): *nurolhaki* Amsel,1967 **AF**
1182. **Tabulaephorus afghanus (Arenberger,1981)** (Pterophoridae) Synonym(s): *afghanus* Arenberger,1981 **AF Bd Pag Kab**
1183. **Tabulaephorus parthicus (Lederer,1870)** (Pterophoridae) Synonym(s): *parthicus* Lederer,1870 **IR Gor Elb Kdj Fa Kz Shh TR Cc AZ Nv Ord SY Hal IL Pa JO Amm AF Ca**
1184. **Tabulaephorus thomasi Arenberger,1993** (Pterophoridae) Synonym(s): *thomasi* Arenberger,1993 **AF Pnj BdA Kbb**
1185. **Wheeleria kabuli (Arenberger,1981)** (Pterophoridae) Synonym(s): *kabuli* Arenberger,1981 **AF Kab Kbb Pnj Sfk Kot Shah Srb IR Elb Th Plr**
1186. **Wheeleria parviflorella (Arenberger,1981)** (Pterophoridae) Synonym(s): *parviflorella* Arenberger,1981 **AF Pag Kab Kbb Pnj Sfk Kot Srb Gz**
1187. **Wheeleria sobeidae (Arenberger,1981)** (Pterophoridae) Synonym(s): *sobeidae* Arenberger,1981 **IR Elb Th Plr Kdj AF Sfk Kot TR**

Pyralidae (311 species)

1188. **Achyra nudalis (Hübner,1796)** (Pyralidae) Synonym(s): *nudalis* Hübner,1796; *interpunctalis* Hübner,1796; *unipunctalis* Duponchel,1831; *bipunctalis* Duponchel,1831; *pauciferalis* Walker,1865; *nodalis* Gundlach,1891; *ochromorpha* Lower,1901 *Pyralis nudalis* Hübner,1796, Samml. eur. Schmett. 6, Pyralides: Tab.14 fig.90. Type(s): Europa. **PT ES FR Co Sa Si IT MT HU YU B-H AL BG GR Cr CY TR Cc YE IL Pa Hf LB IR Es Fa Shr Th Elb Kdj Kz Sde Ana Ke Put IQ Bgd AF Hr Ca Blh Pli Arh Dwe Fz Bkt PK Sd Krc CN Ui LK IN ZA**
1189. **Acrobasis zacharias Roesler,1988** (Pyralidae) Synonym(s): *zacharias* Roesler,1988 **Acrobasis zacharias Roesler,1988, Entomofauna 9 (8): 207-211, Abb. 3,5. Holotype ♂: Afghanistan: Nuristan: Bashgultal, 1100m J.Klapperich leg. (LNK). **SA AF****
1190. **Aeschremon disparalis Herrich-Schäffer,[1855]** (Pyralidae) Synonym(s): *disparalis* Herrich-Schäffer,[1855]; *#indistinctalis* Amsel,1961 **YU GR TR SY IQ Bgd IR Elb Th Kdj Srd Kdv Gor Ss Chh Fa Shr Irs Mkr Cc GG AF Ca Hr Anh Arh KK Ik IN**
1191. **Aglossa asiatica Erschoff,1871** (Pyralidae) Synonym(s): *asiatica* Erschoff,1871 **Aglossa pinguinalis asiatica Erschoff,1871, Horae Soc. ent. ross. 8: 317. **TR LB EG IR Elb Th Kdj Ha Adv Fa Shr Sse IL Hf Pa AF****
1192. **Aglossa pinguinalis (Linnaeus,1758)** (Pyralidae) Synonym(s): *pinguinalis* Linnaeus,1758; *marmorella* Geoffroy,1785; *marmoratella* Villers,1789; *pinguiculatus* Haworth,1809; *pinguinatus* Haworth,1809; *asiatica* Erschoff,1871; *rubralis* Hampson,1900; *guicciardii* Constantino,1922; *sanaensis* Rebel,1930; *maroccana* Schmidt,1934 **Phalaena pinguinalis Linnaeus,1758, Syst. Nat. (Edn.10)1: 533. Lectotype ♀: [Europa] (Robinson & Nielsen, 1983: 224). **MA PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR Cr TR AF Hr DK NO SE FI EE LV LT RU MD UA BY IR Ab EG CY IQ Bgd IL JO LB YE Sna Ax KK Na AF Ca UZ Smk PK Bl Qu AU****
1193. **Agriphila bleszynskiella Amsel,1961** (Pyralidae) Synonym(s): *bleszynskiella* Amsel,1961 **Agriphila bleszynskiella Amsel,1961, Ark. Zool. (2) 13: 326, figs., Taf.1 fig.137. Holotype ♂: Iran: Pir-i-Zan, 7000ft. **IR Fa TR AF Srb****
1194. **Agriphila deliella (Hübner,[1813])** (Pyralidae) Synonym(s): *deliella* Hübner,[1813]; *delialis* Hübner,[1825] *Tinea deliella* Hübner,[1813], Samml. eur. Schmett. Tineae: Taf.60 figs.402, 403. Syntypes: [Europa]. **PT ES FR Sa Si IT BE NL DE CH AT PL CZ SK HU RO YU BG DK SE EE LV LT RU MD UA BY TR AF**
1195. **Agriphila impurella (Hampson,1896)** (Pyralidae) Synonym(s): *impurella* Hampson,1896 **AF Ch IN Kgr Hp**
1196. **Amechedia pagmanella Amsel,1961** (Pyralidae) Synonym(s): *pagmanella* Amsel,1961 **AF Bd Hr Kab Pm Pnj Pag Slg PK Swa Klm UZ Fe Man**
1197. **Amechedia pascha Roesler,1989** (Pyralidae) Synonym(s): *pascha* Roesler,1989 **Amechedia pascha Roesler,1989, Ent. Z. Frankf. a. M. 99: 172-175, figs. Holotype ♂: NO-Afghanistan: Badakhshan, Umg. Baharak, Pejuj 1750m (LNK). **AF Bd****
1198. **Analyta melanopalis (Guenée,1854)** (Pyralidae) Synonym(s): *melanopalis* Guenée,1854; *auxialis* Swinhoe,1886 *Leucinodes melanopalis* Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 224. Type ♀: "Inde centrale". **AF IN**

- 1199. *Anania (s.str.) terrealis* (Treitschke,1829)** (Pyralidae) Synonym(s): *terrealis* Treitschke,1829 **PT**
ES FR Si IT GB BE NL DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY AF
- 1200. *Ancylodes pallens* Ragonot,1887** (Pyralidae) Synonym(s): *pallens* Ragonot,1887; *lactealis* Rothschild,1915; *banghaasiella* Caradja,1917; *#fuscella* Amsel,1958. *Ancylodes pallens* Ragonot,1887, *Annls Soc. ent. Fr.* 1887: 250. Lectotype ♂: [Spain]: Chiclana (designated by Roesler,1973, *Microlepid. palaearkt.* 4: 105) (ZMB). Cn MA DZ TN Gf LY Cy ES MT YU HV GR Rd EG TR IL Pa Hf Jer IR Fa AF Ca Kab Srb IQ Mos SY LB Bei SA SA63 SD SD91 BH
- 1201. *Ancylodes staminella* (Christoph,1877)** (Pyralidae) Synonym(s): *staminella* Christoph,1877; *nervulata* Turati,1926; *kerbelella* Amsel,1949 Cn ES MA DZ TN Gf LY Cy EG SD SA SA63 BH IL Pa Hf Jt JO LB SY Dms TR IQ Kbl IR Th Elb AF Gbh Srb Pli PK Gg Ch MN UZ TM Kp Krn RU Sr Uk KG
- 1202. *Ancylolomia bituberosella* Amsel,1959** (Pyralidae) Synonym(s): *bituberosella* Amsel,1959; *#bituberosella* Bleszynski,1965 *Ancylolomia bituberosella* Amsel,1959, *Stuttg. Beitr. Naturk.* 28: 11, figs. Type ♂: Iran: Iranshar (LNK). IR Ss Irs AF PK Bl Sd Krc Pj IN LK ID Clb Ja Bli MY Sum PH Luz
- 1203. *Ancylolomia indica* R.Felder & Rogenhofer,1875** (Pyralidae) Synonym(s): *indica* R.Felder & Rogenhofer,1875 IN Clc Kul Ass Tn Poo NI AF PK Krc Ch IR Bba MY TH LK MM ID Ja SA CN Hn
- 1204. *Ancylolomia westwoodi* Zeller,1863** (Pyralidae) Synonym(s): *westwoodi* Zeller,1863 **AU NAU**
Dwn QAU IR Ss AF PK Krc IN NI Bba Pj LK MY ID Ja Sum Bli Clb
- 1205. *Ancylosis (Cabotia) fronticornella* Roesler,1973** (Pyralidae) Synonym(s): *fronticornella* Roesler,1973
AF Pag Kbb Ca Kab PK Bl Qu
- 1206. *Ancylosis (Cabotia) lacteicostella* (Ragonot,1887)** (Pyralidae) Synonym(s): *lacteicostella* Ragonot,1887; *fulvobasella* Ragonot,1887; *aegyptiacella* Ragonot,1901; *spatzi* Rothschild,1915. *Heterographis lacteicostella* Ragonot,1887, *Annls Soc. ent. Fr.* 1887: 248. Type(s): [Usbekistan]: Marghilan. MA DZ TN EG SD SA SA63 KW YE IL Jf Hf Pa IQ Bgd Amr IR Lo Ss Elb AF TR Cc UZ Man RU Ur CN Ui Ku
- 1207. *Ancylosis (Cabotia) leucocephala* (Staudinger,1879)** (Pyralidae) Synonym(s): *leucocephala* Staudinger,1879 *Myelois leucocephala* Staudinger,1879, *Stettin. ent. Ztg.* 1879: 326. Syntypes ♂: [Kirgizistan]: Naryn (ZMB). LY Cy EG IL Jf Hf Pa RO RU Ur Sr Or KG Uk KK Na IR Elb Th AF Hr Kab Srb Ca UZ Br MN CN Stg
- 1208. *Ancylosis (Cabotia) oblitella* (Zeller,1848)** (Pyralidae) Synonym(s): *oblitella* Zeller,1848; *homographis* Hampson,1930; *ischnopsis* Meyrick,1937; *major* Lucas,1948; *ochraeella* Lucas,1948; *boitella* Lucas,1950; *calaritalella* Amsel,1951; *indistinctella* Lucas,1955. *Ephestia oblitella* Zeller,1848, *Isis* 1848: 597. Lectotype ♂: Russland: Sarepta (Roesler,1973: 440). MA TN DZ LY Cy PT ES FR Sa IT MT GB BE NL DE CH AT PL CZ SK HU RO HV MK B-H YU AL BG GR CY DK LV RU MD UA BY TR LB Bei IL Jf Js Hf Pa IQ Mos Bgd Dia IR Elb Th Mz Kh Msh SA SA63 EG AF Hr PK Gg KG Uk TM Kp MN NP
- 1209. *Ancylosis (Heterographis) albicosta* (Staudinger,1870)** (Pyralidae) Synonym(s): *albicosta* Staudinger,1870; *delimitella* Ragonot,1887; *niveicostella* Ragonot,1901. *Myelois albicosta* Staudinger,1870, *Berl. ent. Z.* 14: 202. Type ♂: Russland: Sarepta (ZMB). MA LY Cy RO RU Sr Or MD UA BY TR KG Uk Ind TM Kp K-K AF Hr Kbb IR Elb Th CN Ui Ga
- 1210. *Ancylosis (Heterographis) candidatella* (Lederer,1858)** (Pyralidae) Synonym(s): *candidatella* Lederer,1858; *fathmella* Oberthür,1888; *tenuigranella* Ragonot,1890. *Myelois candidatella* Lederer,1858, *Wien. ent. Monatschr.* 2: 149, Taf.4 fig.6. Syntypes ♂♀: Syrien: Damask. MA DZ TN SY Dms IL Pa Hf LB Bei IQ Mos Kbl Bgd IR Ahz Fa Elb Th Ss Ke Aba TR Th Elb TM Kp K-K KW AF Hr Ca Kbb Srb
- 1211. *Ancylosis (Heterographis) canella* Roesler,1973** (Pyralidae) Synonym(s): *canella* Roesler,1973
AF Kab Pag IR Ss
- 1212. *Ancylosis (Heterographis) convexella* (Lederer,1855)** (Pyralidae) Synonym(s): *convexella* Lederer,1855; *albiciella* Staudinger,1859; *favorinella* Zeller,1867 *Myelois convexella* Lederer,1855, *Verh. zool.- bot. Ges. Wien* 5: 222, t.4 fig.9. Lectotype ♂: Libanon: Beirut (designated by Roesler,1973, *Microlepid. palaearkt.* 4: 401) (ZMB). Cn MA DZ TN Gf LY Cy ES Mu MT YU GR IR Elb Th Ke Fa Ana TM Kp IL Hf Js Pa JO TR IQ Bgd Kbl Mos Dia Bsr BH EG EG11 Sn LB Bei SD SA SA63 CY AF Ca Srb Kab PK Bl Qu Krc
- 1213. *Ancylosis (Heterographis) costistrigella* (Ragonot,1890)** (Pyralidae) Synonym(s): *costistrigella* Ragonot,1890 MA DZ TN Gf LY BH IL Js Jer Pa SD Ksl IR Ss AF Srb
- 1214. *Ancylosis (Heterographis) faustinella* (Zeller,1867)** (Pyralidae) Synonym(s): *faustinella* Zeller,1867; *staudingeri* Christoph,1877; *rubripictella* Hampson,1896; *thalerella* Mabilie,1908; *variabilis* Rothschild,1915; *airensis* Rothschild,1921; *bilineella* Amsel,1935; *damascenella* Amsel,1952. *Euzophora faustinella* Zeller,1867, *Stettin ent. Ztg.* 28(10/12): 380-381. Type ♀: Jordanthal (BMNH). Cn MA TN DZ LY Cy SD MT RU JO IL Js Jf Pa TR EG EG11 Sn SA SA63 SA39 YE BH SY Dms LB Bei Bsa KG Uk IQ Mos Bsr IR Elb Th Fa Ss Irs Kz Sde Kh TM Krn AF Kab Srb Ca Hr PK Bl Qu MN
- 1215. *Ancylosis (Heterographis) gracilella* Ragonot,1887** (Pyralidae) Synonym(s): *gracilella* Ragonot,1887; *subcandidatella* Ragonot,1887; *monostictella* Ragonot,1887; *casella* Chrétien,1910; *lybistinella* Turati,1924; *dowsoniella* Richards & Thomson,1932. *Heterographis gracilella* Ragonot,1887, *Annls Soc. ent. Fr.* 1887: 248. Syntypes: [Turkmenistan]: Krasnowodsk, [Usbekistan]: Namangan; [China]: Kuldja. MA TN DZ LY Cy EG EG11 BH SA SA63 SD MT MK UZ KW JO IL Hf Js Jer Jt Pa LB Bei SY TR Cc IQ Mos Bgd Amr Bsr Kbl IR Elb Th Fa Ahz Ss Kz Sde Aba Ke AF Kab Pag Ca Hr PK Gg TM Krn UZ Fe Man CN Ui Ku
- 1216. *Ancylosis (Heterographis) harmoniella* (Ragonot,1887)** (Pyralidae) Synonym(s): *harmoniella* Ragonot,1887; *ochrotaeniella* Ragonot,1887; *fulminantella* Turati,1922; *rosalbella* Turati,1930; *diffusella* Turati,1930; *incanella* Turati,1930. *Heterographis harmoniella* Ragonot,1887, *Annls Soc. ent. Fr.* 1887: 247. Syntypes: [Algerie]: Gabes, Biskra. MA DZ TN LY Cy MT DZ EG EG11 Sn SD SA SA63 IQ Kbl Bsr TR IR Th Elb Fa IL Js Jf SY Dms LB Bei Bsa AF Kab Kbb Bd Cc AZ Nv Ord
- 1217. *Ancylosis (Heterographis) hellenica* (Staudinger,1870)** (Pyralidae) Synonym(s): *hellenica* Staudinger,1870; *deliciosella* Caradja,1910. *Myelois rhodochrella* var.? *hellenica* Staudinger,1870, *Horae Soc. ent. ross.* 7: 209210. Tab.2 fig.18. Syntypes 4♂: Griechenland: Attica. LY Cy EG EG11 SD SA SA63 MK BG GR CY TR Cc

- IQ Shq Bgd Mos IL Hf Js Jer Jf Pa JO IR Elb Kj Th Fa Shr Ss Irs Ana Ke Ahz LB Bei Bsa SY Dms TM Kp AF Hr Kab Srb PK Nwf Bl Qu Gg Hu UZ Br**
- 1218. Ancylosis (Heterographis) kazerunella Roesler,1973** (Pyralidae) Synonym(s): *kazerunella* Roesler,1973 **IR Fa AF Ca**
- 1219. Ancylosis (Heterographis) muliebris (Meyrick,1937)** (Pyralidae) Synonym(s): *muliebris* Meyrick,1937; *macedonica* Schawerda,1937. **Trissonca muliebris** Meyrick,1937, Exot. Microlepid. 5: 70. Type ♀: **Iraq: Mosul (BMNH). MK TR SA SA63 EG Sn IL Js Pa JO IQ Mos KW IR Elb Kj Th Fa Ss Irs Ana Ke AF Kab UZ Smk**
- 1220. Ancylosis (Heterographis) nubeculella (Ragonot,1887)** (Pyralidae) Synonym(s): *nubeculella* Ragonot,1887 **Heterographis nubeculella** Ragonot,1887, Annl. Soc. ent. Fr. 1887: 247. Type ♂: [Aserbaidjan]: **Ordubad. Cc AZ Nv Ord TR SD SA SA63 IR Ss PK Krc AF Srb**
- 1221. Ancylosis (Heterographis) pallida (Staudinger,1870)** (Pyralidae) Synonym(s): *pallida* Staudinger,1870 **Myelois pallida** Staudinger,1870, Berl. ent. Z. 14: 202. Type ♀: **Russland: Sarepta (ZMB). RO GR RU Sr Or MD UA BY SA SA63 IR Elb Th Kh TR CN Ui Ga KG Uk AF Hr Kab T-S KK Na MN**
- 1222. Ancylosis (Heterographis) plumbatella (Ragonot,1888)** (Pyralidae) Synonym(s): *plumbatella* Ragonot,1888 **SA SA63 RU CN Ui TM Kp KG Uk AF Hr**
- 1223. Ancylosis (Heterographis) pyrethrella (Herrich-Schäffer,1860)** (Pyralidae) Synonym(s): *pyrethrella* Herrich-Schäffer,1860; *strictella* Mann,1861; *ignibasella* Ragonot,1887; *inflammatella* Ragonot,1901; *trilineata* Amsel,1961. **Acrobasis pyrethrella** Herrich-Schäffer,1860, Neue Schmett. Eur. 1860: 12, fig.80. Lectotype ♂: **Alexander Gebirge. RO RU MD UA BY IR Ab Oru Elb Srd Mz IL Pa Hf TR KG Uk Ind LB Bei IL SA SA63 IQ Mos AF Hr TM Kp KK Ax UZ Fe Man**
- 1224. Ancylosis (Heterographis) rhodochrella (Herrich-Schäffer,1855)** (Pyralidae) Synonym(s): *rhodochrella* Herrich-Schäffer,1855; *delicatella* Möschler,1860; *ciliatella* Zeller,1872; *lucida* W.Warren,1888; *microstictella* Hampson,1903; *ciliella* Amsel,1961. **Pyralis rhodochrella** Herrich-Schäffer,1855, Syst. Bearb. Schmett. Eur. 6: 147. Type ♂: [Algerien]: **Lambessa. DZ PT ES RU MD UA BY DZ SA SA63 SD TR Cc IL Hf Js Jf Pa LB Bsa SY Dms EG EG11 CY IR Elb Kj Th Kh Msh Fa Shr IQ Bsr Mos AF Hr Kab Pag Srb Bd PK Cp IN**
- 1225. Ancylosis (Heterographis) roscidella (Eversmann,1844)** (Pyralidae) Synonym(s): *roscidella* Eversmann,1844; *cinerella* Stainton,1859; *ephedrella* Herrich-Schäffer,1860; *neglectella* Heinemann,1864; *blandella* Ragonot,1887; *zobrella* Oberthür,1888; *carnea* W.Warren,1888; *bartellella* Caradja,1910; *benderella* Amsel,1961. **MA DZ TN LY Cy EG EG11 SA SA63 SD BH ES Mu RO YU HV MK AL BG GR TR RU Sr Or Sb IL Hf Js Jt LB Bei Bsa JO SY Dms KG Uk Ind IQ Bsr IR Elb Th Kj Ss AF Hr Kbb Srb PK Ch Cp Cc AZ Nv Ord MN Sb TM CN Ui T-S**
- 1226. Ancylosis (Heterographis) sabulosella (Staudinger,1879)** (Pyralidae) Synonym(s): *sabulosella* Staudinger,1879; *decolorella* Ragonot,1901. **RU Ur MD UA BY KG Uk Ind UZ Fe Man IR Elb Th Mz AF Ca PK Krc TM Kp**
- 1227. Ancylosis (Heterographis) samaritanella (Zeller,1867)** (Pyralidae) Synonym(s): *samaritanella* Zeller,1867; *urbicella* Erschoff,1874; *biligulella* Ragonot,1887; *flavescentella* Chrétien,1910; *diminutella* Chrétien,1910; *cinnamomeifascia* Rothschild,1915; *lacroixella* Lucas,1939; *brevipalpella* Amsel,1954. **Euzophera samaritanella** Zeller,1867, Stettin ent. Ztg. 28(10/12): 379-380. Syntypes 2♀: **Jordanthal. MA DZ TN LY Cy EG EG11 SD SA SA63 PT ES RU Sr Or MD UA BY KG Uk Ind JO LB Bei Bsa IL Hf Js Jf Pa TR TM Kp Sn IR Elb Th Fa IQ BH AF Srb Ca Hr Kbb PK Bl Qu Cc AZ Nv Ord CN Ui Ku**
- 1228. Ancylosis (Heterographis) smeczella Roesler,1973** (Pyralidae) Synonym(s): *smeczella* Roesler,1973 **IR Ss Elb Th AF Hr Ca PK Bl Qu UZ Br**
- 1229. Ancylosis (Heterographis) syrtella (Ragonot,1887)** (Pyralidae) Synonym(s): *syrtella* Ragonot,1887; *costalbella* Amsel,1954. **Heterographis syrtella** Ragonot,1887, Annl. Soc. ent. Fr. 1887: 246. Type ♀: **Tunis: Gab×s (MNHNP). MA DZ TN IL Js Pa IR Elb Kj Th Fa Ha Kh RU IQ Bsr AF CN Ui Ga KG Uk Ind**
- 1230. Ancylosis (Heterographis) xylinaella (Staudinger,1870)** (Pyralidae) Synonym(s): *xylinaella* Staudinger,1870; *sablonella* Rothschild,1915; *molochinella* Zerny,1929. **Myelois xylinaella** Staudinger,1870, Berl. ent. Z. 14: 203. Lectotype ♂: **Russland: Sarepta. MA DZ TN LY EG EG11 SA SA63 PT ES RU Sr Or Sb Am MD UA BY CN Ui Ku T-S MN KG Uk Ind TM Kp IR Elb Th Fa Ss Chh Irs TR IL Hf Pa LB Bei IQ Mos AF Ca Kab Hr PK Gg Sb**
- 1231. Ancylosis (s.str.) cinnamomella (Duponchel,1836)** (Pyralidae) Synonym(s): *dilutella* Tr.,1832 [n.o.]; *cinnamomella* Dup.,1836; *labeomella* Staudinger,1859; *lafauryella* Rag.,1887; *byzacaeniella* Rag.,1887; *roseopennella* Rag.,1901; *tunesella* Caradja,1910; *fuliginosa* Rothschild,1913; *pictella* Tur.,1922; *ferrugineolineella* Tur.,1924. **Phycis cinnamomella** Duponchel,1836, Hist. nat. Lépid. Papillons Fr. 10: 190, Pl.279, f.4. Type(s): **France: Montpellier. PT ES Mu FR Co Sa Si IT BE LU DE CH AT PL CZ SK HU RO YU AL MK BG GR NO SE FI LV MD RU Or Sb Ur UA BY KG Uk Ind TM TR LB Bei Bsa SY Dms IL Hf Js JO IQ Shq Mos Bsr EG EG11 IR Elb Kj Th Fa Ha Ss AF Kab Kbb Pag CN Ui Ku UZ Man KK T-S Cc AZ Kir MN**
- 1232. Ancylosis (s.str.) dryadella (Ragonot,1887)** (Pyralidae) Synonym(s): *dryadella* Ragonot,1887; *sefidella* Amsel,1951. **Heterographis dryadella** Ragonot,1887, Annl. Soc. ent. Fr. 1887: 246. Lectotype ♂: [Kazachstan]: **Saisan (designated by Roesler,1973, Microlepid. palaearkt. 4: 333) (ZMB). RU CN Ui Ku T-S KG Tar Ssn Uk UZ Man IR Elb Kj Th Fa AF Hr**
- 1233. Ancylosis (s.str.) dumetella (Ragonot,1887)** (Pyralidae) Synonym(s): *dumetella* Ragonot,1887; *albinotella* Ragonot,1887; *alvandella* Amsel,1961. **Heterographis dumetella** Ragonot,1887, Annl. Soc. ent. Fr. 1887: 247. Type ♂: [China]: **Kuldja (ZIANL). CN Ui Ku T-S TM Kp TR IR Ha Adv Th Elb Fa AF Kab Pag Ca Hr Bd KK**
- 1234. Ancylosis (s.str.) maculifera Staudinger,1870** (Pyralidae) Synonym(s): *maculifera* Staudinger,1870; *ifraneella* Lucas,1954. **Ancylosis ? maculifera** Staudinger,1870, Berl. ent. Z. 14: 198. Lectotype ♂: **Russland: Sarepta (Roesler, 1973: 342). MA DZ TN Gf LY ES RO BG MD UA BY TR Cc IR Elb Th EG Sn IL Js Pa LB Bei IQ Mos Bsr AF Pag Kab Bd Srb KG Uk MN CN Ui Ku RU Ur Sr Or Am TW CN Yu**

- 1235. Ancylosis (s.str.) ochricostella Ragonot,1887** (Pyrilidae) Synonym(s): *ochricostella* Ragonot,1887
Ancylosis ochricostella Ragonot,1887, *Annls Soc. ent. Fr.* 1887: 252. Type(s): [Turkmenistan]: Askhabad. **TM Kp TR AF Hr CN Ui Ku**
- 1236. Ancylosis (s.str.) sareptella (Herrich-Schäffer,1860)** (Pyrilidae) Synonym(s): *sareptella* Herrich-Schäffer,1860; *barbella* Lederer,1863. *Epischnia sareptella* Herrich-Schäffer,1860, *Neue Schmett. Eur.* 1860: 28, fig.145. Type ♀: Russland: Sarepta. **ES An FR Si IT CH AT CZ SK HU RO YU AL BG GR RU Or Sr MD UA BY TR IL Hf Pa LB Bei Bsa SY Dms KG Uk MN PK Gg AF UZ Br**
- 1237. Ancylosis (s.str.) turaniella Ragonot,1887** (Pyrilidae) Synonym(s): *turaniella* Ragonot,1887
Ancylosis turaniella Ragonot,1887, *N. Amer. Phycit.* 1887: 30. Type ♂: [Turkmenistan]: Achal Tekke (MNHNP). **TR TM Kp AF Kbb**
- 1238. Ancylosis (Syria) ancylodella Roesler,1973** (Pyrilidae) Synonym(s): *ancylodella* Roesler,1973
AF Ca Hr SA SA63
- 1239. Ancylosis (Syria) limoniella (Chrétien,1911)** (Pyrilidae) Synonym(s): *limoniella* Chrétien,1911; *eremita* Gozmany,1951. *Syria limoniella* Chrétien,1911, *Bull. Soc. ent. Fr.* 16: 34. Syntypes ♂: Algerie: Biskra (MNHNP). **Cn MA DZ TN LY Cy EG EG11 YE SA SA63 SD IL Hf Pa IR Elb Th AF**
- 1240. Ancylosis (Syria) transcaspica (Amsel,1955)** (Pyrilidae) Synonym(s): *transcaspica* Amsel,1955
Syria transcaspica Amsel,1955, *Bull. Inst. r. Sci. nat. Belg.* (83) 31: 43, t.5 fig.4. Holotype ♂: [Turkmenistan]: Transcaspia, Repetek (MNMB). **TM Rpt AF Srb**
- 1241. Anerastia kafiella Hartig,1937** (Pyrilidae) Synonym(s): *kafiella* Hartig,1937 **AF Bd**
- 1242. Anthophilopsis baphialis (Staudinger,1870)** (Pyrilidae) Synonym(s): *baphialis* Staudinger,1870;
#baphiale Caradja,1917. *Anthophilodes baphialis* Staudinger,1870, *Horae Soc. ent. ross.* 7: 183, pl.2 fig.7. **GR TR Cc IL Pa Hf TM Kp IR Ahz Ss Chh Bu Shr Com Fa Enz Irs Ana Ke Gh Tgo KW IQ Bgd Kbl Mos Ry Amr EG EG11 AF Hr In Bmu Dwe Srb Gbh Pli Ca Kab Blh Arh**
- 1243. Anthophilopsis moeschleri (Christoph,1862)** (Pyrilidae) Synonym(s): *moeschleri* Christoph,1862
RU TM Kp TR IR Th Kdj Fa Se Cc AM AZ Kir IL Pa CY AF Kab Arh Dwe Gbh Srb Pic Pli Pag
- 1244. Anthophilopsis uniforma Amsel** (Pyrilidae) Synonym(s): *uniforma* Amsel **AF Dwe Arh Kab Srb Gbh Pag**
- 1245. Antigastra catalaunalis (Duponchel,1833)** (Pyrilidae) Synonym(s): *catalaunalis* Duponchel,1833;
venosalis Walker,[1866]; *#sionensis* Caradja,1929 **PT ES FR BE Co Sa Si IT MT GB CH CZ HU YU GR DK CY LB Bsa IQ Bgd Dia IR Fa Shr Elb Th Kdj Ss Irs Ke Ana AF Srb Dwe Kab Gbh Hr Bkt TR YE Sk EG IL Hf Pa IN CN TW JP AU ZA**
- 1246. Aporodes floralis (Hübner,[1809])** (Pyrilidae) Synonym(s): *floralis* Hübner,[1809]; *grisealis* Caradja,1917; *#florealis* Rebel,1939 *Pyrilis floralis* Hübner,[1809], *Samml. eur. Schmett.* 6, *Pyrilides*: Tab.22 fig.142. Type(s): Europa. **TN Sfx PT ES FR Co Sa Si IT MT DE AT CZ SK HU RO YU AL BG GR Rd Cr TR Cc IR Ahz Kdj Th Elb Nss Fa Shr Com Ss Chh Qz Men IQ Mos Bgd Kbl Shq Ssa Amr GG IL Pa LB YE CY LB AF Hr Bmu Pli Blh Gbh Srb Anh Fz Dwe Kab Arh Sen Pnj Bark Pag Ca Asm CN Ui Yk PK Sd Krc Hf Cc IN Mh Bba Kz Sde Irs PL KG Tks**
- 1247. Archiephestia adpiscinella (Chrétien,1911)** (Pyrilidae) Synonym(s): *adpiscinella* Chrétien,1911;
pholeacola Dumont,1932; *menonoma* Schmidt,1934; *murciella* Amsel,1955 **DZ MA TN Gf ES Mu IL Pa IR Fa AF Srb**
- 1248. Arsissa afghana (Hartig,1937)** (Pyrilidae) Synonym(s): *afghana* Hartig,1937; *dimorphella* Amsel,1970.
AF Bd KhM Anj Pag Zeb
- 1249. Arsissa miridella (Ragonot,1893)** (Pyrilidae) Synonym(s): *miridella* Ragonot,1893; *pallorella* Amsel,1961;
#incertella Amsel,1970. *Pristophora miridella* Ragonot,1893, [in] Romanoff, *Mém. Lépid.* 7: 244, Pl.11 fig.24.
Type ♂: [Turquie]: Mardin. **TR IR Fa AF Hr**
- 1250. Arsissa ramosella (Herrich-Schäffer,[1855])** (Pyrilidae) Synonym(s): *ramosella* Herrich-Schäffer,[1855]; *albiramosella* Caradja,1916; *caradjaella* Zerny,1939. *Pyrilis ramosella* Herrich-Schäffer,[1855], *Syst. Bearb. Schmett. Eur.* 6:148, Taf.21 fig.146. Type(s): [Türkei]: Amasia. **TR RU Sr LB Bei IR Elb Th Kdv Kd Fa Ha Zj Kh Shh Ab TM Kp Cc AM AF Hr Kab Kbb Pnj Srb Slg**
- 1251. Asalebria (Exophora) rascala Roesler,1988** (Pyrilidae) Synonym(s): *rascala* Roesler,1988 **AF Kab**
- 1252. Asalebria (Exophora) tutulla Roesler,1988** (Pyrilidae) Synonym(s): *tutulla* Roesler,1988 **AF Kab**
- 1253. Asarta kotschi Hartig,1937** (Pyrilidae) Synonym(s): *kotschi* Hartig,1937 **AF KhM**
- 1254. Autocharis sarobialis Amsel,1970** (Pyrilidae) Synonym(s): *sarobialis* Amsel,1970 **AF Srb**
- 1255. Auxacia bilineella (Ragonot,1887)** (Pyrilidae) Synonym(s): *bilineella* Ragonot,1887 **Cc AZ Nv Ord SA SA63 KW IL Pa IQ Mos IR Fa Elb Th Mak Ab AF Hr Ca PK Bl Qu TM Kp K-K Krn UZ Fe Man MN**
- 1256. Bazaria kuranella (Amsel,1970)** (Pyrilidae) Synonym(s): *kuranella* Amsel,1970 **IR Th AF Bd Bqu**
- 1257. Bazaria pempeliella Ragonot,1893** (Pyrilidae) Synonym(s): *pempeliella* Ragonot,1893; *ochriplaga* Rebel,1909; *djiroftella* Amsel,1959; *afghanella* Amsel,1970 *Bazaria pempeliella* Ragonot,1893, [in] Romanoff, *Mém. lépid.* 7: 454, Pl. 17 fig.22. Lectotype ♂: [Turkmenistan]: "Transkaspien: Krasnowodsk" (MNHNP). **MA DZ Gf TN EG Sn IL Pa SA JO IR Ss Ana Ke AF Hr Ca TM Krn UZ Fe**
- 1258. Bazaria polichomriella (Amsel,1970)** (Pyrilidae) Synonym(s): *polichomriella* Amsel,1970 **AF**
- 1259. Bazaria sieversi (Christoph,1877)** (Pyrilidae) Synonym(s): *sieversi* Christoph,1877 *Myelois sieversi* Christoph,1877, *Horae Soc. ent. ross.* 12: 288, pl.8 fig.60. **RU Sr Cc AZ Nv Ord TM Kp Krn K-K IR Elb Kdj Th AF Hr**
- 1260. Boreophila badakschanalis Amsel,1970** (Pyrilidae) Synonym(s): *badakschanalis* Amsel,1970 **AF Bd**
- 1261. Cadra amselella Roesler,1965** (Pyrilidae) Synonym(s): *amselella* Roesler,1965 **AF Bsg Kab Nu Pag Bkt IL Js Pa**

- 1262. *Cadra cautella* (Walker,1863)** (Pyrilidae) Synonym(s): *cautella* Walker,1863; *defectella* Walker,1864; *desuetella* Walker,1866; *passulella* Barrett,1875; *formosella* Wileman & South,1918; *rotundatella* Turati,1930; *pelopis* Turner,1947; *irakella* Amsel,1959 *Pempelia cautella* Walker,1863, List Specimens lepid. Insects Colln Br. Mus. 27: 73. Type ♂: [Syri Lanka]: Ceylon. Cn MA DZ TN LY Cy PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU HV MK AL BG GR Cr TR JO IL Hf Pa LB SY Dms Sk YE IQ Bgd Shq IR Fa Kz AF Srb Pic Nu Bsg CY EG EG11 SD SA SA63 DK NO SE FI LV RU Sr Or MD UA BY ZA AU MG IN LK ID Ja CN TW TH JP Bsr Amr Enz PH WS FJ SB OW NW
- 1263. *Cadra delattinella* Roesler,1965** (Pyrilidae) Synonym(s): *delattinella* Roesler,1965 *Cadra delattinella* Roesler,1965, Inaugural- Diss. Saarbrücken 1964: 143. Type ♂: [Türkei]: Anatolien: Akşehir. TR GR Cr LB Bei IR Elb Th Kdj Fa Shr AF Bd Shv
- 1264. *Cadra figulilella* (Gregson,1871)** (Pyrilidae) Synonym(s): *figulilella* Gregson,1871; *milleri* Zeller,1876; *gypsella* Ragonot,1887; *venosella* Turati,1926; *ernestinella* Turati,1927; *halfaella* Roesler,1965. *Ephestia figulilella* Gregson,1871, Entomologist 5: 385. Type(s): England: Liverpool. Cn MR MA DZ TN Gf LY Cy PT ES B-I FR Co Sa Si IT MT GB BE NL DE CH AT CZ RO YU HV AL BG GR Cr TR CY LB IL JO Pa EG SD SA YE NO SE RU MD UA BY IQ IR Elb Shh Mz AF PK NP Ch CN JP KP KR ZA AU
- 1265. *Cadra furcatella* (Herrich-Schäffer,[1849])** (Pyrilidae) Synonym(s): *furcatella* Herrich-Schäffer,[1849] *Homoeosoma furcatella* Herrich-Schäffer,[1849], Syst. Bearb. Schmett. Eur. 4: 107. Type(s): Österreich: Alpeleck. IR Fa Elb LB IQ Cc AZ GG AF Srb Pag Kab Pic Bd Nu Bsg Bkt UZ LY Cy Co Sa Si IT MA PT ES Mu An Py CZ SK AT HU RO HV B-H YU MK BG AL GR Cr TR RU
- 1266. *Calamotropha paludella* (Hübner,[1824])** (Pyrilidae) Synonym(s): *paludella* Hübner,[1824]; *obtusellus* Stainton,1856; *paramatellus* Meyrick,1879; *carphurus* Hampson,1898; *nivellus* Rebel,1914; *calamosus* Hampson,1919; *durandi* Lucas,1931; *typhivorus* Meyrick,1932; *#digitatus* Osthelder,1937; *afghanistanica* Bleszynski,1959. *Tinea paludella* Hübner,[1824], Samml. eur. Schmett. Tineae: Taf.68, figs. 452,453. Syntypes: [Europa]. PT ES FR Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR IQ Bsr SY IR Ahz TM DK NO SE FI EE LV LT RU Am Prj Us MD UA BY KG Dj Tk AF Srb PK Ch AU MG ZA Tva Pre CN Sz Kgs TW JP Kyu Hkk ID
- 1267. *Cataonia erubescens* (Christoph,1877)** (Pyrilidae) Synonym(s): *erubescens* Christoph,1877; *monocerialis* Ragonot,1891. MR ES MT GR TR TM Krn Kp IR Ss Chh AF Srb Bsg Dwe Gbh Asm
- 1268. *Chilo infuscatellus* Snellen,1891** (Pyrilidae) Synonym(s): *infuscatellus* Snellen,1891; *sticticraspis* Hampson,1919; *coniorta* Hampson,1919; *calamina* Hampson,1919; *shariinensis* Egughi,1933; *tadzhikiellus* Gerasimov,1949. *Chilo infuscatellus* Snellen,1891, Meded. Proefst. Kagok 1890: 94, Pl.1 figs.5-8. Lectotype ♂: [Indonesia]: Java. AF PK TJ MY IN MM TH KP KR ID Ja Tim VN TW CN RU PH
- 1269. *Chilo luteellus* (Motschulsky,1866)** (Pyrilidae) Synonym(s): *lutellus* Motschulsky,1860 nec [Denis & Schiff.],1775; *luteellus* Motschulsky,1866; *concolorellus* Christoph,1885; *gensamellus* Leech,1889; *dubia* Bethune-Baker,1894; *boxanus* Hering,1903; *plumbosellus* Chrétien,1910; *molydellus* Zerny,1935; *molybdellus* Zerny,1941. *Schoenobius luteellus* Motschulsky,1866, Bull. Moscou 39: 199. Neotype ♀: Japan: Honshu (Bleszynski, 1965: 106). DZ ES Sa IT HU BG GR Cr RO TR RU TM Kp IR Shh Gh Tgo Cc AZ Len SY EG LB IQ R wz AF Hr CN Stg Ui Ku KP KR JP Hkk Kyu KG Tk Dj Ii KK Ik PH
- 1270. *Chilo partellus* (Swinhoe,1885)** (Pyrilidae) Synonym(s): *zonellus* Swinhoe,1884 nec Zeller,1847; *partellus* Swinhoe,1885; *lutulentalis* Tams,1932 *Crambus partellus* Swinhoe,1885, Proc. zool. Soc. London 1885: 879. Lectotype ♂: [India]: Poona. TZ PK Krc LK IN Poo Bba AF SD SD91 KM ZA
- 1271. *Chrysocrambus syriellus* (Zerny,1934)** (Pyrilidae) Synonym(s): *syriellus* Zerny,1934 *Crambus syriellus* Zerny,1934, Dt. ent. Z., Iris 448: 2, Taf.1 fig.3 Lectotype ♂: Libanon: Becharre (Bleszynski,1965: 357). LB Bsa Bei SY TR IL Pa JO IQ Hjo AF
- 1272. *Cornifrons ulceratalis* Lederer,1858** (Pyrilidae) Synonym(s): *ulceratalis* Lederer,1858; *seriziatialis* Oberthür,1876 *Cornifrons ulceratalis* Lederer,1858, Wien. ent. Monatschr. 2: 147, Taf.4 fig.1. Type ♀: Syria: Damask? TN Cn ES Sa Si IT MT YU AL GR TR SY Dms SA EG IL Pa Hf JO LB IQ Bgd Dia Kbl KW IR Fa Ss Chh Kz Sde AF PK Sd Krc
- 1273. *Crambixon zarathustra* Bleszynski,1965** (Pyrilidae) Synonym(s): *zarathustra* Bleszynski,1965 AF Srb Hr
- 1274. *Crambus perlellus* (Scopoli,1763)** (Pyrilidae) Synonym(s): *perlellus* Scopoli,1763; *dealbellus* Thunberg,1788; *warringtonellus* Stainton,1849. *Phalaena perlella* Scopoli,1763, Entomologia Carniolica: 243. Type(s): [Slovenien]: Carniolia [Krain]. MA PT ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU MD UA BY TR GG Am Cc AZ KG Uk IR Shh Plr Dam KK AF Ch CN Ui Kml US
- 1275. *Cybalomia fractilinealis* (Christoph,1873)** (Pyrilidae) Synonym(s): *fractilinealis* Christoph,1873 AF Hr IR TM
- 1276. *Cynaeda gigantea* (Wocke,1871)** (Pyrilidae) Synonym(s): *gigantea* Wocke,1871 FR CH HU YU GR Cr TR IQ Hjo Ssa IR Fa Shr Com Sse IL Pa LB Bsa AF Slg Pnj Pag Adr
- 1277. *Dentifovea fulvifascialis* (Christoph,1887)** (Pyrilidae) Synonym(s): *fulvifascialis* Christoph,1887 GR AF Hr Srb Plr Pic
- 1278. *Dentitegumia afghanella* Amsel,1970** (Pyrilidae) Synonym(s): *afghanella* Amsel,1970 AF Ca Kab Srb Bm IR Ss PK Bl Qu
- 1279. *Diaphania indica* (Saunders,1851)** (Pyrilidae) Synonym(s): *indica* Saunders,1851; *capensis* Zeller,1852; *gazortalis* Guenée,1854; *zygaenalis* Guenée,1854; *curcubitalis* Guenée,1862; *intermedialis* Dognin,1904. VE ZA Tva Lpo Spb Lj MG SA AF Srb Gbh PH Luz Ceb Boh CmM KP TW JP AU WS FJ PG MY IR Ss Irs IN CN TH CMa Cuo Cuo1 CDo CD2 Dst Dso9
- 1280. *Dilacinia badialis* Amsel,1961** (Pyrilidae) Synonym(s): *badialis* Amsel,1961 *Dilacina* [sic] *badialis* Amsel,1961, Ark. Zool. 13 (17): 432, Textabb. 132. Holotype ♂: Iran: Quli Kush, Wiltshire leg. IR AF Sar Kab Pic Bkt
- 1281. *Dolicharthria bruguieralis* (Duponchel,1833)** (Pyrilidae) Synonym(s): *bruguieralis* Duponchel,1833; *coniotalis* Hampson,1903; *similalis* Rothschild,1915 *Botys bruguieralis* Duponchel,1833, [in] Godart, Hist. Nat.

- Lépid. Pap. Fr. 15: 320, Tab. 232 fig.3. Syntypes: Nismes [sic!], Corsica. PT ES FR Co Sa Si IT MT RO YU AL BG GR Cr CY LB Bsa Bmm IL Pa Hf IQ Rwz Brs Ry Shq IR Fa Shr Sse Bu AF Pnj Kab Pli Gbh Srb Khi Adr Fz ZA
1282. **Dolicharthria punctalis** ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *punctalis* [Denis & Schiffermüller],1775 *Pyralis punctalis* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienerlegend: 123. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. TN Sfx Elk PT ES FR Co Sa Si IT GB NL DE CH AT CZ SK HU RO YU AL BG GR Cr CY TR DK SE FI EE IR Elb Th Kdj Kdv Fa Sse Ss Gh Tgo Pa IL AF Anh
1283. **Duponchelia fovealis** (Zeller,1847) (Pyralidae) Synonym(s): *fovealis* Zeller,1847; *canuialis* Millière,1869; *griseata* Butler,1875; *uniflexalis* Mabilie,1880 Cn PT ES FR Co Sa Si IT MT NL BE DE YU GR Cr CY TR IL Pa Hf EG Hx Hp Ahz Fa Sse Ana Ke JO LB YE Ad IQ Bsr DK SE AF Srb ZA Nta Kzu ZR MZ
1284. **Duzulla subhyalinalis** (Hampson,1900) (Pyralidae) Synonym(s): *subhyalinalis* Hampson,1900 IL Pa IR Ss PK Pj IN AF Srb Arh Asm Bsg Kab
1285. **Ecbatania steineri** (Amsel,1970) (Pyralidae) Synonym(s): *steineri* Amsel,1970 AF Kbb Pnj
1286. **Ecpyrrorrhoe diffusalis** (Guenée,1854) (Pyralidae) Synonym(s): *diffusalis* Guenée,1854; *affusalis* Guenée,1854; *tenuialis* Mann,1862. *Botys diffusalis* Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 340. Syntypes 2♂ 3♀: "Espagne, France mer., env. Nimes et de Montpellier" (coll. Guenée & Lefebvre). TN ES FR IT CH HU RO YU AL BG GR IL Pa Hf TR IR Fa Shr Com Ss Th Kdj Ha Mz LB Bsa AF Pic Kab Srb Bsg Pag
1287. **Elethya minerva** Bleszynski,1965 (Pyralidae) Synonym(s): *minerva* Bleszynski,1965 AF Hr
1288. **Emprepes russulalis** (Christoph,1877) (Pyralidae) Synonym(s): *russulalis* Christoph,1877; *baryscia* Meyrick,1937 IQ Dia IR Th Elb Kdj Fa Shr Ss Irs Mkr KW AF Srb Hr Kab
1289. **Epascestria pustulalis** (Hübner,[1823]) (Pyralidae) Synonym(s): *pustulalis* Hübner,[1823]; *orientalis* Caradja,1917. *Pyralis pustulalis* Hübner,[1823], Samml. eur. Schmett. 6, Pyralides: Tab.30 figs.191,192 Syntypes: Europa. ES IT LU DE AT PL CZ SK HU RO YU BG GR Rd Cr TR LB IQ Hjo Cc AM SE LV LT RU MD UA BY IR Elb Th Kdj IL Pa Hf AF Pag
1290. **Ephelis cruentalis** (Geyer,[1832]) (Pyralidae) Synonym(s): *cruentalis* Geyer,[1832]; *bourjotalis* Duponchel,1833; *badialis* Treitschke,1835 *Uresiphita cruentalis* Geyer,[1832], [in] Hübner, Zuträge Samml. exot. Schmett. 4: 29, pl.[124], figs. 721,722. FR Si IT YU BG GR Rd Cr TR LB Cc GG AM AZ IL Pa Hf EG IR Fa Sse Elb Th Kdj Nss Kdv Gor IQ Ry Shq AF Adr Shv Kab KG Slu Syr
1291. **Ephestia (Anagasta) abnormalella** (Ragonot,1887) (Pyralidae) Synonym(s): *abnormalella* Ragonot,1887; *aliphitopsis* Meyrick,1937. IQ Ry AF Kab IR Fa UZ Man
1292. **Ephestia (Anagasta) gilvella** Roesler,1970 (Pyralidae) Synonym(s): *gilvella* Roesler,1970 AF Pic IR Elb Th
1293. **Ephestia (Anagasta) kuehniella** Zeller,1879 (Pyralidae) Synonym(s): *kuehniella* Zeller,1879; *fuscofasciella* Ragonot,1887; *gitoniella* Druce,1896; *lunella* Noel,1904; *ischnomorpha* Meyrick,1931; *#kuehniella* Hutacharern & Tubtim,1995 *Ephestia kuehniella* Zeller,1879, Stettin ent. Ztg. 40: 466. Lectotype ♂: Deutschland: Halle (Roesler,1973: 618). DZ MA TN Cn LY PT ES FR Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR CY IL Hf Pa LB EG Sk DK NO SE FI EE LV LT RU MD UA BY IR IQ AF Ch CN Kgs JP TH TW MX NZ AU ZA
1294. **Ephestia (s.str.) elutella** (Hübner,1796) (Pyralidae) Synonym(s): *elutella* Hübner,1796; *semirufa* Haworth,1811; *rufa* Haworth,1811; *angusta* Haworth,1811; *sericarium* Scott,1859; *roxburghii* Gregson,1873; *infumatella* Ragonot,1887; *affusella* Ragonot,1888; *icosiella* Ragonot,1888; *amarella* Dyar,1904; *pterogrisella* Roesler,1965 *Tinea elutella* Hübner,1796, Samml. eur. Schmett. 8, Tineae: Tab.24 fig.163. Type(s): Europa. Md Cn MA DZ TN LY Cy PT ES B-I FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU HV AL BG GR Cr TR Cc YE EG SD SA IL JO IR CY TM Kp IQ Amr DK NO SE FI EE LV LT RU MD UA BY AF PK Ch NP CN KP JR TH TW MX NZ AU ZA
1295. **Ephestia (s.str.) parasitella** Staudinger,1859 (Pyralidae) Synonym(s): *parasitella* Staudinger,1859; *bimaculella* Lucas,1955. MA DZ PT ES FR Co Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU HV B-H MK AL BG GR Cr TR RU Or IR Elb Th Fa Cc AZ Kir AF Bm Srb IL Hf Pa Js LB Bei Bsa SY Dms CY KG Uk
1296. **Epimetasia gregori** Amsel,1970 (Pyralidae) Synonym(s): *gregori* Amsel,1970 AF BdA Shv Bd Adr Pnj Pag Gbh Srb
1297. **Epiparthia constituta** Roesler,1989 (Pyralidae) Synonym(s): *constituta* Roesler,1989. *Epiparthia constituta* Roesler,1989, Ent. Z., Frankf. a. M. 99: 2-5, Abb.1. Holotype ♂: Iran:Anbar-Abad (Djiroft) (LNK). IR Ss Fa Th IL Jer Pa JO AF Ca PK Bl Qu
1298. **Epizonora speciosalis** (Christoph,1885) (Pyralidae) Synonym(s): *speciosalis* Christoph,1885 *Hypotia speciosalis* Christoph,1885, [in] Romanoff, Mém. Lépid. 2: 141, Pl.7 fig.8. TM AF Hr
1299. **Etiella zinckenella** (Treitschke,1832) (Pyralidae) Synonym(s): *marginella* Fabricius,1781 nec Den. & Schiff.,1775; *zinckenella* Treitschke,1832; *etiella* Treitschke,1835; *majorellus* Costa,1836; *colonnellus* Costa,1836; *dymnusalis* Walker,1859; *heraldella* Guenée,1862; *anticalis* Walker,1863; *indicatalis* Walker,1863; *hastiferella* Walker,1866; *decipiens* Staudinger,1870; *spartiella* Rondani,1876; *sabulinus* Butler,1879; *madagascariensis* Saalmüller,1880; *schisticolor* Zeller,1881; *villosella* Hulst,1887; *rubribasella* Hulst,1890; *#tiella* Pinhey,1975. *Phycis zinckenella* Treitschke,1832, [in] Ochsenheimer, Schmett. Eur. 9(1): 201. Lectotype ♀: "Sizilien" (TMB). PT ES FR Co Sa Si IT MT GB NL LU DE CH AT CZ SK HU RO YU AL BG GR TR DK RU MD UA BY IL JO LB IQ IR YE Sk CY EG KK Ax MG AF PK IN LK BT NP TH MM LA VN MY Bor ID Sum Ja AU CN Hn TW JP US CA CU PR EC GS PH PG SB NC WS DZ NA TN LY EG GW LB SL GA CM NG NE CI GM CF SD ET ER DJ SO KE UG YE TZ ZW RW BI MW AO NM SZ LS MG MZ ZA Tva Nta Gau Tva Lpo Spb Mdk BW SC ZR ZM TD WS FJ Pa Hf TH CMa Cmz Cz10 Cz11 ID Sum Sbh
1300. **Eucampyla dealbatella** (Erschoff,1874) (Pyralidae) Synonym(s): *dealbatella* Erschoff,1874; *staminella* Christoph,1877; *nervulatella* Turati,1926; *kerbelella* Amsel,1949; *gigantella* Roesler,1965. Cn MA DZ TN LY Cy ES RU Sr IL Pa Hf Jt EG SD SA SA63 BH JO LB SY TR TM Kp Krn IR Elb Th Mz AF Srb UZ PK Gg IQ Kbl KG Uk Ind MN CN Yu SI

- 1301. *Euchromius cambridgei* (Zeller,1867)** (Pyralidae) Synonym(s): *cambridgei* Zeller,1867; *luciella* Chrétien,1907; *prototypa* Meyrick,1935; *congruentella* Amsel,1958; *szijartoi* Gozmany,1959; *ilkui* Gozmany,1959. *Eromene cambridgei* Zeller,1867, Stettin ent. Ztg. 28: 370. Type ♂: Egypt. **MA Cn TN Gf LY PT ES FR Sa IT MT YU EG IL Jt Pa JO TR SD SA SA63 IR AF PK**
- 1302. *Euchromius jaxartellus* (Erschoff,1874)** (Pyralidae) Synonym(s): *jaxartella* Erschoff,1874 *Eromene jaxartella* Erschoff,1874, [in] Fedtschenko, Reise nach Turkestan: 82. Type ♀: [Kasachstan]: Turkestan. **Cc AZ Nv Ord KG TR JO TM Kp UZ Br IR CN Ui Ku AF Hr Srb**
- 1303. *Euchromius keredjellus* (Amsel,1949)** (Pyralidae) Synonym(s): *keredjella* Amsel,1949 *Eremene keredjella* Amsel,1949, Bull. Soc. Fouad I Ent. 33: 233, Taf.1 fig.1. Holotype ♂: Iran: Elburs-Gebirge: Keredj. **IR Elb Kdj Th TR Cc AF Hr**
- 1304. *Euchromius ocelleus* (Haworth,[1811])** (Pyralidae) Synonym(s): *ocellea* Haworth,[1811]; *cyrilli* Costa,1832; *fumiculella* Treitschke,1832; *texana* Robinson,1870; *gigantea* Turati,1924; *quadrii* Ahmad,Zaidi & Kamaluddin,1982 *Palparia ocellea* Haworth,[1811], Lep. Br.:486. Type ♂: England. **Md Cn MA DZ TN LY Cy PT ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR Rd Cr TR Cc DK NO SE FI EE LV LT RU MD UA BY KG Uk Tk Dj Ii EG IL LB TM Kp YE Ad Sk IQ Kbl Bgd Amr IR Ahz Mz Plr CY AF Hr IN Mh Poo Pj Krc Sd Mhw AU US Tx UZ Br ET SO KE MT TZ CF UG MW SC MG MZ ZW Bul Har Nta Kzu Ec Ans Fs Blo Wca Cto Dbn Grh Lds Tva Lpo Pie Gau Pre Wnn Wr Ste Cer Grg BW NA AO GO NG NE BF GH SN FP Pag Gh Tgo Ss Irs Sde Kz Pa Hf**
- 1305. *Euchromius rayatellus* (Amsel,1949)** (Pyralidae) Synonym(s): *rayatella* Amsel,1949 *Eromene rayatella* Amsel,1949, Bull. Soc. Fouad I Ent. 33: 278, Taf.1 fig.4. Holotype ♂: Iraq: Kurdistan: Rayat, 5000ft. **ES IT YU BG GR Cr CY IQ Ry TR Cc RU Sr AF Pic Blh IL Jer Pa JO UZ Br**
- 1306. *Euchromius scobiolae* Bleszynski,1965** (Pyralidae) Synonym(s): *scobiolae* Bleszynski,1965 *Euchromius scobiolae* Bleszynski,1965, Microlepidoptera Palaearctica 1: 79-80, Taf. Holotype ♂: Afghanistan: Kuschk. **AF UZ Br**
- 1307. *Euchromius vinculellus* (Zeller,1847)** (Pyralidae) Synonym(s): *vinculellus* Zeller,1847; *corsicalis* Hampson,1919; *joiceyella* Schmidt,1934; *bahrlutella* Amsel,1949. *Crambus vinculellus* Zeller,1847, Isis 1847: 760. Lectotype ♂: Italien: Sizilien. **MA DZ TN LY SD EG PT ES Co Sa Si IT TR GR IL Pa Hf LB IR Ahw IQ AF Srb KE NE**
- 1308. *Euclasta* (Proteuclasta) *mirabilis* Amsel,1949** (Pyralidae) Synonym(s): *mirabilis* Amsel,1949 **SO IR Ss Chh AF Srb Asm Bsg Nu PK**
- 1309. *Euclasta* (s.str.) *defamatalis* (Walker,1859)** (Pyralidae) Synonym(s): *defamatalis* Walker,1859 **AF Srb Bsg Kot Kbk PK Sfk IN Meg Ass Khs NI NP LK PH Boh MM TW TH MY**
- 1310. *Eudonia paghmanella* Leraut,1985** (Pyralidae) Synonym(s): *paghmanella* Leraut,1985 **AF Pag**
- 1311. *Eurhodope* (Eurhobasis) *cinerea* (Staudinger,1879)** (Pyralidae) Synonym(s): *cinerea* Staudinger,1879 *Myelois cinerea* Staudinger,1879, Horae Soc. ent. ross. 15: 210. Syntypes: Cyprus; [Lebanon]: Beirut. **LB Bei Bsa IL Pa Hf TR IQ Kbl Bgd Amr Bsr Shq IR Ahz Ke Ana AF Hr Pli Fz Blh CY**
- 1312. *Euzophera* (Quadrepista) *ultimella* Roesler,1973** (Pyralidae) Synonym(s): *ultimella* Roesler,1973 **AF Kbb Slg**
- 1313. *Euzophera* (s.str.) *albicostalis* Hampson,1903** (Pyralidae) Synonym(s): *albicostalis* Hampson,1903; *albocostalis* Wiltshire,1957 *Euzophera albicostalis* Hampson,1903, J. Bombay nat. Hist. Soc. 15: 24. Lectotype ♂: Kashmir: Scind valley (designated by Roesler,1973, Microlepid. palaearkt. 4: 198) (BMNH). **RU Sr Ch IR Elb Ahz Cc GG Lag IQ Dy AF Kab AZ**
- 1314. *Euzophera* (s.str.) *alpherakyella* Ragonot,1887** (Pyralidae) Synonym(s): *alpherakyella* Ragonot,1887 *Euzophera alpherakyella* Ragonot,1887, Annls Soc. ent. Fr. 1887: 254. Type ♂: [China: Uighur A.R.]: Kuldscha (MNHN). **IR Fa Elb Kj Th AF Pag PK Gg Hu Ch TM Kp KG Uk Tk Dj CN Ui Ku T-S DsA**
- 1315. *Euzophera* (s.str.) *bigella* (Zeller,1848)** (Pyralidae) Synonym(s): *bigella* Zeller,1848; *stenoptycha* Herrich-Schäffer,1855; *bisinuella* Ragonot,1887; *punicaella* Moore,1891; *immundella* Ragonot,1901; *angulella* Chrétien,1922; *renulella* Constantini,1922 *Ephestia bigella* Zeller,1848, Isis 1848: 596. Type ♀: Italien: Toskana (BMNH). **DZ TN MA PT ES Mu FR Co Si IT MT GB BE DE CH AT PL CZ SK HU RO B-H MK YU AL BG GR CY TR Cc IL Hf Jer Pa IR Th Fa Shh Ss SY CR RU LB Bei IQ Mos AF NP UZ Br TM K-K Kp**
- 1316. *Euzophera* (s.str.) *costivittella* Ragonot,1887** (Pyralidae) Synonym(s): *costivittella* Ragonot,1887 *Euzophera costivittella* Ragonot,1887, Annls Soc. ent. Fr. 1887: 253. Type: Russia: Sarepta. **EE RU Sr MD UA BY TM Kp Cc AM IR Fa KK Al AF Srb**
- 1317. *Euzophera* (s.str.) *empistocles* Roesler,1969** (Pyralidae) Synonym(s): *empistocles* Roesler,1969 **AF Kab Hr IL Pa**
- 1318. *Euzophera* (s.str.) *formosella* (Rebel,1910)** (Pyralidae) Synonym(s): *formosella* Rebel,1910 *Myelois formosella* Rebel,1910, Dt. ent. Z., Iris 24: 5. Lectotype ♂: [Kazachstan]: Indersky (designated by Roesler,1973, Microlep. palaearkt. 4: 24 (MGAB). **GR RU IQ Kbl IR Elb Th Fa CY SY AF Kbb BdA MN KG Uk Ind CN Ui Ku**
- 1319. *Euzophera* (s.str.) *kabulella* Roesler,1973** (Pyralidae) Synonym(s): *kabulella* Roesler,1973 *Euzophera* (s.str.) *kabulella* Roesler,1973, Microlepid. Palaearkt. 4: 217-218, figs. Holotype ♂: Afghanistan: Paghman, 30km NW v. Kabul, 2100m (NHMW). **AF Pag Bm**
- 1320. *Euzophera* (s.str.) *lactiflora* Meyrick,1937** (Pyralidae) Synonym(s): *lactiflora* Meyrick,1937 *Euzophera lactiflora* Meyrick,1937, Exot. Microlepid. 5: 72. Lectotype ♀: Iraq: Mosul, designated by Roesler,1973, Microlepid. palaearkt. 4: 240 (BMNH). **IQ Mos AF**
- 1321. *Euzophera* (s.str.) *paghmanicola* Roesler,1973** (Pyralidae) Synonym(s): *paghmanicola* Roesler,1973 *Euzophera* (s.str.) *paghmanicola* Roesler,1973, Microlepid. Palaearkt. 4: 221-222, figs. Holotype ♂: Afghanistan: Paghman, 30km NW v. Kabul, 2200m (NHMW). **AF Pag Bm**

- 1322. Euzophera (s.str.) turdella Roesler,1973** (Pyalidae) Synonym(s): *turdella* Roesler,1973
Euzophera (s.str.) *turdella* Roesler,1973, Microlepid. Palaearkt. 4: 231-232, figs. Holotype ♂: Z-Afghanistan: Koh-i-Baba, S-Seite Panjao, 2650m (LNK). **AF Kbb Pnj**
- 1323. Euzopherodes lutisignella (Mann,1869)** (Pyalidae) Synonym(s): *lutisignella* Mann,1869; *leonhardi* Rebel,1910; *scipionella* Turati,1924; *battella* Turati,1924. *Myelois lutisignella* Mann,1869, Verh. zool.- bot. Ges. 19: 381. Type ♂: Dalmatien: Ragusa. **Si RO RU YU B-H HV AL BG MK GR Cr LY Cy TR IL Hf Jer Pa LB Bei JO IQ R wz IR Elb Th KJ Fa AF Pag Kbb Slg Cc AM UZ Smk TM Kp**
- 1324. Evergestis bamianalis Amsel,1970** (Pyalidae) Synonym(s): *bamianalis* Amsel,1970 **AF Bm**
- 1325. Evergestis caesialis Herrich-Schäffer,[1855]** (Pyalidae) Synonym(s): *caesialis* Herrich-Schäffer,[1855] **Co? IT RO YU BG GR Cr TR IR Elb Shh Th Kdv Plr Dam Ha Adv Fa Com LB Bsa TN Kp IQ Ama AF Pag Pnj**
- 1326. Evergestis desertalis (Hübner,[1813])** (Pyalidae) Synonym(s): *desertalis* Hübner,[1813]; *avicennae* Tams,1925. *Pyalis desertalis* Hübner,[1813], Samml. eur. Schmett. 6, Pyalides: Tab.27 fig.171. Type(s): Europa. **DZ LY Cy ES Mu Si MT RO BG TR IQ Dy IR Fa Shr Th Kdj Elb Kz Sde Ss Irs Cc AM Eri SA AF Pli Kab**
- 1327. Evergestis forficalis (Linnaeus,1758)** (Pyalidae) Synonym(s): *forficalis* Linnaeus,1758; *trivialis* Scopoli,1763; *forficatus* Fabricius,1798; *sodalis* Butler,1878 *Phalaena forficalis* Linnaeus,1758, Syst. Nat. (Edn.10)1: 533. Lectotype ♂: [Europa] (Robinson & Nielsen, 1983: 210). **PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY IR Kh AF Kot Kab Pag**
- 1328. Evergestis grummi (Christoph,1885)** (Pyalidae) Synonym(s): *grummi* Christoph,1885; *paragrummi* Amsel,1951 **TM Noc AF BdA Pnj Kab Pag Slg Gbh IR Fa Com Sse Ha Adv Ss**
- 1329. Evergestis hazara Amsel,1970** (Pyalidae) Synonym(s): *hazara* Amsel,1970 **AF Pnj**
- 1330. Evergestis hyrcanalis Amsel,1961** (Pyalidae) Synonym(s): *hyrcanalis* Amsel,1961 *Evergestis hyrcanalis* Amsel,1961, Ark. Zool. 13 (17): 430, Taf. vii fig.244. Type ♀: Iran: Quli Kush, 8.6.1940, Wiltshire leg. **AF Kab Slg Pnj Sen BdA Pag Bd IR Fa**
- 1331. Evergestis obsoletalis Filipjev,1931** (Pyalidae) Synonym(s): *obsoletalis* Filipjev,1931 **TJ Pm AF Bd Anj BdA**
- 1332. Evergestis paghmanalis Amsel,1970** (Pyalidae) Synonym(s): *paghmanalis* Amsel,1970 **AF Pag**
- 1333. Evergestis russulatalis (Hampson,1900)** (Pyalidae) Synonym(s): *russulatalis* Hampson,1900 **IR Elb Shh Srd Mz UZ Fe Nmg AF**
- 1334. Evergestis spiniferalis (Staudinger,[1900])** (Pyalidae) Synonym(s): *spiniferalis* Staudinger,[1900] *Orobena spiniferalis* Staudinger,[1900], Dt. ent. Z., Iris 12: 347-348. Syntypes: [China: Uighur A.R.]: Chamyl [Kumul]. **AF Slg Adr KG Tk Nrk UZ Fe CN Ui Kml**
- 1335. Evergestis vagabundalis (Christoph,1887)** (Pyalidae) Synonym(s): *vagabundalis* Christoph,1887 **Cc AM TM IR Fa Kh Com AF Pli Kab**
- 1336. Glaucocharis bilinealis (Amsel,1961)** (Pyalidae) Synonym(s): *bilinealis* Amsel,1961 *Paghmania bilinealis* Amsel,1961, Arkiv f. Zool. (2)13: 332 Taf.1 fig.14. Holotype ♀: Afghanistan: Paghman Gebirge. **AF**
- 1337. Gymnancyla (Dentinodia) craticulella (Ragonot,1887)** (Pyalidae) Synonym(s): *craticulella* Ragonot,1887; *erschoffi* Ragonot,1887. **YU RU IR Elb Th Ss Kh Msh AF Bd Kbb Slg UZ Fe Man CN Ui Ku TM Kp KG Uk Ind**
- 1338. Haritalodes derogata (Fabricius,1775)** (Pyalidae) Synonym(s): *derogata* Fabricius,1775; *multilinealis* Guenée,1854; *salomealis* Walker,1859; *otysalis* Walker,1859; *basipunctalis* Bremer,1864; *anuligeralis* Walker,[1866]; *obliquialis* Lucas,1898 *Phalaena derogata* Fabricius,1775, Syst. Ent.: 641. Type(s): India orientalis. **ZA AU TH CMa Cu0 Cu07 CDo CD2 Sbu Bnk Sak AF Srb LK MY Bor ID Ja CN KP TW JP RU Sb WS FJ NC SB PG IN OW**
- 1339. Heliothela ophideresana (Walker,1863)** (Pyalidae) Synonym(s): *ophideresana* Walker,1863; *pusilla* Butler,1889; *kruegeri* Turati,1926 **AU AF Srb Pag Arh Bkt LY Cy IR Ss ZA**
- 1340. Hellula ablactalis (Walker,1859)** (Pyalidae) Synonym(s): *ablactalis* Walker,1859 **AF Bsg**
- 1341. Hellula afghanalis (Amsel,1970)** (Pyalidae) Synonym(s): *afghanalis* Amsel,1970 **AF Slg Pag BdA**
- 1342. Hellula khorassanalis (Amsel,1950)** (Pyalidae) Synonym(s): *khorrassanalis* Amsel,1950 **IR Kh KuB AF Pnj BdA Pag**
- 1343. Hellula paghmanalis (Amsel,1970)** (Pyalidae) Synonym(s): *paghmanalis* Amsel,1970 **AF Pag**
- 1344. Hellula praefulvalis (Amsel,1970)** (Pyalidae) Synonym(s): *praefulvalis* Amsel,1970 **AF BdA Slb Pli**
- 1345. Hellula undalis (Fabricius,1781)** (Pyalidae) Synonym(s): *undalis* Fabricius,1781; *lunulalis* Costa,1836; *alconalis* Walker,1859; *exemptalis* Walker,[1866]; *geyri* Rothschild,1915; *occidentalis* De Joannis,1930; *reniculus* Pajni & Rose,1977 *Phalaena undalis* Fabricius,1781, Spec. Ins. 2: 272. Type(s): Italia. **TN Sfx PT ES FR Co Sa Si IT MT GB LU DE CH AT SK RO YU GR Cr YE IL Pa TR Sk IR Enz Qz Fa Bu Shr Sse Ss Irs Ana Ke Th Kdj Km CY LB Bei TM Kp JO IQ Bgd EG AF Hr Bmu Srb Gbh Dwe Bsg Bkt Kot PK Pd Krc Hw US SH IN LK CN PH Luz TW JP AU QAU Bri Bth NSw Aby Gtm Hf TH MY Bor BN Swk Sbh CV Md Cn Hw**
- 1346. Herpetogramma licarsisalis (Walker,1859)** (Pyalidae) Synonym(s): *licarsisalis* Walker,1859; *pharaxalis* Walker,1859; *immundalis* Walker,[1866]; *fumidalis* Walker,[1866]; *serotinalis* De Joannis,1889; *#licarsialis* Rebel,1939 **TR CY IL Pa Hf LB Bei EG EG11 IQ Bsr IR Fa Ahz Ss Irs Bmp AF Srb PK Sd Krc TW LK CN JP MY Bor Ja ID MH FJ ZA WS TO SB PG AU IN TH**
- 1347. Homoeosoma (s.str.) calcellum Ragonot,1887** (Pyalidae) Synonym(s): *calcella* Ragonot,1887 *Homoeosoma calcella* Ragonot,1887, Annls Soc. ent. Fr. 1887: 255. Type(s): [Russia]: Orenburg (MNHNP). **BG RU Or Ur SY TR AF Adr MN**
- 1348. Homoeosoma (s.str.) candefactum Ragonot,1887** (Pyalidae) Synonym(s): *candefactum* Ragonot,1887 **GG Cc IQ Agh IR Kz AF Srb**

- 1349. Homoeosoma (s.str.) capsitanellum Chrétien,1911** (Pyrilidae) Synonym(s): *capsitanellum* Chrétien,1911; *eminentella* Turati,1924; *litorella* Amsel,1935 **MA TN LY Cy IL Jf Pa SA SA63 IQ Bgd IR Kh KuB AF Kab**
- 1350. Homoeosoma (s.str.) inustellum Ragonot,1884** (Pyrilidae) Synonym(s): *inustella* Ragonot,1884; *compositella* Rebel,1914. *Homoeosoma inustellum* Ragonot,1884, Bull. Soc. ent. Fr. 1884: vi. Type ♂: France: Aubenas (MNHP). **ES FR Si IT CH AT PL SK HU RO YU BG RU Sj MD UA BY TR IR Elb Th Dam Shh AF Kab KG Tk Dj**
- 1351. Homoeosoma (s.str.) obatricostellum Ragonot,1887** (Pyrilidae) Synonym(s): *obatricostellum* Ragonot,1887 **IR Elb Shh Fa Kh KuB Msh AF**
- 1352. Homoeosoma (s.str.) sinuellum (Fabricius,1794)** (Pyrilidae) Synonym(s): *sinuella* Fabricius,1794; *sinuatus* Fabricius,1794; *elongella* Hübner,[1813]; *gemina* Haworth,1811; *flavella* Duponchel,1836; *gioferella* Turati,1934. *Tinea sinuella* Fabricius,1794, Ent. Syst. 3(2): 308, nr.94. Type(s): Italia (Museum Kiel). **TN DZ MA PT ES Cue Mu An Sny FR Co Sa IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU B-H HV MK AL BG GR Cr TR DK SE FI EE LV LT RU MD UA BY CY LB KG KK AI IR Elb Th Kdj Clu Shh TM Kp Cc AM Eri AF Hr Pli Blh**
- 1353. Homoeosoma (s.str.) subalbatellum (Mann,1864)** (Pyrilidae) Synonym(s): *subalbatella* Mann,1864 *Myelois subalbatella* Mann,1864, Wien. ent. Monatschr. 8: 181, Taf.4 fig.7 Syntypes: [Türkei]: Brussa [Bursa] (NHMW). **MA DZ TN LY Cy SA SA63 ES Si HU YU AL MK BG TR EG EG11 Sn IL Jf Js Hf Pa IQ Bgd Cc AM Eri TM Kp LB Bei IR Elb Dam Th Mz Plr AF Kab Kbb Pag Slg**
- 1354. Hypargyria metalliferella Ragonot,1888** (Pyrilidae) Synonym(s): *metalliferella* Ragonot,1888; *#metalliferella* Pinhey,1975 **SA PK Krc Sd AF IN ID Sum ZA AU TH CMa CDo Pki PH**
- 1355. Hypodaria myeloisiformis (Hartig,1937)** (Pyrilidae) Synonym(s): *myeloisiformis* Hartig,1937; *makranella* Amsel,1959. **IR Ss Mkr AF Pag**
- 1356. Isauria dilucidella (Duponchel,1836)** (Pyrilidae) Synonym(s): *dilucidella* Duponchel,1836; *ilignella* Zeller,1839; *laternella* Eversmann,1844; *crepusculella* Lederer,1870; *incredibilis* Staudinger,1879; *subsortitella* Ragonot,1887; *satanella* Ragonot,1887; *odontella* Ragonot,1893; *ledereri* Ragonot,1893; *cuencella* Caradja,1916; *gabalitella* Chrétien,1931; *griscens* Lucas,1950; *parvella* Amsel,1951; *shahidanella* Amsel,1970 *Phycis dilucidella* Duponchel,1836, Hist. nat. Lépid. Papillons Fr. 10: 184, Pl.278 fig.7. Type ♂: France. **DZ ES Cue FR Sa Si IT DE CH AT PL CZ SK HU RO YU BG GR TR RU Ur MD UA BY IQ Hjo LB Bsa IL Pa TM Kp IR Fa Th Shh Plr Mz Elb Dam AF KG MN Cc AM GG Smt Akh**
- 1357. Kerbela turcomanica (Christoph,1877)** (Pyrilidae) Synonym(s): *turcomanica* Christoph,1877 **TM IR Th AF Hr Pli Bmu Arh**
- 1358. Khorassania hartigi Amsel,1951** (Pyrilidae) Synonym(s): *hartigi* Amsel,1951 **TR IR Fa Sse Com Kz KuB AF**
- 1359. Lambaesia fumosella (Ragonot,1887)** (Pyrilidae) Synonym(s): *fumosella* Ragonot,1887; *noctileucella* Ragonot,1887. *Pristophora fumosella* Ragonot,1887, Annls Soc. ent. Fr. 1887: 229. Syntypes ♂♀: [Usbekistan]: Samarkand. **TR Cc IR Elb Th Mz AF UZ Smk Ch**
- 1360. Lamoria anella ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *anella* [Denis & Schiffermüller],1775 *Tinea anella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 135. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. **TN Elk PT ES FR Co Sa Si IT MT BE NL DE CH AT PL CZ SK HU RO YU BG GR Cr TR RU MD UA BY AF Hr IL Pa Hf LB Bsa IQ Bgd IR Ahz Enz Elb Th Kdj Ha Fa Bu Ss Irs KG Uk CY TM Kp EG PK Pj IN Poo Mh LK ZA**
- 1361. Lepidogma tamaricalis (Mann,1873)** (Pyrilidae) Synonym(s): *tamaricalis* Mann,1873; *obatralis* Christoph,1876; *vafra* Swinhoe,1884 *Hypotia tamaricalis* Mann,1873, Verh. zool.- bot. Ges. Wien 23: 124. Type(s): Italien: Livorno. **ES Sa IT KW TR IR Ahz Ss Chh Irs Put Fa Com Kz Sde Ssh IN AF PK Sd Krc TM Krn RU Sb Pj**
- 1362. Leucinodes orbonalis Guenée,1854** (Pyrilidae) Synonym(s): *orbonalis* Guenée,1854 *Leucinodes orbonalis* Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 223. Syntypes ♂♀: "Inde centrale, Java". **ZA PK Sd Krc AF Srb Bsg Bkt IN LK MM TH ID Ja TW AU**
- 1363. Loxostege afghana Koçak & Kemal,2007** (Pyrilidae) Synonym(s): *#robustalis* Amsel,1970; *afghana* Koçak & Kemal,2007 **AF Bark**
- 1364. Loxostege badakshanalalis (Amsel,1970)** (Pyrilidae) Synonym(s): *badakshanalalis* Amsel,1970 *Afgan Naziği* **AF Bd**
- 1365. Loxostege bashgualalis Amsel,1970** (Pyrilidae) Synonym(s): *bashgualalis* Amsel,1970 *Başgül Naziği* **AF Bsg Kab Gz**
- 1366. Loxostege clathralis (Hübner,[1813])** (Pyrilidae) Synonym(s): *clathralis* (Hübner,[1813]); *comptalis* Lederer,1855 nec Frr.,[1848]; *#nivalis* Caradja,1916 *Beyaz Çizgili Nazik* **RO HV RU UA Cc GG Arr TR IR KG Uk Tk Dj Ii AF Shah Kot Pnj Kab CN Ui Au**
- 1367. Loxostege emiralis (Oberthür,1888)** (Pyrilidae) Synonym(s): *emiralis* Oberthür,1888 *Emir Naziği* **DZ IQ Bsr CY IL Pa IR Elb Kdj Ss Kz Sde Ssh Ke Ana AF Pag**
- 1368. Loxostege massalis (Walker,1859)** (Pyrilidae) Synonym(s): *massalis* Walker,1859; *fredi* Amsel,1961 **AU QAU TW PK Sd Krc AF Gbh Srb Pag IR Fa Shr**
- 1369. Loxostege scalaris (Christoph,1877)** (Pyrilidae) Synonym(s): *scalaris* Christoph,1877 *Iran Naziği* **IQ Kbl IR Elb TM AF Srb Hr Bsg**
- 1370. Loxostege sticticalis (Linnaeus,1761)** (Pyrilidae) Synonym(s): *lupulina* Clerck,1759 nec Linn.,1758; *sticticalis* Linnaeus,1761; *miana* Müller,1764; *sylvata* Panzer,1804; *tetragonalis* Haworth,1811 *Beet Webworm* *Phalaena sticticalis* Linnaeus,1761, Fauna Suecica: 352, no.1354. Lectotype ♂: Upsaliae (Robinson & Nielsen, 1983: 231). **ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc GG TM Kp DK NO SE FI EE LV LT RU Sb KG Tk Dj Ii CN Ui Kml IR Kh Dam Elb AF Hr PK Bl Qu CA**

- 1371. Maruca vitrata (Fabricius,1787)** (Pyralidae) **Synonym(s):** *vitrat*a Fabricius,1787; *testulalis* Geyer,[1832]; *aquatilis* Guérin-Méneville,[1832]; *bifenestralis* Mabille,1880; *simialalis* Snellen,1892; *nigroapicalis* De Joannis,1930. *Phalaena vitrata* Fabricius,1787, *Mantissa Insectorum* 2: 215. Type: *Tranquebariae*. **WS FJ PG TH CMa Cu01 Cu07 CDo CD2 Cz10 Cnz Dst Dso9 Pap Mro MY IN AU BR FR AF Srb VN Ton TW ID Sum Ja MG ZA Spb Mdk Tva Lpo Hw**
- 1372. Mecyna amasialis (Staudinger,1879)** (Pyralidae) **Synonym(s):** *amasialis* Staudinger,1879 **Botys** *amasialis* Staudinger,1879, *Horae Soc. ent. ross.* 15: 171-172. Syntypes ♂♀: [Türkei]: Amasia: Caraman, Kyschlatschyk [Kışlacık]. **TR IQ Shq TM Kp IR Elb Kdv Mz Ha Avd Fa Shr Cc GG AF Kot Pag**
- 1373. Mecyna asinalis (Hübner,[1819])** (Pyralidae) **Synonym(s):** *asinalis* Hübner,[1819]; *characteralis* Freyer,1848 *Pyralis asinalis* Hübner,[1819], *Samml. eur. Schmett.* 6, *Pyralides*: Tab.29 fig.185. Type(s): Europa. **DZ TN PT ES FR Co Sa Si IT MT IE GB DE CH YU GR Cr TR AF Kab**
- 1374. Mecyna babalis Amsel,1970** (Pyralidae) **Synonym(s):** *babalis* Amsel,1970 **AF Kbb BdA Pnj**
- 1375. Mecyna bandiamiralis Amsel,1970** (Pyralidae) **Synonym(s):** *bandiamiralis* Amsel,1970 **AF BdA**
- 1376. Mecyna diniasalis (Walker,1859)** (Pyralidae) **Synonym(s):** *diniasalis* Walker,1859 **AF Shah Kot Bkt Srb IN MM CN KP KR TW**
- 1377. Mecyna marioni Amsel** (Pyralidae) **Synonym(s):** *marioni* Amsel **AF Adr UZ Smk**
- 1378. Mecyna pontica (Staudinger,1879)** (Pyralidae) **Synonym(s):** *pontica* Staudinger,1879; *levilinealis* Amsel,1935 *Botys trinalis* var. *pontica* Staudinger,1879, *Horae Soc. ent. ross.* 15: 170-171. Syntypes 2♂: [Türkei]: Amasia. **TR IL Pa IQ Ry AF Pag Kab Srb Arh IR Elb Mz Kdj Fa Sse Com**
- 1379. Mecyna salangalis Amsel,1970** (Pyralidae) **Synonym(s):** *salangalis* Amsel,1970 **AF Slg**
- 1380. Megasis alpherakii Ragonot,1887** (Pyralidae) **Synonym(s):** *alpherakii* Ragonot,1887 **Megasis** *alpherakii* Ragonot,1887, *Annl. Soc. ent. Fr.* (6) 7: 240. Lectotype ♂: [China: Uighur A.R.]: Kouldja (designated by Roesler,1993, *Microlep. palaearkt.* 8: 67) (MNHNP). **AF KK T-S Na Ik CN Ui Ku Ju**
- 1381. Megasis safedella Amsel,1970** (Pyralidae) **Synonym(s):** *safedella* Amsel,1970 **AF**
- 1382. Merulempista cingillella (Zeller,1846)** (Pyralidae) **Synonym(s):** *cingillella* Zeller,1846; *verruculella* Ragonot,1887. *Pempelia cingillella* Zeller,1846, *Isis* 1846: 779. **ES FR Si IT DE CH AT SK YU AL IL Pa Hf TR RU AF Hr**
- 1383. Metacrambus jugaraicae Bleszynski,1965** (Pyralidae) **Synonym(s):** *jugaraicae* Bleszynski,1965 **KG Uk Ind IR Fa Shr TM K-K AF Hk**
- 1384. Metasia (s.str.) asymmetrica Amsel,1970** (Pyralidae) **Synonym(s):** *asymmetrica* Amsel,1970 **AF Srb**
- 1385. Metasia (s.str.) kasyi Amsel,1970** (Pyralidae) **Synonym(s):** *kasyi* Amsel,1970 **AF Kab**
- 1386. Metasia (s.str.) mimicalis Amsel,1970** (Pyralidae) **Synonym(s):** *mimicalis* Amsel,1970 **AF Bsg**
- 1387. Metasia (s.str.) minimalis Amsel,1970** (Pyralidae) **Synonym(s):** *minimalis* Amsel,1970 **AF Pli**
- 1388. Metasia (s.str.) pagmanalis Amsel,1961** (Pyralidae) **Synonym(s):** *pagmanalis* Amsel,1961 **Metasia** *pagmanalis* Amsel,1961, *Ark. Zool.* 13 (17): 418, Taf.vi figs. 226,227. Holotype ♂: Afghanistan: Pagman Gebirge bei Kabul. **AF Pag Pnj Srb**
- 1389. Metasia (s.str.) subtilialis Caradja,1917** (Pyralidae) **Synonym(s):** *subtilialis* Caradja,1917 **Metasia** *subtilialis* Caradja,1917, *Dt. ent. Z., Iris* 30: 30-31. Syntypes 2♂: [Türkei]: Amasia; [Tadjikistan]: Gebirge Peter d. Grösse. **SY Dms LB Bsa TR IR Fa Sse Shr Yz Elb Th Kdj TJ Pm AF Hr Ca Arh Kab Pnj Slg Gbh Kot**
- 1390. Metasia (s.str.) tampusalis (Walker,1859)** (Pyralidae) **Synonym(s):** *tampusalis* Walker,1859; *ilusalis* Walker,1859; *dascylusalis* Walker,1859; *lilliputalis* Snellen,1880; *calliophis* Meyrick,1894; *mimula* Hampson **AF Srb Bsg Kab MY Bor Swk ID Clb**
- 1391. Myelois (Gnathogutta) heratella Amsel,1970** (Pyralidae) **Synonym(s):** *heratella* Amsel,1970 **AF Hr**
- 1392. Myelois (Gnathogutta) osseella (Ragonot,1887)** (Pyralidae) **Synonym(s):** *osseella* Ragonot,1887 *Myelois osseella* Ragonot,1887, *Annl. Soc. ent. Fr.* 1887: 226. Syntypes: [Lebanon]: Beirut. **MA DZ IL Pa SY TR LB Bei AF Srb Bm Pnj**
- 1393. Myelois (Gnathogutta) umbratella (Treitschke,1832)** (Pyralidae) **Synonym(s):** *umbratella* Treitschke,1832; *ossicolor* Ragonot,1893; *unipunctella* Chrétien,1911 **FR Si YU TR AF LB IL Pa Hf IR Elb Mz**
- 1394. Myelois (s.str.) fuscicostella Mann,1861** (Pyralidae) **Synonym(s):** *fuscicostella* Mann,1861 *Myelois fuscicostella* Mann,1861, *Wien. ent. Monatschr.* 5: 183-184, Tab.2 fig.10. Type ♂: [Türkei]: Amasia. **TR ES AF Srb Bm**
- 1395. Myelois (s.str.) nigripalpella Christoph,1887** (Pyralidae) **Synonym(s):** *nigripalpella* Christoph,1887 **AF Hr**
- 1396. Myelois (s.str.) staudingerella Ragonot,1887** (Pyralidae) **Synonym(s):** *staudingerella* Ragonot,1887 *Myelois staudingerella* Ragonot,1887, *Annl. Soc. ent. Fr.* 7: 226. Syntypes: Samarkand, Nochur. **TM Kp UZ AF Hr**
- 1397. Myeloisiphana afghana Hartig,1937** (Pyralidae) **Synonym(s):** *afghana* Hartig,1937 **AF**
- 1398. Noctuelia superba (Freyer,[1844])** (Pyralidae) **Synonym(s):** *superba* Freyer,[1844] **Cleophana** *superba* Freyer,[1844], *Neuere Beitr. Schmett.* 5: 101, Taf.441, fig.2. Type(s): [Türkei]: europäische Türkei. **MK TR LB IR Elb Shh Ha Kdj Th Fa Kdv IQ AF Shah**
- 1399. Noctuelia yaminalis (Oberthür,1888)** (Pyralidae) **Synonym(s):** *yaminalis* Oberthür,1888 *Aporodes yaminalis* Oberthür,1888, *Etüd. Ent.* 12: 35, pl.6 fig.35. **DZ AF**
- 1400. Nomophila noctuella ([Denis & Schiffermüller],1775)** (Pyralidae) **Synonym(s):** *noctuella* [Denis & Schiffermüller],1775 *Tinea noctuella* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 136. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. **MA DZ TN Sfx Elk PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR IQ Bgd Dia**

- Shq Amr Kro Bji IR Ahz Ab Elb Dam Plr Mz Enz LB Bsa Bei SY IL Pa Hf AF Hr Bmu Anj Gz Jla Kot DK NO SE FI
EE LV LT RU MD UA BY PH TW ID IN ZA
- 1401. Nyctegretis lineana (Scopoli,1786)** (Pyrilidae) Synonym(s): *lineana* Scopoli,1786; *achatinella* Hübner,1824. *Phalaena lineana* Scopoli,1786, Del. Florae Faun. Insub. 2: 57, Tab.21 fig. vi A, B. **ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR Cc DK NO SE FI EE LV LT RU MD UA BY Ur LB IL IQ IR Elb CN Ui Ku Shs AF KG Uk TM Kp MN**
- 1402. Ocrisiodes babaella (Amsel,1970)** (Pyrilidae) Synonym(s): *babaella* Amsel,1970 **AF Kbb Pnj**
- 1403. Ocrisiodes bamella (Amsel,1958)** (Pyrilidae) Synonym(s): *bamella* Amsel,1958 **IR Kd AF Hr Ca Pm**
- 1404. Ocrisiodes dispergella (Ragonot,1887)** (Pyrilidae) Synonym(s): *dispergella* Ragonot,1887 **IR Ss Th Elb AF Ca TM Kp Cc AZ Nv Ord**
- 1405. Ocrisiodes minimella (Amsel,1970)** (Pyrilidae) Synonym(s): *minimella* Amsel,1970 *Pristophorodes minimella* Amsel,1970, Beitr. naturk. Forsch. SüdwDtl. 29: 80, t.5 fig.7. Holotype ♂: Afghanistan: Arghandab-Damm, 35km N. Kandahar, 1150m (LNK). **IR Elb Th AF Ca Pag**
- 1406. Ocrisiodes polptychella (Ragonot,1887)** (Pyrilidae) Synonym(s): *polptychella* Ragonot,1887; *pristophorella* Amsel,1951. **IR Elb Shh Kh AF Kab Ch**
- 1407. Ocrisiodes senganella (Amsel,1961)** (Pyrilidae) Synonym(s): *senganella* Amsel,1961; *arghandabella* Amsel,1970. **AF Ca IR Ss Kd Zj**
- 1408. Ocrisiodes taftanella (Amsel,1950)** (Pyrilidae) Synonym(s): *taftanella* Amsel,1950 **IR Ss Elb Th Kh AF Ca Hr Kab Kbb Pnj Srb Bm**
- 1409. Oncocera semirubella (Scopoli,1763)** (Pyrilidae) Synonym(s): *semirubella* Scopoli,1763; *rosella* Goetze,1783 nec Sc.,1763; *purpurella* Thunberg,1788; *sanguinella* Hübner,1796; *sanguinea* Haworth,1811; *nigrella* Caradja,1916 *Phalaena semirubella* Scopoli,1763, Ent. Carn.: 245. Type(s): [Slovenien]: Carniolia [Krain]. **PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr CY LB IL Pa Hf TR Cc IQ Amr Shq AF Hr CN JP DK NO SE FI EE LV LT RU Am MD UA BY KP KR TW IR Enz CN Ui Tek Kty**
- 1410. Ostrinia avarialis Amsel,1970** (Pyrilidae) Synonym(s): *avarialis* Amsel,1970 **AF Kot Shah**
- 1411. Ostrinia nubilalis (Hübner,1796)** (Pyrilidae) Synonym(s): *nubilalis* Hübner,1796; *silacealis* Hübner,1796. *Pyrilis nubilalis* Hübner,1796, Samml. eur. Schmett. 6, Pyralides: Tab.14 fig.94. Type(s): Europa. **MA DZ PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO HV SS B-H AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA Cm By KG Tk Dj Ii AF Srb Bsg CY IR Elb Gh Tgo CA On Nfl Qb Mnt US Pns Msc Vr Nj Mch Ny Mis Idp Mss Vi EG JP GU**
- 1412. Pagmanella heroica Leraut,1985** (Pyrilidae) Synonym(s): *heroica* Leraut,1985 **AF Pag**
- 1413. Palpita negatalis (Walker,1859)** (Pyrilidae) Synonym(s): *negatalis* Walker,1859 **AF Srb IN LK MM TW AU**
- 1414. Palpita pyloalis (Walker,1859)** (Pyrilidae) Synonym(s): *pyloalis* Walker,1859 **Glyphodes pyloalis Walker,1859, List Specimens lepid. Insects Colln Br. Mus. 19: 973. AF Bsg Srb Bkt IN LK MM CN TW JP**
- 1415. Palpita vitrealis (Rossi,1794)** (Pyrilidae) Synonym(s): *vitrealis* Rossi,1794; *unionalis* Hübner,1796; *quinquepunctalis* Boisduval,1833; *transvisalis* Guenée,1854; *suralis* Lederer,1863; *septempunctalis* Mabille,1880 **TN Sfx PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR Cr CY TR SE CY YE IL Pa Hf JO LB Bsa EG AF Bsg Bkt AU ZA**
- 1416. Panstegia aerealis (Hübner,1793)** (Pyrilidae) Synonym(s): *aerealis* Hübner,1793; *unicolor* Rebel,1917. **ES FR IT DE CH AT PL RO YU AL BG GR TR Cc DK SE FI EE LV LT RU MD UA BY IR Fa Elb Dam Kdv Mz TM UZ KK Al KG Tk Dj Ii CN Ui Ju AF Shv Pag LB Bsa**
- 1417. Panstegia babalis Amsel,1970** (Pyrilidae) Synonym(s): *babalis* Amsel,1970 **AF**
- 1418. Paracorsia repandalis ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *repandalis* [Denis & Schiffermüller],1775 *Pyrilis repandalis* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 120. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. **PT ES FR Co Sa IT MT GB BE LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR Cc IR Th Kh Fa TM Kp RU MD UA BY AF Kot Srb Bsg Pag Bm**
- 1419. Paraplatytes eberti Bleszynski,1965** (Pyrilidae) Synonym(s): *eberti* Bleszynski,1965 **AF Srb**
- 1420. Parapoynx affinalis (Guenée,1854)** (Pyrilidae) Synonym(s): *affinalis* Guenée,1854; *incommoda* Butler,1881; *fuscomarginata* Bethune-Baker,1894; *alaicalis* Caradja,1916 *Paraponyx affinalis* Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 270. Syntypes 2♀: "Inde centrale". **IL Pa TR SY Dms IR Fa Ahz Kz Sde Ke Ana Ss Irs Gh Tgo AF IQ Bsr Bgd Amr Dia Mos KW EG PK Sd Krc MY IN Sk ID AU Aru YE Sk Al TJ ZA**
- 1421. Pempelia albifasciella (Hartig,1937)** (Pyrilidae) Synonym(s): *albifasciella* Hartig,1937 *Rhodophaea albifasciella* Hartig,1937, Z. öst. Ent. Ver. 22: 70, t.4 fig.12. Holotype ♂: Afghanistan: Paghman Gebirge (IEUR). **AF Pag**
- 1422. Pempelia amoenella (Zeller,1848)** (Pyrilidae) Synonym(s): *amoenella* Zeller,1848 **RO YU AL GR TR Cc AM CN Ui Ga AF UZ**
- 1423. Pempelia genistella (Duponchel,1836)** (Pyrilidae) Synonym(s): *genistella* Duponchel,1836; *albariella* Zeller,1839. **PT ES FR Co Sa Si GB CH IT SK HU YU RU TR AF Hr KG Uk**
- 1424. Pempelia kuschella Zerny,1914** (Pyrilidae) Synonym(s): *kuschella* Zerny,1914 **AF**
- 1425. Phlyctaenomorpha afghanalis Amsel,1970** (Pyrilidae) Synonym(s): *afghanalis* Amsel,1970 **AF Kot Srb Bsg Bkt PK BI Qu**
- 1426. Phycitodes albatella (Ragonot,1887)** (Pyrilidae) Synonym(s): *albatella* Ragonot,1887 *Homoeosoma albatella* Ragonot,1887, Annls Soc. ent. Fr. 1887: 255. Syntypes: [Uzbekistan]: Samarkand; [Turkmenistan]: Nuchur. **LY Cy TN Gf DZ MA Cn Az PT ES Mu FR Co Sa Si IT BE NL LU DE CH AT PL CZ SK HU**

- RO YU HV MK AL BG GR DK NO SE FI LV LT RU MD UA BY TM Kp UZ Smk Br LB Bei Bsa SY Dms IL Hf Jer Jf Jt Pa EG CY TR IQ Bsr IR Elb Th Kdj AF Kbb Slg Pli Hr Srb Kab Sen Ch Gg PK TJ KK NP Us CN She
1427. **Phycitodes bicolor Roesler,1970** (Pyralidae) Synonym(s): *bicolor Roesler,1970* **AF Srb**
1428. **Phycitodes binaevella (Hübner,[1813])** (Pyralidae) Synonym(s): *binaevella Hübner,[1813]*. **Tinea binaevella Hübner,[1813]**, Samml. eur. Schmett. 8, Tineae: Tab.57 fig.383. Type(s): Europa. **MA LY Cy ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY LB Bsa TM Kp IL Jf Pa IR Elb Th Mz AF Kab Pag Pli KG Tk Dj Ii**
1429. **Phycitodes binaloudella (Amsel,1961)** (Pyralidae) Synonym(s): *binaloudella Amsel,1961* **IR KuB**
Kh Elb Th AF Pag Slg Pic Kbb Srb Gbh Kab Bm
1430. **Phycitodes carlinella (Heinemann,1865)** (Pyralidae) Synonym(s): *carlinella Heinemann,1865; cretaceella Rössler,1866; maritima Tengström,1870; senecionis Vaughan,1870; caniusella Ragonot,1901* **Homoeosoma carlinella Heinemann,1865**, Schmett. Deutschlands Schweiz 2(1) 2: 198. Type(s): Deutschland: Wolfenbüttel. **MA DZ TN PT ES FR Co IT GB BE NL DE CH AT PL CZ SK HU RO BG TR Cc DK NO SE FI LV RU MD UA BY TR LB Bei SY Dms IL Jer IR Elb Kdj Th Fa AF Pli**
1431. **Phycitodes lacteella (Rothschild,1915)** (Pyralidae) Synonym(s): *lacteella Rothschild,1915; viettella Roesler,1965*. *Staudingeria lacteella Rothschild,1915*, Novit. Zool. 22: 240. Type ♀: Algeria: Oued Nça, Mzab (BMNH). **LY Cy TN DZ MA Cn ES Mu FR Sa Si IT MT DE HU RO YU AL BG GR RU Ur MD UA BY SY Dms IL Bda IL Jf Jer Hf SA SA63 BH IQ Bgd IR Elb Th Kdj Fa Shr Kz Ss AF Gbh Pag Sfk Pic Pli Kab Dwe Blh Slg Bm Bkt Nu KG Tk Ii Dj MN**
1432. **Phycitodes pagodiella Roesler,1970** (Pyralidae) Synonym(s): *pagodiella Roesler,1970* **AF Srb Kbb Pnj**
1433. **Phycitodes saxicola (Vaughan,1870)** (Pyralidae) Synonym(s): *saxicola Vaughan,1870* **Homoeosoma saxicola Vaughan,1870**, Entomologist's mon. Mag. 7: 132. Type ♂: England: Isle of Man. **Cn DZ MA TN Gf LY Cy PT ES Mu Py FR Co Sa Si IT MT IE GB BE NL DE CH AT CZ SK RO YU HV B-H MK BG GR Cr CY DK NO SE FI EE LV LT TR RU Or Ur Sr LB Bei Bsa SY Dms IL Hf Js Jt IQ Bgd IR Elb Th Kdj Fa Shr AF Pag Kab Srb Gbh**
1434. **Plodia interpunctella (Hübner,[1813])** (Pyralidae) Synonym(s): *interpunctella Hübner,[1813]; interpunctalis Hübner,[1825]; zaeae Fitch,1856; castaneella Reutti,1898; latercula Hampson,1901; glycinivora Matsumura,1917; glycinivorella Matsumura,1932*. **Indian Meal Moth Kuru Meyve Güvesi Tinea interpunctella Hübner,[1813]**, Samml. eur. Schmett. 8, Tineae: Tab.45 fig.310. Type(s): Europa. **Cn MA DZ LY Cy TN Gf PT ES B-I Md FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU HV B-H MK AL BG GR Cr TR EG DK NO SE FI EE LV LT RU Sb Ur Am KP KR MD UA BY LB IL Pa SD SA IQ IR TM AF CN Ui Kgs Stg JP Hkk TW ZA AU**
1435. **Polygrammodes pectinicornalis (Guenée,1854)** (Pyralidae) Synonym(s): *pectinicornalis Guenée,1854* **Botys pectinicornalis Guenée,1854**, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 326. Syntypes 2♂: "Inde centrale". **AF IN LK**
1436. **Praekatja pagmanalis Amsel,1961** (Pyralidae) Synonym(s): *pagmanalis Amsel,1961* **Praekatja pagmanalis Amsel,1961**, Ark. Zool. 13 (17): 399, Taf.iv fig.202. Type ♂: Afghanistan: Pagman Gebirge bei Kabul, F.Brandt leg. **AF Pag**
1437. **Prionapteryx amselella (Bleszynski,1965)** (Pyralidae) Synonym(s): *amselella Bleszynski,1965* **AF Srb**
1438. **Prionapteryx soudanensis (Hampson,1919)** (Pyralidae) Synonym(s): *soudanensis Hampson,1919* **SD SD95 SA BH IR AF**
1439. **Prochoristis rupicapralis (Lederer,1855)** (Pyralidae) Synonym(s): *rupicapralis Lederer,1855* **Botys rupicapralis Lederer,1855**, Verh. zool.- bot. Ges. Wien 5: 218-219, Taf.3 fig.12. Syntypes 1♂ 2♀: Libanon: Beirut. **IL Pa Hf CY LB Bei TM Kp AF Hr TR IQ Mos Kbl Rwz**
1440. **Prorophora (Epischidia) afghanella Roesler,1973** (Pyralidae) Synonym(s): *afghanella Roesler,1973* **IR Ke AF Ca PK Bl Qu**
1441. **Prorophora (Epischidia) eberti (Amsel,1959)** (Pyralidae) Synonym(s): *eberti Amsel,1959* **AF Dwe**
1442. **Prorophora (s.str.) curvibasella Ragonot,1887** (Pyralidae) Synonym(s): *curvibasella Ragonot,1887* **Prorophora curvibasella Ragonot,1887**, Annl. Soc. ent. Fr. 1887: 252. Type ♂: [Uzbekistan]: Namangan (MNHN). **UZ Nmg Fe TM Kp Krn IR Elb Th Fa AF IQ Mos**
1443. **Psammotis pulveralis (Hübner,1796)** (Pyralidae) Synonym(s): *pulveralis Hübner,1796* **Pyralis pulveralis Hübner,1796**, Samml. eur. Schmett. 6, Pyralides: Tab.17 fig.109. Type(s): Europa. **ES FR Co Sa IT GB NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK TR IQ Ry LB Bsa NO SE FI EE LV LT RU MD UA BY IR Elb Kdv Gor Shh Fa Sse Ha Yz KG Tk Dj Ii AF Slg Shah Kot Adr Shv Pag**
1444. **Psorosa nucleolella (Möschler,1866)** (Pyralidae) Synonym(s): *nucleolella Möschler,1866; clarella Caradja,1910; #luteostrigella Caradja,1910; mediterranea Amsel,1953*. **PT ES Mu Si FR IT YU TR Cc IQ Shq Bgd Amr RU KG UK Tk Dj IR Elb Plr Kdv Mz Shh Ss Irs Ana Ke Kz Sde AF Hr MN**
1445. **Pterothrixidia fordi Amsel,1953** (Pyralidae) Synonym(s): *fordi Amsel,1953* **AF Pag Fa Sse Elb Th Kdj Kz Com**
1446. **Pyralis farinalis (Linnaeus,1758)** (Pyralidae) Synonym(s): *farinalis Linnaeus,1758; erecta Fourcroy,1785; farinatus Haworth,1810; domesticalis Zeller,1847; fraterna Butler,1879; meridionalis Schmidt,1934; orientalis Amsel,1961 nec Fabr.,1794*. **Phalaena farinalis Linnaeus,1758**, Syst. Nat. (Edn.10)1: 533. Lectotype ♀: [Europa] (Robinson & Nielsen, 1983: 210). **TN Sfx PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR IR Ab Elb Th Kdj Nss Ha LB Bsa IQ Bgd Er Shq DK NO SE FI EE LV LT RU MD UA BY IL Pa Hf AF Ca Gbh Pli AU AY NZ TW JP KP KR ZA**
1447. **Pyrausta (Haematia) despicata (Scopoli,1763)** (Pyralidae) Synonym(s): *despicata Scopoli,1763; cespitalis [Denis & Schiffermüller],1775*. **Phalaena despicata Scopoli,1763**, Entomologia Caniolica: 231. Type(s):

- [Slovenien]: Carniolia [Krain]. PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IQ Rvw Amr DK NO SE FI EE LV LT RU Cc GG CY IR Ab Elb Shh Th Fa Shr Com Ha Plr Kdv Mz AF Hr Bmu Slg Pnj Bda Pic Kab Arh Srb Ca Gbh Adr Fz Khi Pag Pli UZ Fe CN Ui Ju Kml LB Bsa
1448. **Pyrausta (Haematia) perkeo** Amsel, 1970 (Pyralidae) Synonym(s): *perkeo* Amsel, 1970 AF Gbh
Srb Kab Pic Pag PK Bl Qu IR Ss
1449. **Pyrausta (Haematia) sanguinalis** (Linnaeus, 1767) (Pyralidae) Synonym(s): *sanguinalis* Linnaeus, 1767; *crentalis* Scriba, 1770; *haematalis* Hübner, [1819] *Phalaena sanguinalis* Linnaeus, 1767, Syst. Nat. (Edn. 12) 1(2): 882, no. 339. Lectotype 1ex: [Lusitania] (Robinson & Nielsen, 1983: 229). PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV RU MD UA BY Cc GG IL Pa Hf LB CY IR Gh Tgo Ana Ke Fa Shr Com Elb Kh Th Mz Plr Gor AF Pag Kot Bkt Asm Arh Hr Slg Bsg Gbh Srb Pli
1450. **Pyrausta (Haematia) virginalis** (Duponchel, 1832) (Pyralidae) Synonym(s): *virginalis* Duponchel, 1832; *auroralis* Zeller, 1847; *neglectalis* Caradja, 1916 *Rhodaria virginalis* Duponchel, 1832, Hist. nat. Lépid. Papillons Fr. 8: 216, pl. 224 fig. 3. TN Elk Sfx ES Cue FR Co Sa Si IT CH AT SK HU RO YU AL BG GR Cr Rd CY TR Cc AM IQ Hjo Mos Shq IR Fa Shr Sse Th Kdj Elb Mz Srd AF Pnj Kbb Kot Bda
1451. **Pyrausta (s.str.) aurata** (Scopoli, 1763) (Pyralidae) Synonym(s): *aurata* Scopoli, 1763; *punicealis* [Denis & Schiffermüller], 1775; *niepoldalis* Lederer, 1863 *Phalaena aurata* Scopoli, 1763, Entomologia Carniolica: 227. Type(s): [Slovenien]: Carniolia [Krain]. Cn MA DZ TN PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR IR Ab Enz Gh Tgo DK NO SE FI EE LV LT RU MD UA BY AF Hr
1452. **Pyrausta (s.str.) inciae** Koçak, 1982 (Pyralidae) Synonym(s): *meridionalis* Staudinger, 1880 *nec* Wcke, 1871; *inciae* Koçak, 1982. İnci *Pyrausta aurota* ssp. *inciae* Koçak, 1982, Priamus 2 (1): 65, nomen novum pro *Botys aurata* var. *meridionalis* Staudinger, 1880 *nec* *Botys polygonalis meridionalis* Wocke, 1871. MA IQ GR Cr TR CY IR Fa Yz Elb Kdj Th Ana Ke AF Srb Pli Arh Hr Kot Fz Khi Kab Dwe LB Bsa IL Pa
1453. **Pyrausta (s.str.) ostrinalis** (Hübner, 1796) (Pyralidae) Synonym(s): *ostrinalis* Hübner, 1796; *moestalis* Duponchel, 1833; *purialis* La Harpe, 1864 ES FR IT IE GB BE NL DE CH AT CZ SK HU RO YU BG TR DK SE FI EE LV LT RU MD UA BY AF Ca
1454. **Raphimetopus ablutellus** (Zeller, 1839) (Pyralidae) Synonym(s): *ablutellus* Zeller, 1839; *stigmatellus* Ragonot, 1888; *buxtoni* Rothschild, 1921 *Anerastia ablutella* Zeller, 1839, Isis 1839: 177. PT ES Grn FR Si IT RO YU BG GR Cr TR CY IQ Bgd IR Qz Ss Irs IL Hf Pa TE LB JO EG TM Kp AF PK Sd Krc IN ZA
1455. **Sameodes cancellalis** (Zeller, 1852) (Pyralidae) Synonym(s): *cancellalis* Zeller, 1852; *pipileisalis* Walker, 1859; *lepidalis* Walker, 1859; *sidealis* Walker, 1859; *meridionalis* Walker, [1866]; *trithyralis* Snellen, 1880 AF Srb WS SB PH Luz IN LK MM Ja Clb PG ID AU TH TW Adm MY SG FJ
1456. **Schoenobius alpherakyi** Staudinger, 1874 (Pyralidae) Synonym(s): *alpherakyi* Staudinger, 1874 *Schoenobius alpherakyi* Staudinger, 1874, Stettin ent. Ztg. 35: 97. AF Hr TR IL IR Ahz Elb Kdj Mz Bu Fa Shr Kz Sde IQ Bgd
1457. **Sciota (s.str.) rhenella** (Zincken, 1818) (Pyralidae) Synonym(s): *rhenella* Zincken, 1818 *Phycis rhenella* Zincken, 1818, Germar's Mag. Ent. 3: 166. Type(s). ES FR IT BE NL DE CH AT PL CZ SK HU RO YU BG DK FI EE LV LT RU IQ Shq TR AF Cc GG Lag KG Tk Dj İi
1458. **Scirpophaga incertulas** (Walker, 1863) (Pyralidae) Synonym(s): *incertulas* Walker, 1863; *?admotella* Walker, 1863; *punctellus* Zeller, 1863; *minutellus* Zeller, 1863; *bipunctifera* Walker, 1863; *gratiosellus* Walker, 1864; *?ncertulas* Hutacharern & Tuhtim, 1995. *Chilo incertulas* Walker, 1863, List Specimens lepid Insects Colln Br. Mus. 27: 143. Holotype ♂: Borneo: Sarawak (BMNH). AF Srb NP IN Clc Bba Ass Poo LK MM VN TH Bnk CMA Cuo1 MY SG ID Sum Ja Bor Clb PH Pal Luz Mno TW CN Hn JP ZA Sbh Swk Klt
1459. **Scirpophaga magnella** De Joannis, 1929 (Pyralidae) Synonym(s): *magnella* De Joannis, 1929. *Scirpophaga magnella* De Joannis, 1929, Annls Soc. ent. Fr. 1929: 608. Holotype ♀: Vietnam: Choganh (MNHNP). IR Ss AF Srb Bkt Nu PK Lh Rw IN Hp Drm Ass Pj Cp NP MM TH VN Ton CN Hn
1460. **Scoparia afghanorum** Leraut, 1985 (Pyralidae) Synonym(s): *afghanorum* Leraut, 1985 AF
1461. **Sitochroa verticalis** (Linnaeus, 1758) (Pyralidae) Synonym(s): *verticalis* Linnaeus, 1758; *inversa* Fourcroy, 1785; *cinctalis* Treitschke, 1829 *Phalaena verticalis* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 533. Lectotype ♀: [Europa] (Robinson & Nielsen, 1983: 236). PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG IR Ab Elb Th Kdj Ha DK NO SE FI EE LV LT RU Sb MD UA BY AF Hr Bmu Kot Bark Fz Pli Bd UZ KG Tk Dj İi JP
1462. **Spoladea recurvalis** (Fabricius, 1775) (Pyralidae) Synonym(s): *recurvalis* Fabricius, 1775; *fascialis* Cramer, [1782]; *recurvella* Zincken, 1818; *diffascialis* Hübner, [1825]; *albifacialis* Boisduval, 1833; *animalis* Guenée, 1854; *exodias* Meyrick, 1904; *formosana* Shiraki, 1910. *Phalaena recurvalis* Fabricius, 1775, Syst. Ent.: 407. Type(s): Lost (Clarke, 1986: 51). Az Cn ES FR Co BE MT GB NL DE DK PH Luz Boh ID Sum Ja Amb Tim JP KP KR TW CN PG Nlr AU NZ Hw IN Adm LK MG BR ZA Lpo Tva Spb Mdk AF Srb Gbh Kot IQ Bgd YE LB IR Fa Sse Shr Ss Irs CY TR IL Pa Hf WS FJ NH MY Kmd MM TH CMA Cuo Cuo1 Cuo5 Dst Dso9 Sgk Hya PSu SG Md
1463. **Staudingeria (s.str.) aspilatella** (Ragonot, 1887) (Pyralidae) Synonym(s): *aspilatella* Ragonot, 1887; *simplicella* Chrétien, 1910; *calligonella* Dumont, 1926. DZ TN EG Sn RU Ur IR Elb Kj Th Ss Ana Ke TM Kp K-K AF
1464. **Staudingeria (s.str.) deserticola** (Staudinger, 1870) (Pyralidae) Synonym(s): *deserticola* Staudinger, 1870 *Myelois deserticola* Staudinger, 1870, Berl. ent. Z. 14: 201. Type ♂: Russland: Sarepta (ZMB). DZ ES HU RO BG TR SA SA63 EG EG11 SD IL Jf Jer Hf Pa SY Dms LB Bei IR Elb Th Ss IQ RU Ur Or Sr Sb KG Uk TM Kp UZ Br AF Kab Srb PK Bl Qu
1465. **Staudingeria (s.str.) monella** Roesler, 1973 (Pyralidae) Synonym(s): *monella* Roesler, 1973 AF Srb Hr IR Elb Th
1466. **Staudingeria (s.str.) morbosella** (Staudinger, 1879) (Pyralidae) Synonym(s): *morbosella* Staudinger, 1879; *inderskyella* Caradja, 1910; *cinnamomella* Rothschild, 1915. *Ancylosis morbosella* Staudinger, 1879, Horae Soc. ent. ross. 15: 218-219. Syntypes 5♂ 3♀: [Türkei]: Amasia: Kerasdere, Caraman; Lectotype ♂: Amasia (designated by Roesler, 1973, Microlepid. palaearkt. 4: 473) (ZMB). DZ FR RU Ur TR Cc AF Kbb CN Ui Au KG Ind

- 1467. Staudingeria (s.str.) partitella Ragonot,1887** (Pyrilidae) Synonym(s): *partitella* Ragonot,1887; *adustella* Ragonot,1887; *fractifasciella* Ragonot,1890; *kebiliella* Lucas,1909; *combustella* Chrétien,1910. **Staudingeria** *partitella* Ragonot,1887, *Annls Soc. ent. Fr.* 1887: 249. Type ♂: [Azerbaijan]: Ordubad (MNHNP). **MA TN DZ MT LY Cy SD EG SA SA63 IL SY Dms IQ Bgd Kbl IR Elb Th Ss Irs Sde Kz Ana Ke Ahz BH Cc AZ Nv Ord KG Uk AF Ca Hr CN Ui Ku Ga TM Kp UZ KW MN**
- 1468. Staudingeria (s.str.) steppicola (Caradja,1937)** (Pyrilidae) Synonym(s): *steppicola* Caradja,1937 **TM K-A AF Ca CN Stg MN**
- 1469. Stiphrometasia monialis (Erschoff,1871)** (Pyrilidae) Synonym(s): *monialis* Erschoff,1871 **Botys** *monialis* Erschoff,1871, *Horae Soc. ent. ross.* 8: 317. **IR Fa Bu Shr Th Kdj Ss Srw PK Ch Gg AF Hr IL TM IN**
- 1470. Susia uberalis (Swinhoe,1884)** (Pyrilidae) Synonym(s): *uberalis* Swinhoe,1884; *bahrainalis* Amsel,1968. *Pyrilis uberalis* Swinhoe,1884, *Proc. zool. Soc. Lond.* 1884: 523, pl.48 fig.10. Type ♀: Pakistan: Karachi. **DZ TN LY Cy TR IL Jf Js Jer Pa Hf BH IR Ahz Ss Irs Hz Th Elb Kj Ke B-A LB Bei SY Dms SA EG Sn JO Amm Jt IQ Mos Kbl Bgd AF Srb Kab PK Gg Ch Sk**
- 1471. Syllepte luctuosalis (Guenée,1854)** (Pyrilidae) Synonym(s): *luctuosalis* Guenée,1854 **Hyalitis** *luctuosalis* Guenée,1854, [in] Boisduval & Guenée, *Hist. nat. Insectes (Spec. gén. Lépid.)* 8: 290. Type ♀: "Indes orientales?". **AF Bkt IN CN MY Bor ID TW KP JP**
- 1472. Synaphe bombycalis ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *bombycalis* [Denis & Schiffermüller],1775; *almanica* Rebel,1917. *Pyrilis bombycalis* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 120. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. **ES FR Co IT AT CZ SK HU RO YU RU TR Cc Arr IR Elb Th Nss TM AF**
- 1473. Synclera traducalis (Zeller,1852)** (Pyrilidae) Synonym(s): *traducalis* Zeller,1852; *retinalis* Lederer,1857; *univocalis* Walker,1859; *achatinalis* Guenée,1862 **Eudiotis traducalis Zeller,1852, *Lepid. Microptera*: 54. **BG TR LB Bei SY IL Pa Hf IQ Mos Rwz Shq IR Ahz Fa Bu Shr AF Kot ZA PH Luz IN LK ID Ja Clb Amb TH Bnk Chc Mhs Sup LY YE SA MU KE TZ ET NG AO NA****
- 1474. Synoria antiquella (Herrich-Schäffer,[1855])** (Pyrilidae) Synonym(s): *antiquella* Herrich-Schäffer,[1855] *Zophodia antiquella* Herrich-Schäffer,[1855], *Syst. Bearb. Schmett. Eur.* 6: 147, Tab.21. Type(s): [Türkei]: Amasia. **GR TR Cc TM Kp AF Bd Kab**
- 1475. Taftania oxycyma (Meyrick,1937)** (Pyrilidae) Synonym(s): *oxycyma* Meyrick,1937 **Pristophora** *oxycyma* Meyrick,1937, *Exot. Microlepid.* 5: 73. Type ♀: Iraq: Rowanduz, June (E.P.Wiltshire leg.). **IQ Rwz IR Fa Ss AF Kab Bm Srb**
- 1476. Talis afghanella Bleszynski,1965** (Pyrilidae) Synonym(s): *afghanella* Bleszynski,1965 **AF Gz**
- 1477. Tegostoma comparalis (Hübner,1796)** (Pyrilidae) Synonym(s): *comparalis* Hübner,1796; *ramalis* Hübner,1796; *tenebrosalis* Walker,1865; *#comparale* Caradja,1917. *Pyrilis comparalis* Hübner,1796, *Samml. eur. Schmett.* 6, *Pyrilides*: Tab.19 fig.126. Type(s): Europa. **ES FR Sa Si IT MT YU BG GR TR Cc AF IN PK Sd Krc ZA**
- 1478. Tegostoma mossulalis Amsel,1949** (Pyrilidae) Synonym(s): *mossulalis* Amsel,1949 **IQ Mos IR Th Kh Ss Bmp Irs Chh AF Pli Dwe Arh Kab Srb Gz**
- 1479. Tegostoma perlepidalis (Guenée,1854)** (Pyrilidae) Synonym(s): *#lepidalis* Herrich-Schäffer,[1851]; *perlepidalis* Guenée,1854; *lepidalis* Herrich-Schäffer,[1855]; *#lepidale* Caradja,1917. **Anthophilodes** *perlepidalis* Guenée,1854, [in] Boisduval & Guenée, *Hist. nat. Insectes (Spec. gén. Lépid.)* 8: 396 & [447] (Errata) (nomen novum pro *lepidalis* H.-S. nec Cramer). Syntypes 2♂: [Turquie]: "Amasieh" [Amasya] (coll. Guenée). **TR Cc AM IQ IR Elb Kdj Th Ha Adv Fa Sse Shr AF Kab**
- 1480. Tegostoma sarobiella Amsel,1970** (Pyrilidae) Synonym(s): *sarobiella* Amsel,1970 **AF Srb Jla**
- 1481. Thospia crassipalpella Ragonot,1888** (Pyrilidae) Synonym(s): *crassipalpella* Ragonot,1888 *Thospia crassipalpella* Ragonot,1888, *Nouv. Gen. Phycet.* 1888: 28. Type ♂: Iran: Persien: Schahkuh (MNHNP). **IR Elb Shh AF PK BI Qu**
- 1482. Thospia feminella Roesler,1973** (Pyrilidae) Synonym(s): *feminella* Roesler,1973 **Thospia feminella** Roesler,1973, *Microlepid. Palaearkt.* 4: 55-56, Taf. 2 fig.16; textfigs. Holotype ♀: N-Afghanistan: Polichomri, 700m (LNK). **AF**
- 1483. Thospia trifasciella (Ragonot,1887)** (Pyrilidae) Synonym(s): *trifasciella* Ragonot,1887; *alborivulella* Ragonot,1888. *Heterographis trifasciella* Ragonot,1887, *Annls Soc. ent. Fr.* 1887: 246. Type ♂: [China: Uighur A.R.]: Kouldja (ZMB). **CN Ui Ku UZ Nmg RU Sb AF IR Elb Th TR**
- 1484. Titanio nawaralis Amsel,1970** (Pyrilidae) Synonym(s): *nawaralis* Amsel,1970 **AF Gz**
- 1485. Titanio nissalis Amsel,1951** (Pyrilidae) Synonym(s): *nissalis* Amsel,1951 **Titanio nissalis** Amsel,1951, *Ark. Zool.* 1 (36): 553-554, figs. 50, 85. Syntypes 2♂: Iran: [Elburs Gebirge]: Nissa, 4000m. **IR Elb Th Nss AF Bd**
- 1486. Titanio safedalis Amsel,1970** (Pyrilidae) Synonym(s): *safedalis* Amsel,1970 **AF Shah**
- 1487. Titanio sarekandalis Amsel,1970** (Pyrilidae) Synonym(s): *sarekandalis* Amsel,1970 **AF Bd Anj**
- 1488. Titanio schivalis Amsel,1970** (Pyrilidae) Synonym(s): *schivalis* Amsel,1970 **AF Bd Shv**
- 1489. Trachycera baharaca Roesler,1987** (Pyrilidae) Synonym(s): *baharaca* Roesler,1987 **AF**
- 1490. Trachycera persicella (Amsel,1951)** (Pyrilidae) Synonym(s): *persicella* Amsel,1951 **IR Fa Shr Mia AF Pag**
- 1491. Trigonuncus euergestalis Amsel,1953** (Pyrilidae) Synonym(s): *euergestalis* Amsel,1953; *#euergestalis* Wiltshire,1957. *Trigonuncus euergestalis* Amsel,1953, *Ark. Zool.* 6 (16): 313-314, figs. 184,277,278. Holotype ♂: Iran: Teheran. **IR Fa Elb Kdj Th Ahz IQ Dy AF Hr Dwe TR**
- 1492. Trigonuncus pagmanalis Amsel,1970** (Pyrilidae) Synonym(s): *pagmanalis* Amsel,1970 **AF Pag**
- 1493. Trigonuncus sarobialis Amsel,1970** (Pyrilidae) Synonym(s): *sarobialis* Amsel,1970 **AF Bsg Srb Pnj Kab PK BI Qu**

- 1494. Trigonuncus similis Amsel,1970** (Pyralidae) Synonym(s): *similis* Amsel,1970 **AF Srb Kab Pag Pli Pic Gbh**
- 1495. Turania pentodonalis (Erschoff,1874)** (Pyralidae) Synonym(s): *pentodonalis* Erschoff,1874 *Emprepes pentodonalis* Erschoff,1874, [in] Fedtschenko, Reise in Turkestan 2 (2g) 75, pl.6 fig.97. **KG IR Elb Kdj Th AF Hr Pag Kab Srb Pli Dwe Gbh Blh**
- 1496. Udea ferrugalis (Hübner,1796)** (Pyralidae) Synonym(s): *ferruginalis* Rossi,1794; *ferrugalis* Hübner,1796; *#ferugalis* Hübner,1796; *martialis* Guenée,1854; *hypatialis* Walker,1859; *testacea* Butler,1879 **Pyralis ferrugalis** Hübner,1796, Samml. eur. Schmett. 6, Pyralides: Tab.9 fig.54. Type(s): **Europa. DZ MA PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK NO SE FI EE LV RU MD UA BY IL Pa Hf LB Bsa IR Ahz Elb Mz Kdv Dam Plr Gor Kdj Km Th Fa Shr Sse Kh Gh Tgo IQ Dia Bgd Rwz AF Ca Arh Khi Adr Fz Bsg Hr Blh IN LK MM JP TW TH CMa Dst Dso9 Cc**
- 1497. Udea fulvalis (Hübner,[1809])** (Pyralidae) Synonym(s): *fulvalis* Hübner,[1809]; *pronoidalis* Staudinger,1879 **Pyralis fulvalis** Hübner,[1809], Samml. eur. Schmett. 6, Pyralides: Tab.22 fig.147. Type(s): **Europa. ES FR Co Si IT GB BE NL DE AT PL CZ SK HU RO YU AL BG GR TR DK FI EE LV LT RU MD UA BY AF Hr IR Kh**
- 1498. Uncinus discostriglia Amsel,1961** (Pyralidae) Synonym(s): *discostriglia* Amsel,1961; *#gulbaharensis* Amsel,1970. **AF Gbh Srb**
- 1499. Uresiphita polygonalis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *polygonalis* [Denis & Schiffermüller],1775; *#limbalis* [Denis & Schiffermüller],1775; *gilvata* Fabricius,1794; *orientalis* Fabricius,1794; *diversalis* Hübner,1796; *rusticalis* Hübner,1796; *aversalis* Guenée,1854; *consanguinalis* Guenée,1854; *teriadalis* Guenée,1854; *deprivalis* Walker,1859; *virescens* Butler,1881; *ochrocrossa* Clarke,1971 **Pyralis polygonalis** [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 123. Type(s): **Vienna district. TN Sfx PT ES FR Co Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR Cr CY DK RU MD UA BY TR IL Pa Hf LB Bsa IQ Mos Brs Dia Amr IR Ahz Fa Shr Se Ha Elb Th Kdj Lo KG Tks AF Hr Bmu Kab Srb Arh Gbh Bsg Blh Dwe Bkt ZA Tva Lpo Spb Hgl Mdk Lj**

Saturniidae (3 species)

- 1500. Actias selene (Hübner,1806)** (Saturniidae) Synonym(s): *selene* Hübner,1806; *#dianae* Hutton,1846 **AF IN PK TH Nna CMa Dst Dso7 LA KH VN MM MY CN TW PH Luz Mdo Mno ID Sum**
- 1501. Saturnia (Neoris) shadulla (Moore,1872)** (Saturniidae) Synonym(s): *shadulla* Moore,1872; *svenihedini* M.Hering,1936; *alatauca* O.Bang-Haas,1937 **Neoris huttoni shadulla** Moore,1872, Proc. zool. Soc. London 1872: 577. Type: [Uighur Ili]: Shadulla, Yarkand River. **AF Ch TJ UZ KK Frz CN Gn Shs Ui Sdh Ku Ju Um KG T-S Aa TrA MN RU At Tv Sb Sj Cc AM IR Elb Mz Th Kh TM Kp**
- 1502. Saturnia (Rinaca) lindia Moore,1865** (Saturniidae) Synonym(s): *lindia* Moore,1865 **Saturnia lindia** Moore,1865, Trans. ent. Soc. London (3) 2: 424, Pl.22 fig.3. Syntypes ♂♂: N.E.India (Capt. James Lind Sherwill). **AF PK Sfk Gg Nar Kot Ld Ch IN Snm Hp Sml Kul NP CN Ti**

Scythridae (9 species)

- 1503. Apostibes afghana Passerin d'Entrèves & Roggero,2003** (Scythridae) Synonym(s): *afghana* Passerin d'Entrèves & Roggero,2003 **AF Bm Srb**
- 1504. Apostibes inota (Meyrick,1924)** (Scythridae) Synonym(s): *inota* Meyrick,1924 **AF PK IN Ch**
- 1505. Scythris (bagdadiella-gr.) kabulella Passerin d'Entrèves & Roggero,2011** (Scythridae) Synonym(s): *kabulella* Passerin d'Entrèves & Roggero,2011 **AF Kab**
- 1506. Scythris (pascuella-gr.) claudiae Passerin d'Entrèves & Roggero,2011** (Scythridae) Synonym(s): *claudiae* Passerin d'Entrèves & Roggero,2011 **AF**
- 1507. Scythris (canescens-gr.) canescens (Staudinger,1880)** (Scythridae) Synonym(s): *canescens* Staudinger,1880; *plumbeogrisea* Walsingham,1907; *maculatella* Chrétien,1915 **Butalis canescens** Staudinger,1880, Horae Soc. ent. ross. 15: 403-404. Syntypes 1♂ 4♀: [Türkei]: Amasia. **DZ Bsk LY MA TN Gf SY TR AF PK**
- 1508. Scythris inota Meyrick,1924** (Scythridae) Synonym(s): *inota* Meyrick,1924 **PK Gg Hu AF**
- 1509. Scythris herati Passerin d'Entrèves & Roggero,2004** (Scythridae) Synonym(s): *herati* Passerin d'Entrèves & Roggero,2004 **AF Hr**
- 1510. Scythris nielsenii Passerin d'Entrèves & Roggero,2004** (Scythridae) Synonym(s): *nielsenii* Passerin d'Entrèves & Roggero,2004 **AF Pli**
- 1511. Bactrianoscythris afghana Passerin d'Entrèves & Roggero,2009** (Scythridae) Synonym(s): *afghana* Passerin d'Entrèves & Roggero,2009 **AF**

Sesiidae (4 species)

- 1512. Bembecia afghana Bartsch & K.Spatenka,2010** (Sesiidae) Synonym(s): *afghana* Bartsch & K.Spatenka,2010 **AF**
- 1513. Bembecia magnifica Bartsch & K.Spatenka,2010** (Sesiidae) Synonym(s): *magnifica* Bartsch & K.Spatenka,2010 **AF**
- 1514. Bembecia salangica K.Spatenka & Reshöft,1989** (Sesiidae) Synonym(s): *salangica* K.Spatenka & Reshöft,1989 **AF Slg**

- 1515. *Dipchaspacia naumanni* Gorbunov,1991** (Sesiidae) Synonym(s): *naumanni* Gorbunov,1991 **IR**
AF Gz

Sphingidae (31 species)

- 1516. *Acherontia styx* (Westwood,1847)** (Sphingidae) Synonym(s): *styx* Westwood,1847; *ariel* Boisduval,[1875]; *#stax* Lewvanich,2001 **Eastern Death's Head Moth Doğulu Kurubaş Sphinx styx** Westwood,1847, Cabinet orient. Ent.: [88], pl.42, fig.3. **JO LB Bei IQ Tkr SY SA OM IR Ss CN PH Bal Ceb Ley Luz Neg Pal Pan AF Srb Sfk TH Yal Cma Cuo Sbu Bnk Smu Phi IN LK NP MM VN KP KR JP MY ID Sum Ja TW**
- 1517. *Acosmeryx naga* (Moore,[1858])** (Sphingidae) Synonym(s): *naga* Moore,[1858] **Philampelus naga** Moore,[1858], [in] Horsfield & Moore, Cat. lepid. Insects Mus. East-India Co. 1: 271. **TJ AF Pjr Pic Kab Sfk Nu Bsg IN NP TH Cma CDo MY VN CN TQ JP KP KR TW**
- 1518. *Agrius convolvuli* (Linnaeus,1758)** (Sphingidae) Synonym(s): *convolvuli* Linnaeus,1758; *abadonna* Fabricius,1798; *pseudofasciatus* Koch,1865; *pseudoconvolvuli* Schaufuss,1870; *orientalis* Butler,1876; *distans* Butler,1876; *batatae* Christ,1882; *nigricans* Cannaviello,1900; *ichangensis* Tutt,1904; *javanensis* Tutt,1904; *tahitiensis* Tutt,1904; *indica* Skell,1913; *marshallensis* Clark,1922; *aksuensis* O.Bang-Haas,1927 **Convolvulus Hawk Moth Cn MA DZ TN LY PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK NO SE FI EE LV LT RU MD UA BY KG KK EG LB Bsa SY IL JO IQ OM SA IR TM Kp BH QA TJ Pm CN Ui Au Ln Ga Pkn Ti KP KR JP ID Ja Sum GN AU NSW WS FJ SB TZ NH Md Az ET CM NG ZW Ec SD MU MG TJ Pm YE Ad Gor Elb TW Tn Ngl PK Krc Ask Clc BT SI MM TH Amb Aru NZ FJ PG NC GG Bjo Tbl Pt Tt Vt Mo Cm ZA Jh Gau Cap Ec Tva Lpo Spb Mdk Lj PH Bal Boh Cal Ceb Cmm Din Jol Ley Luz Mdo Mno Neg Pal Pan Sam Sga Siq Pre Brb Mpu Pb Agh Pa Hf AF Srb Sfk Nu Bsg Kab Cma Cuo Cu03 Cnz Cz10 TAK Bnk Cbu Nst Phc Kln TW Cc AZ AM**
- 1519. *Akbesia davidi* (Oberthür,1884)** (Sphingidae) Synonym(s): *davidi* Oberthür,1884 **Pistacia Hawkmoth Akbes Atmacagüvesi Deilephila davidi** Oberthür,1884, Annls Soc. ent. Fr. 6 (4) (Bull.): 11-13. Type: [Turquie]; Akbes (leg. A. Armand David). **TR IQ Ssa Cc AZ IR Elb Th Fa Ss SY IL Pa Jt Gol Hal LB AF Bm Srb JO**
- 1520. *Daphnis nerii* (Linnaeus,1758)** (Sphingidae) Synonym(s): *nerii* Linnaeus,1758; *infernelutea* Saalmüller,1884; *#confluens* Closs,1912; *#nigra* Schmidt,1914; *bipartita* Gehlen,1934. **Oleander Hawk Moth Zakkum Atmacagüvesi Sphinx nerii** Linnaeus,1758, Syst. Nat. (Edn.10) 1: 490. **Az Cn MA DZ TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY GG Bjo EG EG11 IR Ss LB Bei Bsa IL Hf Pa GN MU MG MZ ZA Nta Kzu Tva Lpo Spb Mdk NG TZ YE Ad IN ID Ja PH Ceb Jol Ley Luz IQ Tn LK Agh Mar Neg Gau Pre Dbn Rd JO PK AF Sfk Srb TH Bnk Cma Cuo JP Hw Sum NP MM TW Cc**
- 1521. *Deilephila elpenor* (Linnaeus,1758)** (Sphingidae) Synonym(s): *elpenor* Linnaeus,1758 **Large Elephant Hawkmoth Büyük Fil Atmacagüvesi PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Sr Sb At Am Vi Pt IN Sml Syl Djl Meg Ass Khs MM NP TW BD MD UA Cm BY GG Bjo Lag Cc IR Elb Gor CN Pkn Ui Kun Sz PK Pj Sd KP KR JP AF Sfk**
- 1522. *Deilephila rivularis* (Boisduval,[1875])** (Sphingidae) Synonym(s): *rivularis* Boisduval,[1875]; *fraterna* Butler,1875 **Chitral Elephant Hawkmoth Chaerocampa rivularis** Boisduval,[1875], [in] Boisduval & Guenée, Hist. Nat. Ins. (Spec. gen. Lepid. Heter.) 1: 280. Lectotype ♀: India: Simla (Carnegie Mus.). **AF Sfk PK Nwf Ci Sd Krc IN Ddu Up SHp Sml Djl**
- 1523. *Dolbina exacta* Staudinger,1892** (Sphingidae) Synonym(s): *exacta* Staudinger,1892 **AF Nu Bsg**
- 1524. *Dolbina grisea* (Hampson,[1893])** (Sphingidae) Synonym(s): *grisea* Hampson,[1893]; *hackeri* Eitschberger & Danner & Surholt,1998. **Mountain Hawkmoth PK AF Kab Nu Bsg Srb Slg Sfk IN Hp Kul**
- 1525. *Hemaris (Cochrania) ducalis* (Staudinger,1887)** (Sphingidae) Synonym(s): *ducalis* Staudinger,1887 **Pamir Bee Hawkmoth TM Kp IR Kh TJ Pm AF PK Bl Qu CN Ui KK KG**
- 1526. *Hemaris (Saundersia) saundersii* (Walker,1856)** (Sphingidae) Synonym(s): *saundersii* Walker,1856 **IN Hp Sml Ch Pj AF Nu TH MM**
- 1527. *Hemaris (s.str.) fuciformis* (Linnaeus,1758)** (Sphingidae) Synonym(s): *fuciformis* Linnaeus,1758; *variegata* Allioni,1766; *musca* Retzius,1783; *bombylififormis* sensu Ochsenheimer,1808; *milesiformis* Treitschke,1834; *caprifolii* Zeller,1869; *loniceræ* Zeller,1869; *robusta* Alpheraky,1882; *simillima* Moore,1888; *ganssuensis* **Grum-Grshimailo,1891; heynei Bartel,1898; Board-bordered Bee Hawkmoth MA DZ PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR IR Elb Th Kh DK NO SE FI EE LV LT RU Mo Sr Ur Or Ao Sb Am At MD UA BY KG Ssn Lps Sp Uk AZ Tlh Cc GG Smt Bjo Tbl Bku CN Ui Ku Muz Gn IN Hp Kgr AF Nu Bsg**
- 1528. *Hippotion celerio* (Linnaeus,1758)** (Sphingidae) Synonym(s): *celerio* Linnaeus,1758; *tisiphone* Linnaeus,1758; *inquilinus* Harris,1780; *phoenix* Oken,1815; *ocys* Hübner,[1819]; *albolineatus* Montrousier,1864 **Sphinx celerio** Linnaeus,1758, Syst. Nat. (Edn.10) 1: 491. **Md Cn MA DZ TN LY PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG Slv Vrn GR Rd Cr TR CY LB Bei IL Hf Pa IR Kh Th Ss DK RU MD UA BY GG Bjo IN Tn LK ID Sum Ja Kai AU QAU Hw PG NC NH FJ ZA Fs Cap Blo Tva Lpo Spb Mdk MZ GN SL MU MG PH Bal Boh Cal Ceb Dum Jol Ley Luz Mar Mdo Mno Neg Pal Pan Pao Sam Tic WS TO EL LO SB MY Gau Pre Mpu Brb Jh Nta Kzu Dbn SL JO AF Sfk Srb Nu Bsg TH Cma Cuo TW Cc**
- 1529. *Hyles hippophaes* (Esper,[1789])** (Sphingidae) Synonym(s): *hippophaes* Esper,[1789]; *teriolensis* Dannehl,1929; *kiortsii* Koutsafikis,1974; *#hippophaeas* De Freina,1981 **ES FR Co IT DE CH AT RO YU BG GR TR RU MD UA BY KG TJ Pm UZ Fe CN Ui Ku Ln MN IR Ch Cc GG Tbl AF Sfk Kab Srb**
- 1530. *Hyles livornica* (Esper,[1780])** (Sphingidae) Synonym(s): *livornica* Esper,[1780]; *koechlini* Fuessly,1781; *tatsienluica* Oberthür,1916; *saharæ* Gehlen,1932; *malgassica* Denso,1944; *tatsienluica* Oberthür,1944; *renneri* Eitschberger, Danner & Surholt,1998. **Md Cn MA DZ TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IR Elb Shh Gor Ke Kh Sbz DK SE FI EE LV RU Sr Mo MD UA BY CN Ui GG Bjo Tbl IL Hf**

- Pa LB Bsa Bei TM Kp K-A Krn PK Bl Qu AU SAu Ade Hw ZA Cap Fs Blo SO MG IQ TW TH CMa NP SI Ch DjI YE Ad
CN Ti Yu T-T Cm CY Ss Kz Gau Tva Pre Agh JO AF Nu Bsg Srb Kab Nu Bsg Cc AZ AM Cc
1531. **Hyles nervosa (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *nervosa* Rothschild &
Jordan,1903 AF Sfk
1532. **Hyles robertsi (Butler,1880)** (Sphingidae) Synonym(s): *robertsi* Butler,1880; *peplidis* Christoph,1894
IQ IR Es Ss AF Ca Nu Bsg Srb PK Ch TM Kp TJ Pm
1533. **Hyles salangensis (Ebert,1969)** (Sphingidae) Synonym(s): *salangensis* Ebert,1969 Celerio
salangensis Ebert,1969, Reichenbachia 12: 47-48. Holotype ♂: Afghanistan: Salang pass, 2000-3000m AF Slg
1534. **Hyles zygophylli (Ochsenheimer,1808)** (Sphingidae) Synonym(s): *zygophylli* Ochsenheimer,1808;
jaxartis Foreich,1938; *xanthoxyli* Derzhavets,1977; *kirgisa* Eitschberger & Lukhtanov,1996. RU Ao Cc GG Tbl AZ Nv
Ord TR AF TM Krn MN KK KG Uk Tks CN Ui Ln Tpn AM UZ TJ RU Da IR Elb
1535. **Laothoe philerema (Djakonov,1923)** (Sphingidae) Synonym(s): *philerema* Djakonov,1923 AF
Kab Pag Bm UZ Br
1536. **Macroglossum nycteris (Kollar,1844)** (Sphingidae) Synonym(s): *nycteris* Kollar,1844 AF Nu PK
Ch IN MM SI CN Ri JP
1537. **Macroglossum stellatarum (Linnaeus,1758)** (Sphingidae) Synonym(s): *stellatarum* Linnaeus,1758;
nigra Cosmovici,1892. Hummingbird Hawk Moth Güvercinkuyruklu Atmacagüvesi Sphinx stellatarum
Linnaeus,1758, Syst. Nat. (Edn.10) 1: 493. Cn MA DZ TN LY EG PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH
AT PL CZ SK HU RO YU MK AL BG GR Cr TR IQ SY LB Bsa IL JO DK NO SE FI EE LV LT RU Sr Ur Mo Ao Sb To
Am Vv MD UA Cm IR Elb Kh Ke KK KG Uk Ssn Sp TM Krn Kp TJ Pm UZ AF Ca PK Bl Qu CN Ui Kun BY KP KR TW
JP Az Md CY Pa Hf K-A Lps Shh Ur Ask Pkn Cm Vi Pt Tt Or Bgd Rd JO Kab Khi Pjr Hsr Cc
1538. **Sphingonaepiopsis gorgoniades (Hübner,[1819])** (Sphingidae) Synonym(s): *gorgon* Esper,[1804]
nec Cr.,1777; *gorgoniades* Hübner,[1819]; *chloroptera* von Mentzer,1974. Proserpinus gorgoniades Hübner,[1819],
Verz. bekannt. Schmett.: 132 (proposed as nomen novum for Sphinx gorgon Esper,[1804] nec Cramer,1777). Type(s):
[Russia]: lower Wolga (probably lost). HV RO AL GR BG UA Cm RU Ur Or MK Skj AM GG Cc TR LB Bsa IR Ab Ak
Elb Th Kh Lo IQ Hjo AF Kab JO IL Pa KK KG TJ UZ Fe Man
1539. **Sphingonaepiopsis kuldjaensis (Graeser,1892)** (Sphingidae) Synonym(s): *kuldjaensis* Graeser,1892
Pterogon kuldjaensis Graeser,1892, Berl. ent. Z. 37: 299-300. Syntypes 2♂: [China: Uighur A.R.]: Kuldja. UZ TJ CN
Ui Ku KK KG AF
1540. **Nephele hespera (Fabricius,1775)** (Sphingidae) Synonym(s): *didyma* Fabricius,1775; *hespera*
Fabricius,1775 Sphinx hespera Fabricius,1775, Syst. Ent.: 546. Type(s): India orientalis. PK Pj Cp AF Srb Kab Sfk
Pag IN Meg Ass Khs Hp LK MM NP TH CMa Cuo VN CN Ti MY ID Sum Ja
1541. **Proserpinus proserpinus (Pallas,1772)** (Sphingidae) Synonym(s): *proserpinus* Pallas,1772; *oenotherae*
[Denis & Schiffermüller],1775; *schiffermülleri* Fuessly,1779; *francofurtana* Fabricius,1781; *aenotheroides* Butler,[1876], *maxima*
Grum-Grshimailo,1887; *japetus* Grum-Grshimailo,1890; *gigas* Oberthür,1922. MA LT CZ SK DE NL GB BE LU FR ES
Grn Snv Alv Act Bgs Ccs Hv Ter Lda Gna Hue Nrr Rio Val Ple PT Si IT CH AT HU YU MK HV BY UA Cm B-H RO
BG AL GR TR GG Bjo AM Eri LB JO IR Elb Th KG Uk Kw Sp Tk Aa UZ TJ TM Kp RU Pt Mo Chu Tt Pe Ul Sm Sr Vi
Ao Ba Pr St No Om To AF Nu Bsg Pag Kab
1542. **Psilogramma menephron (Cramer,[1780])** (Sphingidae) Synonym(s): *menephron* Cramer,[1780]
PH Bal Boh Bon Ceb Dum Jol Ley Luz Mas Mdo Mno Neg Pal Pan Sam Siq Stu Taw AF Sfk Kab Nu Bsg IN LK TH
CMa Cuo VN CN TW ID Sum Ja AU NC
1543. **Rethera afghanistana Daniel,1958** (Sphingidae) Synonym(s): *afghanistana* Daniel,1958 AF Hr
Kab
1544. **Rethera amseli Daniel,1958** (Sphingidae) Synonym(s): *amseli* Daniel,1958 AF Hr
1545. **Rethera komarovi (Christoph,1885)** (Sphingidae) Synonym(s): *komarovi* Christoph,1885; *#kamarowi*
Wagner,1931; *rjabovi* O.Bang-Haas,1934; *#albocingulata* O.Bang-Haas,1934; *#roseocingulata* O.Bang-Haas,1937
Komarov's Hawk Moth Komarof MK AL BG GR TR Cc GG Bjo AM AZ Nv Ord RU AF KG IQ IR Fa PK Bl Chm JO
1546. **Smerinthus kindermanni Lederer,1852** (Sphingidae) Synonym(s): *kindermanni* Lederer,1852;
#obscura Closs,1917 Kindermann's Hawk Moth Kinderman'in Atmacagüvesi Smerinthus kindermanni
Lederer,1852, Verh. zool.- bot. Ver. Wien 2: 92-93. Lectotype ♂: [Türkei]: [Diyarbakır Prov.]: Argana, Maden
(MNH). TR Arr IR Es Elb Th Mz Fa AF Ca Nu Bsg Srb Slg Kab Sfk PK Nwf Ci JO SY LB Bsa CY TM Kp IQ Agh AM
Cc GG AZ Kir Len UZ Fe Man CN Ui Ga Kl Um Tpn Shz Mgn IN Hp KG Aa T-S TrA
1547. **Theretra alecto (Linnaeus,1758)** (Sphingidae) Synonym(s): *alecto* Linnaeus,1758; *cretica* Boisduval,1827;
freyeri Kirby,1892; *transcaspica* O.Bang-Haas,1927; *intermissa* Gehlen,1941. Si RO YU BG GR Rd Cr TR RU IR Kh
Th Elb Ss TM Kp Mrw AZ Kir Bak Cc GG Lag LB Bei Bsa IL Hf Pa UZ Fe AF Ca Srb Nu Bsg Kab Pag Jla PK Kai IN
CN TH CMa Cuo MM MY TW Ri ID Sum Ja Bor Flo Mlc Clb Kai PH Bal Boh Ceb Jol Ley Luz Mar Mno Mdo Neg Pal
Pan Sam IQ Agh JO KG Tks

Stathmopodidae (2 species)

1548. **Stathmopoda sycastis Meyrick,1917** (Stathmopodidae) Synonym(s): *sycastis* Meyrick,1917 PK
Nwf Pes AF IN
1549. **Tortilia sidiota (Meyrick,1917)** (Stathmopodidae) Synonym(s): *sidiota* Meyrick,1917 PK Pj Abb AF
Ch IN

Thaumetopoeidae (2 species)

- 1550. Gazalina (s.str.) apsara (Moore,1859)** (Thaumetopoeidae) Synonym(s): *apsara* Moore,1859; *venosata* Walker,1865; *nervosa* R.Felder & Rogenhofer,1874 **AF Sfk PK Swa Klm SI IN CN Sz**
- 1551. Thaumetopoea (s.str.) cheela Moore,1883** (Thaumetopoeidae) Synonym(s): *cheela* Moore,1883 **IN Hp Sml AF Srb**
- 1552. Thaumetopoea (s.str.) solitaria (Freyer,[1838])** (Thaumetopoeidae) Synonym(s): *solitaria* Freyer,[1838] **Fıstık Göz kurdu; Fıstık Kese Tırtılı YU MK AL BG GR TR IQ Rwz LB CY IR Elb IL Pa Hf AF Srb SA**

Tineidae (28 species)

- 1553. Ateliotum arabicum G.Petersen,1961** (Tineidae) Synonym(s): *arabicum* G.Petersen,1961 **YE Sna IR Ss AF Bm Srb**
- 1554. Ateliotum petrinellum (Herrich-Schäffer,1853)** (Tineidae) Synonym(s): *petrinella* Herrich-Schäffer,1853; *turatiella* Millière,1886 **MA PT ES FR CH IT GR TR AF Kab**
- 1555. Crypsithyris trimaculata (G.Petersen,1973)** (Tineidae) Synonym(s): *trimaculata* G.Petersen,1973 **AF Bkt**
- 1556. Edosa exhausta (Meyrick,1917)** (Tineidae) Synonym(s): *exhausta* Meyrick,1917; *similis* Gozmany,1959; *gracilis* Gozmany,1959; *luteola* Petersen,1959 **AF PK**
- 1557. Edosa nestoria (Meyrick,1910)** (Tineidae) Synonym(s): *nestoria* Meyrick,1910; *splendens* Petersen,1973 **IN AF**
- 1558. Edosa caerulipennis (Erschoff,1874)** (Tineidae) Synonym(s): *caerulipennis* Erschoff,1874; *violaceus* Christoph,1888; *iritis* Meyrick,1911; *indiella* Caradja,1920; *hindostanica* Zagulyaev,1966; *glossoptera* Rose & Pathania,2003 *Tinea caerulipennis* Erschoff,1874, [in] Fedtschenko, Reise Turkestan: 97. **IR Ss Chh Irs Fa TM AF Kab Ca PK Krc Bl Qu KG IN SI Djl**
- 1559. Edosa paghmanella Petersen,1973** (Tineidae) Synonym(s): *paghmanella* Petersen,1973 **Edosa paghmanella Petersen,1973, Beitr. Ent. 23: 64. AF Kab Pag**
- 1560. Edosa luteola (G.Petersen,1959)** (Tineidae) Synonym(s): *luteola* G.Petersen,1959; *similis* Gozmany,1959; *gracilis* Gozmany,1959 **AF Kab Srb Bm Ca Nu Pnj**
- 1561. Edosa pygmaeana (G.Petersen,1959)** (Tineidae) Synonym(s): *pygmaeana* G.Petersen,1959 **AF Srb Bm**
- 1562. Edosa splendens (G.Petersen,1973)** (Tineidae) Synonym(s): *splendens* G.Petersen,1973 **AF Kab**
- 1563. Hapsifera luridella Zeller,1847** (Tineidae) Synonym(s): *luridella* Zeller,1847; *baliosamma* Meyrick,1921; *pustulatella* Lucas,1942 nec Zell.,1852; *eburnea* Butler,1881; *palaestinensis* Rebel,1901; *kerbelella* Amsel,1949 **Hapsifera luridella Zeller,1847, Isis 1847: 33. Syntypes 3♂; Lectotype ♂: [Turkey]: "Patara", designated by Robinson,1982, Entomologist's Gaz. 33: 178 (BMNH). MA TN MK BG GR Cr TR CY LB Bei IL Pa Hf JO IQ Kbl Hjo SA YE IR Elb Th Fa UZ TJ PK Krc AF Srb BH Cc GG Lag AM AZ Kir Nv Ord SY Dms EG**
- 1564. Infurcitinea amseli G.Petersen,1957** (Tineidae) Synonym(s): *amseli* G.Petersen,1957 **IL Pa JO IR AF Hr PK Bl Qu TM**
- 1565. Infurcitinea brunneopterella G.Petersen,1964** (Tineidae) Synonym(s): *brunneopterella* G.Petersen,1964 **Infurcitinea brunneopterella Petersen,1964, Beitr. naturk. Forsch. SWDtl. 23 (2): 118, Abb.7. Holotype ♂: [Iran]: "Pir-i-zan". IR AF PK Bl Qu**
- 1566. Infurcitinea grisea G.Petersen,1973** (Tineidae) Synonym(s): *grisea* G.Petersen,1973 **AF Pag TM**
- 1567. Infurcitinea nuristanica G.Petersen,1963** (Tineidae) Synonym(s): *nuristanica* G.Petersen,1963 **AF Nu**
- 1568. Infurcitinea obscura G.Petersen,1973** (Tineidae) Synonym(s): *obscura* G.Petersen,1973 **AF Kab**
- 1569. Infurcitinea safedella G.Petersen,1973** (Tineidae) Synonym(s): *safedella* G.Petersen,1973 **AF Sfk PK**
- 1570. Lazocatena obscura (G.Petersen,1959)** (Tineidae) Synonym(s): *obscura* G.Petersen,1959 **AF Srb Bsg Ch**
- 1571. Morophaga (bucephala-gr.) cremnarcha (Meyrick,1932)** (Tineidae) Synonym(s): *cremnarcha* Meyrick,1932; *nigrocapitella* G.Petersen,1959 **Ch AF IN Up Hp Drm NP**
- 1572. Nemapogon flavifrons G.Petersen,1959** (Tineidae) Synonym(s): *flavifrons* G.Petersen,1959; *kabulianus* Gozmany,1959. **AF Bm Kab UZ Smk Tas**
- 1573. Neurothausia fasciata G.Petersen,1959** (Tineidae) Synonym(s): *fasciata* G.Petersen,1959 **IR AF Pli UZ Smk TM K-K TJ Pm Kud**
- 1574. Pachyarthra asiatica G.Petersen,1959** (Tineidae) Synonym(s): *asiatica* G.Petersen,1959 **AF**
- 1575. Perissomastix (Aphrodoxa) amseli (G.Petersen,1959)** (Tineidae) Synonym(s): *amseli* G.Petersen,1959; *mimetica* Gozmany,1959 **AF Gbh Srb Kab**
- 1576. Perissomastix (Aphrodoxa) peterseni (Amsel,1959)** (Tineidae) Synonym(s): *peterseni* Amsel,1959; *astarte* Gozmany,1959. **IR Ss PK Bl Qu Krc AF Nu Ca**
- 1577. Perissomastix (Aphrodoxa) sarobiella (G.Petersen,1959)** (Tineidae) Synonym(s): *sarobiella* G.Petersen,1959; *nuristanica* Gozmany,1959. **AF Kab Srb Nu PK**
- 1578. Perissomastix (s.str.) afghana (G.Petersen,1959)** (Tineidae) Synonym(s): *afghana* G.Petersen,1959 **AF Nu Bsg Kab Srb**

1579. **Petalographis orientalis (G.Petersen,1961)** (Tineidae) Synonym(s): *orientalis* G.Petersen,1961
Nemapogon orientalis Petersen,1961, Cas. cesky Spol. ent. 58 (3): 281-282, fig. Holotype ♂: [Libanon]: Beyrouth
(ZMB). GR Cr Da AZ Bak Nv Ord Cc AM Eri GG Tbl LB Bei SY Hal CY TR IR AF
1580. **Tinea translucens Meyrick,1917** (Tineidae) Synonym(s): *translucens* Meyrick,1917; *metonella* Pierce &
Metcalf,1934; *leonhardi* G.Petersen,1957; *margaritacea* Gozmany,1967; *forficata* Gozmany,1968. ES FR Sa Si IT IE GB
DE AT CZ SK HU RO YU AL GR Cr TR Cc IR Fa Shr SY TN EG PK DK LV LT RU BY IN Ch LK JP TM AF Hr ZA ZW
ZR US CL

Tortricidae (68 species)

1581. **Acleris decolorata Razowski,1964** (Tortricidae) Synonym(s): *decolorata* Razowski,1964; *dedita*
Razowski,1974 IN Ass Cpj AF Pag Bm
1582. **Acleris napaea (Meyrick,1912)** (Tortricidae) Synonym(s): *napaea* Meyrick,1912; *sheljuzhkoi*
Obraztsov,1943; *heringi* Razowski,1958 *Peronea napaea* Meyrick,1912, Exot. Microlepid. 1: 18. Type ♂: [Pakistan]:
"Quetta, India" (BMNH). GG RU Da Sr Cc AM Eri UZ Smk Fe TJ Pm YM IR Fa Shr AF Kab Bm Srb Hr PK Bl Qu
1583. **Acleris sordidata Razowski,1971** (Tortricidae) Synonym(s): *sordidata* Razowski,1971 AF Kab Bm
Slg
1584. **Aethes afghana Razowski,1983** (Tortricidae) Synonym(s): *afghana* Razowski,1983 *Aethes afghana*
Razowski,1983, Nota lepid. 6 (4): 241, fig. Holotype ♂: Afghanistan: Koh-i Baba, Panjao 2650m (leg. Amsel) (LNK).
AF Kbb Bm Pnj Ld PK Swa
1585. **Aethes amseli Razowski,1967** (Tortricidae) Synonym(s): *amseli* Razowski,1967 AF Pm Bm Pnj
1586. **Aethes pamirana Razowski,1967** (Tortricidae) Synonym(s): *pamirana* Razowski,1967 AF Pm
1587. **Aethes bilbaensis (Rössler,1877)** (Tortricidae) Synonym(s): *bilbaensis* Rössler,1877; *loxoapteroides*
Walsingham,1903; *mediterranea* Rebel,1906; *reclusa* Meyrick,1923. *Conchylis francillana* var. *bilbaensis*
Rössler,1877, Stettin ent. Ztg. 38: 372. Lectotype ♂: N-Spanien: Bilbao, designated by Razowski,1970 (MNMB). MA
DZ PT ES FR Co Sa Si IT MT AT CZ SK HU RO YU HV AL BG Vrn GR Cr TR RU Sr IL Jf Pa LB Bsa Say AF Pnj IR Fa
Gh Tgo Mz Clu TM Kp PK Qu Bl KG TrA Ket Aa DsA
1588. **Aethes francillana (Fabricius,1794)** (Tortricidae) Synonym(s): *francillana* Fabricius,1794; *francillonana*
Humprey & Westwood,1845; *ferulae* Müller-Rutz,1920. Cn DZ MA PT ES FR Sa Si IT MT IE GB BE NL LU DE CH
AT PL CZ SK HU RO YU BG GR TR DK SE FI EE LV LT RU Tt MD UA BY LB AF Pag Pm TJ KG DsA
1589. **Aethes moribundana (Staudinger,1859)** (Tortricidae) Synonym(s): *moribundana* Staudinger,1859;
respirantana Staudinger,1879; *dispersana* Kennel,1899; *dilutana* Kennel,1899; *helvolana* Kennel,1900; *lanceolata* Filipjev,1924.
DZ PT ES Mlg FR Si IT PL CZ SK HU RO YU AL TR IR AF RU Sb Ir MD UA BY Cc GG SY Dms Hal UZ Fe Smk Man
KG Lps DsA MN
1590. **Aethes pardaliana (Kennel,1899)** (Tortricidae) Synonym(s): *pardaliana* Kennel,1899 IR KuM Kh
AF Pag Pnj BdA Kbb UZ Smk Ch
1591. **Archips citimus Razowski,1987** (Tortricidae) Synonym(s): *citimus* Razowski,1987 AF Sfk
1592. **Archips inanis Razowski,1977** (Tortricidae) Synonym(s): *inanis* Razowski,1977 AF Sfk
1593. **Bactra (s.str.) amseli Diakonoff,1959** (Tortricidae) Synonym(s): *amseli* Diakonoff,1959 AF
1594. **Bactra (s.str.) bactrana (Kennel,1901)** (Tortricidae) Synonym(s): *bactrana* Kennel,1901; *cyperana*
Amsel,1951; *mediterraneana* Agenjo,1952. *Semasia bactrana* Kennel,1901, Dt. ent. Z., Iris 13: 269. Type: Spain:
Malaga. Cn MA DZ PT ES FR IT Si MT GR RU EG SA IQ Bgd IR AF Hr TJ UZ
1595. **Bactra (s.str.) graminivora Meyrick,1922** (Tortricidae) Synonym(s): *graminivora* Meyrick,1922;
cyperana Amsel,1951; *mediterraneana* Agenjo,1952 *Bactra graminivora* Meyrick,1922, Exot. Microlepid. 2: 521. Cn
ES DZ MT MA EG SD GM CG SA IQ Cc AZ TM TJ IR AF PK ZA IN Bi Pus
1596. **Bactra (s.str.) longiqua Diakonoff,1959** (Tortricidae) Synonym(s): *longiqua* Diakonoff,1959 IR
Ss AF Bm Srb
1597. **Bactra (s.str.) robustana (Christoph,1872)** (Tortricidae) Synonym(s): *robustana* Christoph,1872;
griseana A.M.Djakonov,1929; *grisea* A.M.Djakonov,1929; *scirpicolana* Pierce,1935 MA ES FR Sa Si IT MT IE GB BE
NL DE AT SK HU RO AL BG TR IR Gh Tgo DK NO SE FI EE LV RU MD UA BY Cc GG AF KG JP
1598. **Cerace onustana Walker,1863** (Tortricidae) Synonym(s): *onustana* Walker,1863; *guttana* R.Felder &
Rogenhofer,1875; *obscura* Diakonoff,1950 AF SI Djl IN Ben Ass Meg Khs Hp Kul NP
1599. **Choristoneura propensa Razowski,1992** (Tortricidae) Synonym(s): *propensa* Razowski,1992 AF
Nu IN Ch Sri
1600. **Clepsis rurinana (Linnaeus,1758)** (Tortricidae) Synonym(s): *rurinana* Linnaeus,1758; *modeerinana*
Linnaeus,1761; *angulosa* Fourcroy,1785; *semialbana* Guenée,1845; *idana* Kennel,1919; *liotoma* Meyrick,1935. PT ES FR
IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Sb Vv MD UA BY Cc GG IR AF
MN NP Ch Sri Snm IN CN Mc Jn Sz Tkg JP Hkk
1601. **Cnephasia (s.str.) kasyi Razowski,1971** (Tortricidae) Synonym(s): *kasyi* Razowski,1971 AF BdA
1602. **Cnephasia (s.str.) minutula (Falkovitsh,1962)** (Tortricidae) Synonym(s): *minutula* Falkovitsh,1962
KG Aa TrA Ket KK Na AF
1603. **Cnephasia (s.str.) orientana (Alpheraky,1877)** (Tortricidae) Synonym(s): *orientana* Alpheraky,1877
Sciaphila orientana Alpheraky,1877, Trudy Vses. ent. Obstsh. 10 (1876): 48. Syntypes: Russia: Tagonrog. MT RO BG
TR SY Dms RU UA CY Cc GG KG TM UZ TJ IR Elb Dam IQ AF
1604. **Cochylidia moguntiana (Rössler,1864)** (Tortricidae) Synonym(s): *moguntiana* Rössler,1864; *griseolana*
W.Petersen,1924; *traffenfelti* Benander,1949. ES IT DE AT PL CZ SK HU RO YU DK SE EE LV LT RU MD UA BY
AF Kab CN Stg PK Pj Mre

- 1605. *Cochylimorpha acriapex* (Razowski,1967)** (Tortricidae) Synonym(s): *acriapex* Razowski,1967
AF Bm Pnj Kab Pag Slg PK Nar Kag
- 1606. *Cochylimorpha asiana* (Kennel,1899)** (Tortricidae) Synonym(s): *asiana* Kennel,1899; *taganrogana* Kennel,1900; *mirabilana* Turati,1934. LY Cy RU Da Ro Tgn Cc AZ Kir UA TM K-K KG Ka UZ Nmg Man Fe IR Elb
Th AF Kab Srb PK Kag Nar TR CY MN
- 1607. *Cochylimorpha discolorana* Kennel,1899** (Tortricidae) Synonym(s): *discolorana* Kennel,1899; *dichroina* Danilevsky,1962; *#sarobica* Razowski,1964 *Cochylis discolorana* Kennel,1899, Dt. ent. Z., iris 12: 16, Taf.1 fig.15. Lectotype ♂: Turkestan, Transalai, designated by Razowski (1970: 171) (ZMB). RO RU Da Sr Cc GG TR AZ Nv
Ord IR Elb Mz Clu UZ Man Fe TJ T-A KG Kpt TrA Aa AF Bm Srb
- 1608. *Cochylimorpha kohibabae* Razowski,2005** (Tortricidae) Synonym(s): *kohibabae* Razowski,2005
AF Kbb
- 1609. *Cochylimorpha eberti* Razowski,1967** (Tortricidae) Synonym(s): *eberti* Razowski,1967 AF Pnj
- 1610. *Cochylimorpha eburneana* (Kennel,1899)** (Tortricidae) Synonym(s): *eburneana* Kennel,1899
Cochylis eburneana Kennel,1899, Dt. ent. Z., Iris 12: 31, Taf. 1, figs. 29,30. Lectotype ♂: [Türkei]: "Malatia"
(designated by Razowski,1961) (ZMB). TR UZ Fe AF Hr
- 1611. *Cochylimorpha fluens* (Razowski,1970)** (Tortricidae) Synonym(s): *fluens* Razowski,1970 AF IR
Kh
- 1612. *Cochylimorpha halophilana* (Christoph,1882)** (Tortricidae) Synonym(s): *halophilana* Christoph,1882
Ch RU Sr Ur Cc GG Lag TM Kp IR Elb Shh AF Pag
- 1613. *Cochylimorpha montana* (Razowski,1967)** (Tortricidae) Synonym(s): *montana* Razowski,1967
AF Adr
- 1614. *Cochylimorpha nomadana* (Erschoff,1874)** (Tortricidae) Synonym(s): *nomadana* Erschoff,1874
RU IR Elb Shh TR Cc AM Eri TM Kp K-K UZ Smk KG DsA Tk Dj CN Ui Ku AF Kab
- 1615. *Cochylimorpha nuristana* (Razowski,1967)** (Tortricidae) Synonym(s): *nuristana* Razowski,1967
AF Ng Nu Kab
- 1616. *Cochylimorpha stataria* (Razowski,1970)** (Tortricidae) Synonym(s): *stataria* Razowski,1970 AF
BdA
- 1617. *Cochylis apricana* Kennel,1899** (Tortricidae) Synonym(s): *amoenana* Kennel,1899 nec Wlk.,1863; *apricana* Kennel,1899 *Cochylis apricana* Kennel,1899, Dt. ent. Z., Iris 12: 27, Taf.1 fig.24. Type ♂: [Georgia]: Kaukasus,
Achalzich. TR Cc GG Smt Akh IR Kh TJ Dsb Fe Nmg Man Smk UZ AF Bd Slg PK Pj Bl Qu KK Ax
- 1618. *Cochylis faustana* (Kennel,1919)** (Tortricidae) Synonym(s): *faustana* Kennel,1919 KG Tk Dj Ii AF
Hr Bark Kab Srb PK Bl Qu Kag Nar
- 1619. *Cochylis heratana* Razowski,1967** (Tortricidae) Synonym(s): *heratana* Razowski,1967; *#heratna* Razowski,1968 AF Hr
- 1620. *Cochylis indica* Razowski,1968** (Tortricidae) Synonym(s): *indica* Razowski,1968 PK AF Sfk IN Ch
- 1621. *Cochylis lutosa* Razowski,1967** (Tortricidae) Synonym(s): *lutosa* Razowski,1967 AF Pnj BdA
- 1622. *Cochylis maestana* (Kennel,1899)** (Tortricidae) Synonym(s): *maestana* Kennel,1899; *suleimana* Osthelder,1938. IR Elb Shh Mz TR? AF BdA Kab Slg
- 1623. *Cochylis morosana* Kennel,1899** (Tortricidae) Synonym(s): *morosana* Kennel,1899; *subobscurana* Kennel,1900 UZ Al AF Adr Pm
- 1624. *Cochylis piana* (Kennel,1899)** (Tortricidae) Synonym(s): *piana* Kennel,1899; *pamira* Obratzsov,1943; *subposterana* Toll,1947; *pseudefessana* Razowski,1963 IR KuM Kh Elb Th Ha AF Adr Gbh Kab TJ Pm Chr Rsh KG
Tk Ii Dj
- 1625. *Cochylis similana* Razowski,1963** (Tortricidae) Synonym(s): *similana* Razowski,1963 IR AF Kab
LB Bsa Cc
- 1626. *Cydia adjunctana* (Kennel,1901)** (Tortricidae) Synonym(s): *adjunctana* Kennel,1901 Grapholitha
adjunctana Kennel,1901, Dt. ent. Z., Iris 13: 292-293. Syntypes 2♂ 7♀: [Uzbekistan]: Margelan; [Uighur A.R.]:
Kuldja; [Turkmenistan]: Krasnowodsk; [Türkei]: Amasia. TR TM Krn UZ Fe Man CN Ui Ku IR Elb Mz Kdv AF MN
- 1627. *Diceratura diceratops* Razowski,1967** (Tortricidae) Synonym(s): *diceratops* Razowski,1967 AF
Slg Adr
- 1628. *Epiblema graphana* (Treitschke,1835)** (Tortricidae) Synonym(s): *graphana* Treitschke,1835; *pierretana* Duponchel,1836 ES FR IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE FI EE LV LT RU Sb
MD UA BY IR AF KG CN LB
- 1629. *Eriopsela klapperichi* Razowski,1967** (Tortricidae) Synonym(s): *klapperichi* Razowski,1967 AF
Pag
- 1630. *Eucosma ephedrana* Christoph,1877** (Tortricidae) Synonym(s): *ephedrana* Christoph,1877 IR Elb
TM AF
- 1631. *Eugnosta acanthana* Razowski,1967** (Tortricidae) Synonym(s): *acanthana* Razowski,1967 AF
- 1632. *Eugnosta arrecta* Razowski,1970** (Tortricidae) Synonym(s): *arrecta* Razowski,1970 AF Pag Slg
- 1633. *Eugnosta hydrargyran* (Eversmann,1842)** (Tortricidae) Synonym(s): *hydrargyran* Eversmann,1842
FR DE CH AT CZ SK RO RU Ur Sr Wo KG TrA Aa UZ Fe Nmg AF TJ Pm MN
- 1634. *Eugnosta magnificana* (Rebel,1914)** (Tortricidae) Synonym(s): *margaritana* Hübner,[1813] nec Haw.,[1811]; ? *norvichiana* Hübner,[1817] [nomina dubia!]; *magnificana* Rebel,1914. Euxanthis *magnificana* Rebel,1914, Dt. ent. Z., Iris 28: 273. Lectotype ♂: [Uighur Ili]: Kuldja, designated by Razowski,1964 (MGAB). ES FR
Si IT DE SK HU RO YU MK RU Sr MD UA BY TR Cc AM IR Elb Dam Kdv AF KG Uk T-S CN Ui Ku
- 1635. *Eugnosta pamirana* Obratzsov,1943** (Tortricidae) Synonym(s): *pamirana* Obratzsov,1943 TJ Pm
AF BdA Kbb

- 1636. Eugnosta parapamirana Razowski,2005** (Tortricidae) Synonym(s): *parapamirana* Razowski,2005
AF Kbb
- 1637. Eupoecilia crocina Razowski,1968** (Tortricidae) Synonym(s): *crocina* Razowski,1968
TJ AF Nu Bkt
- 1638. Falseuncaria ruficiliana (Haworth,[1811])** (Tortricidae) Synonym(s): *ciliella* Hübner,[1796] nec [Denis & Schiff.],1775; *ruficiliana* Haworth,[1811]; *coniana* Fuchs,1903; *tectana* Fuchs,1903.
ES FR Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY KG DsA AF Bd
- 1639. Fulcrifera noctivaga Razowski,1971** (Tortricidae) Synonym(s): *noctivaga* Razowski,1971
AF Nu
- 1640. Gynnidomorpha permixtana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *permixtana* [Denis & Schiffermüller],1775; *antennana* Frölich,1828; *mussehlana* Treitschke,1835; *dymotana* Treitschke,1835. *Tratrix permixtana* [Denis & Schiffermüller],1775, Ankiündung syst. Werkes Wienergegend: 129. Type(s): Wien (lost).
ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO GR TR IL Pa Hf DK SE FI EE LV LT RU MD UA BY UZ Br IR Elb Mz Clu AF Srb CN Mc Kgs MN
- 1641. Gypsonoma amseli Razowski,1967** (Tortricidae) Synonym(s): *amseli* Razowski,1967
AF
- 1642. Gypsonoma euphraticana (Amsel,1935)** (Tortricidae) Synonym(s): *euphraticana* Amsel,1935
DZ TR IR IQ Bgd Bsr IL Pa Jer KG TM UZ TJ AF PK
- 1643. Gypsonoma minutana (Hübner,[1799])** (Tortricidae) Synonym(s): *minutana* Hübner,[1799]; *vermiculana* Duponchel,1836
PT ES FR Co Si IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR DK SE FI EE LV LT RU Ur Prj Us TR IR Ce GG IL Pa AF MN CN KP KR JP Hkk
- 1644. Lepteucosma lutescens (Razowski,1967)** (Tortricidae) Synonym(s): *lutescens* Razowski,1967
AF Pag IN Ch Dra Ld
- 1645. Neocalyptis nuristana (Razowski,1967)** (Tortricidae) Synonym(s): *nuristana* Razowski,1967
AF IN Ld Ch Sri Dra
- 1646. Pelochrista latipalpana (Razowski,1967)** (Tortricidae) Synonym(s): *latipalpana* Razowski,1967
AF Bm Pnj
- 1647. Phalonidia contractana (Zeller,1847)** (Tortricidae) Synonym(s): *contractana* Zeller,1847; *manifestana* Kennel,1900; *exaequata* Meyrick,1923; *thermoconis* Meyrick,1925.
DZ PT ES FR Sa Si IT MT AT CZ SK HU RO MK AL BG Bgz GR TR CY LB IL Hf Pa Ce AM SY Dms IR Gor Elb Mz Clu TM Kp AF Srb TJ Pm Ch RU Sr Ur KG Uk CN Ui Ku IN Ch Sri
- 1648. Phtheochroa variolosana (Christoph,1887)** (Tortricidae) Synonym(s): *variolosana* Christoph,1887
IR AF Hr Kab TM Kp K-K UZ Smk KG DsA Ket

Yponomeutidae (8 species)

- 1649. Acrolepia afghanistanella Gaedike,1968** (Yponomeutidae) Synonym(s): *afghanistanella* Gaedike,1968
AF Kab
- 1650. Acrolepia exsuccella Erschoff,1874** (Yponomeutidae) Synonym(s): *exsuccella* Erschoff,1874
KG AF Pag Kab
- 1651. Acrolepia kasyi Gaedike,1968** (Yponomeutidae) Synonym(s): *kasyi* Gaedike,1968
AF Pag
- 1652. Digitivalva (s.str.) afghanistanella (Gaedike,1968)** (Yponomeutidae) Synonym(s): *afghanistanella* Gaedike,1968
AF Kab
- 1653. Digitivalva (s.str.) excussella (Erschoff,1874)** (Yponomeutidae) Synonym(s): *excussella* Erschoff,1874
KG Tks AF Pag Kab UZ IR Fa Shr
- 1654. Digitivalva (s.str.) kasyi (Gaedike,1968)** (Yponomeutidae) Synonym(s): *kasyi* Gaedike,1968
AF Pag Kab
- 1655. Digitivalva amseli Gaedike,1975** (Yponomeutidae) Synonym(s): *amseli* Gaedike,1975
Digitalvalva amseli Gaedike,1975, Beitr. Ent. 25 (2): 214-216, fig. Holotype ♂: NO-Afghanistan: Wakhan Tal, 3400m Kotal-e-Dalez, W_Seite, leg. G.Ebert & Naumann (LNK). AF Bd
- 1656. Plutella (s.str.) xylostella (Linnaeus,1758)** (Yponomeutidae) Synonym(s): *xylostella* Linnaeus,1758; *cinerea* Fourcroy,1785 nec Hufn.,1766; *xylostei* Fabricius,1798; *maculipennis* Curtis,1832; *niveella* Zeller,1839; *cruciferarum* Zeller,1843; *brassicella* Fitch,1856; *limbipennella* Clemens,1860; *mollipedella* Clemens,1860; *cicerella* Rondani,1876; *dubiosella* Beutenmüller,1889; *albovenosa* Walsingham,1897; *megapterella* Bentinck,1943
Phalaena Tinea xylostella Linnaeus,1758, Syst. Nat. (Edn.10) 1: 538. DZ TN PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY AF Hr IR Elb Kdv Dam Mz Kh IQ Njf Hjo LB Bsa IL Hf Pa ZA TH MY Cmh IN Hp SA AE YE

Zygaenidae (19 species)

- 1657. Adscita (Procriterna) subdolosa (Staudinger,1887)** (Zygaenidae) Synonym(s): *subdolosa* Staudinger,1887; *pamirensis* Hampson,1920
TJ Pm UZ KK KG AF
- 1658. Agalope hyalina (Kollar,[1844])** (Zygaenidae) Synonym(s): *hyalina* Kollar,[1844]; *basalis* Walker,1854; *primularis* Butler,1895; *formosana* Matsumura,1927
AF IN Ch SI Djl MM CN TW
- 1659. Campylotes histrionicus Westwood,1839** (Zygaenidae) Synonym(s): *histrionicus* Westwood,1839
AF IN CN SI BT NP

- 1660. *Praezygaena afghana* (Moore,[1860])** (Zygaenidae) Synonym(s): *afghana* Moore,[1860] *Zygaena afghana* Moore,[1860], Cat. Lepid. East Ind. Comp. Mus. 2: 286, Pl.7a fig.1. **AF PK BI Qu IR** [An obscure case: ⁴ F. Moore described *Zygaena afghana* was described by Moore in [1860] only once. However, this name is currently used by the authorities as valid names of two different taxa in the family *Zygaenidae*. Evidences of this incredible case is accessible in the official site of the Natural History Museum (London) ⁵ [see also footnote 4]. If *afghana* Moore belongs to the genus *Praezygaena* Alberti, then the related taxon must be validly called as *Zygaena (Agrumenia) mangeri* Burgeff,1927! If *afghana* Moore belongs to subgenus *Agrumenia* Hbn., then the subgenus *Epizygaena* Jordan,1907 with its synonyms, must be transferred to the subgenus *Agrumenia* Hbn, as invalid names, as *Zygaena afghana* Moore is the type-species of *Epizygaena* Jordan,1907. According to our knowledge, and the current evidences both in the literature, and in serious internet sites, this obscure case has never been discussed. A.Ö.K.]
- 1661. *Praezygaena caschmirensis* (Kollar,[1844])** (Zygaenidae) Synonym(s): *caschmirensis* Kollar,[1844] **AF PK Rw Mre NP Ch IN Hp Sml**
- 1662. *Soritia pulchella* (Kollar,[1848])** (Zygaenidae) Synonym(s): *pulchella* Kollar,[1848]; *leptalina* Kollar,[1848]; *sempunctata* Walker,1854; *triliturata* Walker,1863; *octopunctata* Möschler,1872; *flavomaculata* Möschler,1872; *cicada* R.Felder & Rogenhofer,1875; *olivascens* Moore,1879 **IN Ass Meg Khs Ch SI Syl BD AF CN MM VN Ton TH**
- 1663. *Zygaena (Agrumenia) afghana* Moore,[1860]** (Zygaenidae) Synonym(s): *afghana* Moore,[1860]; *mangeri* Burgeff,1927 *Zygaena afghana* Moore,[1860], Cat. Lepid. East Ind. Comp. Mus. 2: 286, Pl.7a fig.1. **AF Bm Kab Pag Kbb Pnj PK Qu**
- 1664. *Zygaena (Agrumenia) merzbacheri* H.Reiss,1933** (Zygaenidae) Synonym(s): *merzbacheri* H.Reiss,1933 **Na KK KG Tk AF Hk**
- 1665. *Zygaena (Agrumenia) nuksanensis* Koch,1937** (Zygaenidae) Synonym(s): *nuksanensis* Koch,1937 *Zygaena nuksanensis* Koch,1937, Ent. Z., Frankf. a. M. 51: 61. Type ♂ (Syntypes 6♂ 10♀): Afghanistan: Hindukusch-Gebiet, Nuksan Pass, 3500-4000m. **AF Nks Adr Bd Bqu Anj PK Ci Nwf**
- 1666. *Zygaena (Agrumenia) shivacola* Reiss & Schulte,1962** (Zygaenidae) Synonym(s): *shivacola* Reiss & Schulte,1962 **AF Bd Shv**
- 1667. *Zygaena (Mesembrynus) afghanica* H.Reiss,1940** (Zygaenidae) Synonym(s): *afghanica* H.Reiss,1940 **AF**
- 1668. *Zygaena (Mesembrynus) excellens* Reiss,1940** (Zygaenidae) Synonym(s): *excellens* Reiss,1940 **AF Kbb Pnj BdA IR Ss**
- 1669. *Zygaena (Mesembrynus) hindukuchi* Koch,1937** (Zygaenidae) Synonym(s): *hindukuchi* Koch,1937 **AF**
- 1670. *Zygaena (Mesembrynus) rubricollis* Hampson,1900** (Zygaenidae) Synonym(s): *rubricollis* Hampson,1900 *Zygaena rubricollis* Hampson,1900, J. Bombay nat. Hist. Soc. 13: 224, pl.B fig.9. **PK Nwf Ci IR Fa Ke Kz Ha Ss Zj TR Cc AM Azb AZ Nv Ord IQ AF**
- 1671. *Zygaena (Mesembrynus) superba* Reiss & Schulte,1964** (Zygaenidae) Synonym(s): *superba* Reiss & Schulte,1964 **AF Bqu Anj**
- 1672. *Zygaena (s.str.) wyatti* Reiss & Schulte,1961** (Zygaenidae) Synonym(s): *wyatti* Reiss & Schulte,1961 **AF Kbb Pnj**
- 1673. *Zygaenoprocris (Keilia) naumanni* Efetov,1994** (Zygaenidae) Synonym(s): *naumanni* Efetov,1994 **AF**
- 1674. *Zygaenoprocris (s.str.) chalcoclora* (Hampson,1900)** (Zygaenidae) Synonym(s): *chalcoclora* Hampson,1900; *mystrocera* Püngeler,1914; *chorassana* Alberti,1939 **PK Nwf Ci TM Kp AF Kab IR Se Shh Kh KuB**
- 1675. *Zygaenoprocris (s.str.) eberti* (Alberti,1968)** (Zygaenidae) Synonym(s): *eberti* Alberti,1968 **AF Kbb**

⁴ <http://www.members.tripod.com/entcesa/obscurecase.pdf>

⁵ <http://www.nhm.ac.uk/research-curation/research/projects/butmoth/>

Conclusion

Afghanistan is one of the little known country of West Asia from the lepidopterological stand point, due to the various political reasons. In the second half of the 20th century, insect fauna of Afghanistan has been investigated especially by German and Austrian scientists. The materials studied were collected during numerous expeditions from 1956 to date of invasion by the Russian. Since that time, there is no serious contribution to the Lepidoptera fauna of Afghanistan.

In the literature, there is no complete work on the Lepidoptera of Afghanistan. First attempt on this subject was made by Koçak & Kemal (2001), an online work, entitled "Checklist of the butterflies of Afghanistan". The authors published the first list of the Lepidoptera of Afghanistan, in Chapter 13: Results of the International Project of the CESA on the Lepidoptera of the World-I. Cent. ent. Stud., Memoirs 3-4: 1766-1789 (Koçak & Kemal, 2007). First bibliographical evaluation including Afghani publications has been published in the same work Chapter 4 (pp. 1117-1267). Later, the authors listed totally 1649 lepidopteran species of Afghanistan under the title "Pterygot insects of Afghanistan. A tentative synonymic list of the species known in Afghanistan (Results of the Entomofauna of the World, based upon infosystem of the Cesa)" (Koçak & Kemal, 2010). Last comprehensive bibliographical publication was published by the author under the title "Evaluation of the lepidopterological bibliography based upon the info-system of the Cesa" as 1185 pages (Koçak & Kemal, 2010).

Last important publication on the biodiversity of Afghanistan was published by Shank (2008), in which the butterflies of Afghanistan was based upon the publication by Koçak & Kemal (2001).

Estimated specific number of the Lepidoptera of Afghanistan may be more than 6000. It can be said that we know today 1675 species, only 27% of the total fauna. If the positive conditions appear in the country again, Afghanistan will be then the most interesting state, with its very rich and unexplored insect fauna.

The Cesa and the traps around us, an editorial comment

Recently, in some circles, inexpiable acts were made about our personalities, our scientific journals, and the scientific institution, the Cesa. We have right to reciprocate, but limited, because we are serious, honoured, and self-reliant scientists; moreover, we are absolutely not fond of having such correspondence.

The published attribution “itch” is not only non-scientific, but also extremely far from the universal politeness. Allowing such attempts in publications in so-called “mega-journals” reveals the scientific level of the related serial.

We, including the Cesa, lose never our scientific identity. We donot resist to the modernity, to follow the ICZN Rules; but we are against to all kind attempts of assimilation.

On the other hand, without expecting a benefit, to various taxa, proposed scientific names by us in the last decade, by dedicating to the esteemed scientists, are given below:

Danieloparra Kemal & Koçak,2004; *Dianajonesia* Koçak & Kemal,2008; *Takagina* Koçak & Kemal,2008; *Josefrazowskia* Koçak & Kemal,2008; *Daviesa* Koçak & Kemal,2008; *Forstera* Koçak & Kemal,2008; *Wiltona* Koçak & Kemal,2008; *Tanasevitchina* Koçak & Kemal,2008; *Wesolowskana* Koçak & Kemal,2008; *Platnickina* Koçak & Kemal,2008; *Mahunkana* Koçak & Kemal,2008; *Alsophila beljaevi* Koçak,2008; *Mohriga* Koçak & Hüseyinoğlu,2008; *Bouceka* Koçak & Kemal,2008; *Doganlaria* Koçak & Kemal,2008; *Narendranina* Koçak & Kemal,2008; *Vervesia* Koçak & Kemal,2008; *Lehreria* Koçak & Kemal,2008; *Platygundezia* Koçak & Kemal,2008; *Hedqvistina* Koçak & Kemal,2008; *Kandilia* Koçak & Kemal,2008; *Makarovana* Koçak & Kemal,2008; *Dabertina* Koçak & Kemal,2008; *Augeriflechtmannia* Koçak & Kemal,2008; *Blaszakia* Koçak & Kemal,2008; *Epaphroditus gellergrimmi* Koçak & Kemal,2008; *Laphria shi* Koçak & Kemal,2008; *Leptogaster walkeri* Koçak & Kemal,2008; *Leptogaster theodori* Koçak & Kemal,2008; *Cerditus lehri* Koçak & Kemal,2008; *Machimus lehri* Koçak & Kemal,2008; *Iridopsis villalobos* Koçak & Kemal,2009; *Daschiana* Koçak & Kemal,2009; *Narolskyia* Koçak & Kemal,2009; *Kocia* Koçak & Kemal,2009; *Tsauria* Koçak & Kemal,2009; *Aguiarina* Koçak & Kemal,2009; *Blaszakzercon* Koçak & Kemal,2009; *Beyarslania* Koçak & Kemal,2009; *Grandjeana* Koçak & Kemal,2009; *Gouxia* Koçak & Kemal,2009; *Otteius* Koçak & Kemal,2009; *Korneyevia* Koçak & Kemal,2009; *Heinrichiola* Koçak & Kemal,2009; *Hancockius* Koçak & Kemal,2009; *Delucchia* Koçak & Kemal,2009; *Danielottea* Koçak & Kemal,2009; *Woznicaia* Koçak & Kemal,2010; *Eupholidoptera feri* Koçak & Kemal,2010.

Instead of evaluating our such approach mentioned above, other proposed new names by us, with the combination of our institutional name “Cesa” were accused severely. This attitude, moreover a publication on this subject in an apparently serious journal, is very unfriendly, irritative, and not based on scientific facts. The neglected facts are: The Cesa is a scientific organization, and its founders devoted themselves entirely to most of the branches of the science.^{6,7} Studying with the nomenclature was never our single aim. But nomenclatural rules are very important tools in the taxonomy, every scientists interested in taxonomy must follow strictly these rules.

During 45 years, the founders collaborated with the scientists based upon the mutual respect. We tried always to stay within the scientific measurements, because we are scholars and our responsibilities are not only scientific researches, but also educating students. Our acts under discussion are purely scientific. If we have some scientific errors in proposing new taxa, new names, etc. there are well known methods applicable defined and limited by the rules of the ICZN like new synonyms, etc. Every constructive criticism are very welcome by us. Unfortunately, the recent publications were obviously far from tolerance, understanding and compassion. Its aim was apparently inflame the public opinion against us – like **a call to lynch** within an academical (!) circle, rather than the scientific purpose.⁸

Some minded people⁹ were easily affected by such short-sighted dogmatic approaches; consequently, their hearts were filled with hatred against our all values, as aimed.

The following lifelong action plans about illegally stopping our all scientific activities were realized widely. This deadly plan¹⁰ is obviously a revenge, which is, according to us, simply a

⁶ urn:lsid:biocol.org:col:35261

⁷ <http://www.cesa-tr.org/Cesaprojects.htm>

⁸ Similar attitude was realized by the “whites” against indigenous Australians. But, the government officially abandoned the assimilation policy for indigenous Australians in the northern territory in 1973. In 2008, the prime minister of Australia offered a formal apology to the members of the stolen generations.

⁹ Names of them are kept by us.

primitiveness. In a scientific circle, in the present era of the humanity, which is apparently regulated by the accepted **Universal Declaration of the Human Rights** since 1948, any action of the revenge can be neither understood, nor excused. Some examples of destructive campaigns can be clearly seen in the statements of some “parahyme” fellows against to the following generic names proposed by us:

“(this establishes some **atrocious** generic names such as **Canada, Guinea, and Latina**)”
Peace On Behalf Of Doug Yanega. *Wed Oct 14 10:16:28 BST 2009*[Parahym].¹¹

Atrocious is explained for example by AudiaEnglish.net in the internet¹² as follows;



According to these scientists (!):

“Canada” is brutal or cruel, exceptionally bad or displeasing or provoking horror.

Similarly, **“Guinea” is brutal or cruel, exceptionally bad or displeasing or provoking horror;**

“Latina” is brutal or cruel, exceptionally bad or displeasing or provoking horror.

We proposed these generic names to the related taxa, as we respect **Canadian sovereignty**,¹³ similarly to the state Guinea¹⁴, and Latina¹⁵ to the states of South and Central America (from Argentina, Brazil, Peru to Mexico, more than 24 countries that can be defined as “Latin states”). There are also other scientific names proposed by various authors to some groups of animals; as *“canada”* 8 names, as *“latina”* 16 names, as *“guinea”* 13 names (see. *Index to Organism Names*). According to “Peace on behalf of Doug Yanega” they all must be also “atrocious”.

Extremely irresponsible words, and attitudes of “Peace On Behalf Of Doug Yanega [University of California]”, are very unfortunate, and it needs decorously an urgent formal apology to these 26 states and their honoured, respectful people, if the Universal Declaration of the Human Rights is really recongized.

Editorial

¹⁰ Names of the persons and their attempts are kept by us for the time being.

¹¹ <http://mailman.nhm.ac.uk/pipermail/parahym/2009/000055.html> [last access: 28 Dec., 2011]

¹² <http://www.audioenglish.net/dictionary/atrocious.htm>

¹³ Canada Kocak & Kemal 2008, Nomenclatural notes on the genus group names in the order Hymenoptera (Chalcidoidea). Centre for Entomological Studies Miscellaneous Papers, 143, 15 October 2008: 3-7. urn:lsid:organismnames.com:name:4339928

¹⁴ Guinea Kocak & Kemal 2008, urn:lsid:organismnames.com:name:4339931

¹⁵ Latina Kocak & Kemal 2008, urn:lsid:organismnames.com:name:4339932

Field studies planned in 2012 and current conditions in East Turkey

For native and foreigners the rules on researching even photographing on the biological materials in Turkey have been changed. Obtaining permit for any study is difficult, and needs long time even for native researches. On the other hand, it is said that controls and the penalties will be very strict and severe this year. Penalty for illegal collecting for each person is more than 30000TL (nearly 15000€). We could receive a permission for our researches for three years.

However, more serious problem is the terrorism for all of us. Land mines represent an insidious and persistent danger in East Turkey. Numerous fatalities have occurred so far. Additionally, predator drone, used for the operations against terrorists in East Turkey, appears as another danger for the civil people also for us, if we have to work in the remote areas. The last "operational accident" happened near Iraqi border on 29 December 2011, and 35 villagers were killed after an air strike (from press).

It is clearly seen that the terrorist activities will be at the highest point in this year. For that reason, in 2012, the remote areas of Turkey are absolutely not safe for the ill-advised visitors (native or foreign), and are always not convenient for illegal researching, and collecting due to the cases mentioned above.

Editorial

Priamus & Priamus Supplement

ISSN 1015-8243

Priamus is the first international serial publication of the Centre for Entomological Studies Ankara (CESA), established in 1981. It appears in volumes at irregular intervals. It includes shorter original articles of the research workers of the Centre, regarding taxonomy, nomenclature, morphology, bibliography, check-list, catalogue of Insects, especially Lepidoptera, as well as papers on faunistic, ecological and distributional researches. The publication languages are Turkish, English, German and Uighurian.

Priamus Supplement is the first international, online publication of the Centre for Entomological Studies Ankara (CESA), established in 2006 in accordance with the Publications Rules of the ICZN. It appears at irregular intervals as PDF format and announced in the internet site of the CESA. It includes larger original articles and theses of the research workers of the Centre, regarding morphology, bibliography, check-list, catalogue of Insects, especially Lepidoptera, as well as papers on faunistic, ecological and distributional researches. The publication languages are Turkish, English, German and Uighurian.

Centre for Entomological Studies Ankara



(A scientific Consortium)
(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/>

Scientific Serials: Priamus & Supplement (ISSN 1015-8243)¹⁶, Miscellaneous Papers (ISSN 1015-8235)¹⁷, Memoirs (ISSN-8227)¹⁸, DVD Films¹⁹, Iconographia Insectorum²⁰, Cesa Publications on African Lepidoptera (series)²¹, Cesa News [online]²², Cesa Books²³

Owners / Sahipleri - Editors / Yayıncılar: Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor Assistant: Asst. Prof. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey).

Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Asst. Prof. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Assoc. Prof. Dr. Selma Seven (Gazi University, Turkey); Homoptera: Dr. Emine Demir (Turkey). Orthoptera: Assoc. Prof. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Asst. Prof. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Asst. Prof. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat). Coleoptera / Chrysomelidae: Assoc. Prof. M.S.Mohammedsaid (Malaysia). - Plant taxonomy, flora and vegetation: Asst. Prof. Dr. Fevzi Özgökçe, Asst. Prof. Dr. Mural Ünal (Yüzüncü Yıl University, Van, Turkey).

ALL RIGHTS RESERVED

Correspondences should be addressed to: Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. - e-mail: cesa_tr@yahoo.com.tr

All serials are recorded regularly by the Zoological Record,
Thomson Reuters, Enterprise House, Innovation Way, Heslington, York, YO10 5NQ, United Kingdom
ts-emea-york.dcsadmins@thomson.com



Cesa © 1966-2012

¹⁶ <http://www.cesa-tr.org/Pri.htm> - earlier issues of Priamus as pdf available after corresponding ; Priamus Supplement (online) pdf available

¹⁷ <http://www.cesa-tr.org/Miscell.htm> - earlier issues as pdf available after corresponding

¹⁸ <http://www.cesa-tr.org/Memoirs.htm> - pdf available

¹⁹ <http://www.cesa-tr.org/CDF.htm>

²⁰ <http://www.cesa-tr.org/Icon.htm>

²¹ http://www.metafro.be/Members/Cesa/internet_sayfas305/base_view - pdf available

²² <http://www.cesa-tr.org/Cesanews.htm> pdf available

²³ <http://www.cesa-tr.org/Cesabooks.htm> CD format